

Bibliography

Microdialysis in Cancer research, July 2013

[Decline of lactate in tumor tissue after ketogenic diet: in vivo microdialysis study in patients with head and neck cancer.](#)

Schroeder U, Himpe B, Pries R, Vonthein R, Nitsch S, Wollenberg B.
Nutr **Cancer**. 2013;65(6):843-9. doi: 10.1080/01635581.2013.804579.

[Lower anxiogenic effects of serotonin agonists are associated with lower activation of amygdala and lateral orbital cortex in adolescent male rats.](#)

Arrant AE, Coburn E, Jacobsen J, Kuhn CM.
Neuropharmacology. 2013 Jun 15;73C:359-367. doi: 10.1016/j.neuropharm.2013.05.030. [Epub ahead of print]

[The pharmacokinetics of letrozole in brain and brain tumor in rats with orthotopically implanted C6 glioma, assessed using intracerebral microdialysis.](#)

Dave N, Gudelsky GA, Desai PB.
Cancer Chemother Pharmacol. 2013 Aug;72(2):349-57. doi: 10.1007/s00280-013-2205-y. Epub 2013 Jun 9.

[Investigation of the effect of active efflux at the blood-brain barrier on the distribution of nonsteroidal aromatase inhibitors in the central nervous system.](#)

Miyajima M, Kusuhara H, Takahashi K, Takashima T, Hosoya T, Watanabe Y, Sugiyama Y.
J Pharm Sci. 2013 May 27. doi: 10.1002/jps.23600. [Epub ahead of print]

[Chronic Interferon- \$\alpha\$ Decreases Dopamine 2 Receptor Binding and Striatal Dopamine Release in Association with Anhedonia-Like Behavior in Nonhuman Primates.](#)

Felger JC, Mun J, Kimmel HL, Nye JA, Drake DF, Hernandez CR, Freeman AA, Rye DB, Goodman MM, Howell LL, Miller AH.
Neuropsychopharmacology. 2013 May 9. doi: 10.1038/npp.2013.115. [Epub ahead of print]

[Microdialysis measurement of intratumoral temozolomide concentration after cediranib, a pan-VEGF receptor tyrosine kinase inhibitor, in a U87 glioma model.](#)

Grossman R, Tyler B, Rudek MA, Kim E, Zadnik P, Khan U, Blakeley JO, Pathak AP, Brem H.
Cancer Chemother Pharmacol. 2013 Jul;72(1):93-100. doi: 10.1007/s00280-013-2172-3. Epub 2013 May 7.

[Inflammation induced by MMP-9 enhances tumor regression of experimental breast cancer.](#)

Leifler KS, Svensson S, Abrahamsson A, Bendrik C, Robertson J, Gauldie J, Olsson AK, Dabrosin C.
J Immunol. 2013 Apr 15;190(8):4420-30. doi: 10.4049/jimmunol.1202610. Epub 2013 Mar 15.

[Systemic pregabalin attenuates facial hypersensitivity and noxious stimulus-evoked release of glutamate in medullary dorsal horn in a rodent model of trigeminal neuropathic pain.](#)

Kumar N, Cherkas PS, Varathan V, Miyamoto M, Chiang CY, Dostrovsky JO, Sessle BJ, Coderre TJ.
Neurochem Int. 2013 May;62(6):831-5. doi: 10.1016/j.neuint.2013.02.022. Epub 2013 Feb 26.

[Determination of gemcitabine and its metabolite in extracellular fluid of rat brain tumor by ultra performance liquid chromatography-tandem mass spectrometry using microdialysis sampling after intralesional chemotherapy.](#)

Sun Y, Tang D, Chen H, Zhang F, Fan B, Zhang B, Fang S, Lu Q, Wei Y, Yin J, Yin X.

J Chromatogr B Analyt Technol Biomed Life Sci. 2013 Mar 1;919-920:10-9. doi: 10.1016/j.jchromb.2012.12.027. Epub 2013 Jan 9.

[Ischemic preconditioning may reduce hyperglycemia associated with intermittent Pringle maneuver in hepatic resection.](#)

Hanazaki K, Munekage M, Ichikawa K, Okabayashi T.

J Hepatobiliary Pancreat Sci. 2013 Feb;20(2):257. doi: 10.1007/s00534-012-0535-5. No abstract available.

[Exogenous markers for the characterization of human diseases associated with oxidative stress.](#)

Vaya J.

Biochimie. 2013 Mar;95(3):578-84. doi: 10.1016/j.biochi.2012.03.005. Epub 2012 Mar 10.

[A neuropharmacokinetic assessment of bafetinib, a second generation dual BCR-Abl/Lyn tyrosine kinase inhibitor, in patients with recurrent high-grade gliomas.](#)

Portnow J, Badie B, Markel S, Liu A, D'Apuzzo M, Frankel P, Jandial R, Synold TW.

Eur J **Cancer**. 2013 Feb 4. doi:pii: S0959-8049(13)00005-1. 10.1016/j.ejca.2013.01.001. [Epub ahead of print]

[Mass spectrometric detection of neuropeptides using affinity-enhanced microdialysis with antibody-coated magnetic nanoparticles.](#)

Schmerberg CM, Li L.

Anal Chem. 2013 Jan 15;85(2):915-22. doi: 10.1021/ac302403e. Epub 2013 Jan 3.

[Activation of alternate prosurvival pathways accounts for acquired sunitinib resistance in U87MG glioma xenografts.](#)

Zhou Q, Lv H, Mazloom AR, Xu H, Ma'ayan A, Gallo JM.

J Pharmacol Exp Ther. 2012 Nov;343(2):509-19. doi: 10.1124/jpet.112.196097. Epub 2012 Aug 6.

[Doxorubicin-loaded Zein in situ gel for interstitial chemotherapy.](#)

Cao X, Geng J, Su S, Zhang L, Xu Q, Zhang L, Xie Y, Wu S, Sun Y, Gao Z.

Chem Pharm Bull (Tokyo). 2012;60(10):1227-33. Epub 2012 Aug 1.

[Use-dependent inhibition of synaptic transmission by the secretion of intravesicularly accumulated antipsychotic drugs.](#)

Tischbirek CH, Wenzel EM, Zheng F, Huth T, Amato D, Trapp S, Denker A, Welzel O, Lueke K, Svetlitchny A, Rauh M, Deusser J, Schwab A, Rizzoli SO, Henkel AW, Müller CP, Alzheimer C, Kornhuber J, Groemer TW.

Neuron. 2012 Jun 7;74(5):830-44. doi: 10.1016/j.neuron.2012.04.019.

[Genetically engineered cancer models, but not xenografts, faithfully predict anticancer drug exposure in melanoma tumors.](#)

Combest AJ, Roberts PJ, Dillon PM, Sandison K, Hanna SK, Ross C, Habibi S, Zamboni B, Müller M, Brunner M, Sharpless NE, Zamboni WC.

Oncologist. 2012;17(10):1303-16. doi: 10.1634/theoncologist.2012-0274. Epub 2012 Sep 19.

[Estradiol, Tamoxifen, and Flaxseed Alter IL-1 \$\beta\$ and IL-1Ra Levels in Normal Human Breast Tissue in Vivo.](#)

Abrahamsson A, Morad V, Saarinen NM, Dabrosin C.
J Clin Endocrinol Metab. 2012 Nov;97(11):E2044-54. doi: 10.1210/jc.2012-2288. Epub 2012 Aug 28.

[The real-time neurotoxicity analysis of Fe₃O₄ nanoparticles combined with daunorubicin for rat brain in vivo.](#)

Xu P, Li J, Chen B, Wang X, Cai X, Jiang H, Wang C, Zhang H.
J Biomed Nanotechnol. **2012** Jun;8(3):417-23.

[The impact of bevacizumab on temozolomide concentrations in intracranial U87 gliomas.](#)

Grossman R, Rudek MA, Brastianos H, Zadnik P, Brem H, Tyler B, Blakeley JO.
Cancer Chemother Pharmacol. **2012** Jul;70(1):129-39. Epub **2012** May 27.

[Ischemic preconditioning prior to intermittent Pringle maneuver in liver resections.](#)

Winblad A, Björnsson B, Trulsson L, Offenbartl K, Gullstrand P, Sandström P. J
Hepatobiliary Pancreat Sci. **2012** Mar;19(2):159-70.

[Exogenous markers for the characterization of human diseases associated with oxidative stress.](#)

Vaya J.
Biochimie. **2012** Mar 10. [Epub ahead of print]

[Increase in cerebral metabolites during induction of propofol anaesthesia.](#)

Bossers SM, Peerdeman SM, Oedayrajsingh Varma P, Baayen JC, De Witt Hamer PC, Schauer A, Loer SA, Boer C.
Br J Anaesth. **2012** Jan;108(1):165-7. No abstract available.

[Verification of brain penetration of the unbound fraction of a novel HER2/EGFR dual kinase inhibitor \(TAK-285\) by microdialysis in rats.](#)

Erdő F, Gordon J, Wu JT, Sziráki I.
Brain Res Bull. 2012 Jan 9. [Epub ahead of print]

[Microdialysis: improving local chemotherapy in cancer using a mathematical model.](#)

Martins FC, Santos JL, Oliveira CF.
Front Biosci (Elite Ed). 2012 Jan 1;4:401-9.

[Usefulness of Olanzapine as an Adjunct to Opioid Treatment and for the Treatment of Neuropathic Pain.](#)

Torigoe K, Nakahara K, Rahmadi M, Yoshizawa K, Horiuchi H, Hirayama S, Imai S, Kuzumaki N, Itoh T, Yamashita A, Shakunaga K, Yamasaki M, Nagase H, Matoba M, Suzuki T, Narita M.
Anesthesiology. 2012 Jan;116(1):159-169.

[Surveying proteolytic processes in human cancer microenvironments by microdialysis and activity-based mass spectrometry.](#)

Hardt M, Lam DK, Dolan JC, Schmidt BL.

Proteomics Clin Appl. 2011 Dec;5(11-12):636-43. doi: 10.1002/prca.201100015.

[Plasma protein binding of sorafenib, a multi kinase inhibitor: in vitro and in cancer patients.](#)

Villarroel MC, Pratz KW, Xu L, Wright JJ, Smith BD, Rudek MA.

Invest New Drugs. 2011 Nov 17.

[Endothelin B receptor contribution to peripheral microvascular function in women with polycystic ovary syndrome.](#)

Wenner MM, Taylor HS, Stachenfeld NS.

J Physiol. 2011 Oct 1;589(Pt 19):4671-9. Epub 2011 Aug 8.

[Monitoring of intraoral free flaps with microdialysis.](#)

Nielsen HT, Gutberg N, Birke-Sorensen H.

Br J Oral Maxillofac Surg. 2011 Oct;49(7):521-6. Epub 2010 Oct 27.

[Tamoxifen and flaxseed alter angiogenesis regulators in normal human breast tissue in vivo.](#)

Nilsson Åberg UW, Saarinen N, Abrahamsson A, Nurmi T, Engblom S, Dabrosin C.,

PLoS One. 2011;6(9):e25720. Epub 2011 Sep 30

[Magnetic resonance imaging-guided microdialysis cannula implantation in a spontaneous high-grade glioma murine model.](#)

Elmeliegy MA, Carcaboso AM, L Chow LM, Zhang ZM, Calabrese C, Throm SL, Wang F, Baker SJ, Stewart CF.

J Pharm Sci. 2011 Aug 11. doi: 10.1002/jps.22723.

[Clinical microdialysis in neuro-oncology: principles and applications.](#)

Goodman JC,

Chin J Cancer. 2011 Mar;30(3):173-81.

[Role of ATP-binding cassette and solute carrier transporters in erlotinib CNS penetration and intracellular accumulation.](#)

Elmeliegy MA, Carcaboso AM, Tagen M, Bai F, Stewart CF,

Clin Cancer Res. 2011 Jan 1;17(1):89-99. Epub 2010 Nov 18.

[Tamoxifen, flaxseed, and the lignan enterolactone increase stroma- and cancer cell-derived IL-1Ra and decrease tumor angiogenesis in estrogen-dependent breast cancer.](#)

Lindahl G, Saarinen N, Abrahamsson A, Dabrosin C,

Cancer Res. 2011 Jan 1;71(1):51-60. Epub 2010 Nov 19.

[Microdialysis for assessing intratumoral drug disposition in brain cancers: a tool for rational drug development.](#)

Blakeley J, Portnow,

Expert Opin. Drug Metab. Toxicol. 2010 6(12):1477-1491.

[Estrogen-induced angiogenic factors derived from stromal and cancer cells are differently regulated by enterolactone and genistein in human breast cancer in vivo.](#)

Saarinen NM, Abrahamsson A, Dabrosin C.
Int J Cancer. 2010 Aug 1;127(3):737-45.

[Increasing tumoral 5-fluorouracil concentrations during a 5-day continuous infusion: a microdialysis study.](#)

Konings IR, Sleijfer S, Mathijssen RH, de Bruijn P, Ghobadi Moghaddam-Helmantel IM, van Dam LM, Wiemer EA, Verweij J, Loos WJ.
Cancer Chemother Pharmacol. 2010 Jul 23. [Epub ahead of print]

[Angiogenin regulation by estradiol in breast tissue: tamoxifen inhibits angiogenin nuclear translocation and antiangiogenin therapy reduces breast cancer growth in vivo.](#)

Nilsson UW, Abrahamsson A, Dabrosin C.
Clin Cancer Res. 2010 Jul 15;16(14):3659-69. Epub 2010 May 25.

[Metabolomic patterns in glioblastoma and changes during radiotherapy: a clinical microdialysis study.](#)

Wibom C, Surowiec I, Mören L, Bergström P, Johansson M, Antti H, Bergenheim AT.
J Proteome Res. 2010 Jun 4;9(6):2909-19.

[Intra-operative, real-time, three-dimensional ultrasound assisted positioning of catheters in the microdialysis of glial tumours.](#)

Homapour B, Bowen JE, Want EJ, O'Neill K, Apostolopoulos V, Nandi D, Van Dellen JR, Roncaroli F.
J Clin Neurosci. 2010 Apr;17(4):506-10. Epub 2010 Jan 21.

[Tyrosine Kinase Inhibitor Gefitinib Enhances Topotecan Penetration of Gliomas.](#)

Carcaboso AM, Elmeliogy MA, Shen J, Juel SJ, Zhang ZM, Calabrese C, Tracey L, Waters CM, Stewart CF.
Cancer Res. 2010 Jun 1;70(11):4499-508. Epub 2010 May 11

[Metabolomic patterns in glioblastoma and changes during radiotherapy - a clinical microdialysis study.](#)

Wibom C, Surowiec I, Mören L, Bergström P, Johansson M, Antti H, Bergenheim T.
J Proteome Res. 2010 Mar 21.

[In vivo assessment of high-grade glioma biochemistry using microdialysis: a study of energy-related molecules, growth factors and cytokines.](#)

Marcus HJ, Carpenter KL, Price SJ, Hutchinson PJ.
J Neurooncol. 2010 Mar; 97(1):11-23. Epub 2009 Aug 28.

[Intra-operative, real-time, three-dimensional ultrasound assisted positioning of catheters in the microdialysis of glial tumours.](#)

Homapour B, Bowen JE, Want EJ, O'Neill K, Apostolopoulos V, Nandi D, Van Dellen JR, Roncaroli F.
J Clin Neurosci. 2010 Jan 20.

[The neuropharmacokinetics of temozolomide in patients with resectable brain tumors: potential implications for the current approach to chemoradiation.](#)

Portnow J, Badie B, Chen M, Liu A, Blanchard S, Synold TW.
Clin Cancer Res. 2009 Nov 15; 15(22):7092-8. Epub 2009 Oct 27.

[Estrogen-induced angiogenic factors derived from stromal and cancer cells are differently regulated by enterolactone and genistein in human breast cancer in vivo.](#)

Saarinen NM, Abrahamsson A, Dabrosin C.
Int J Cancer. 2009 Nov 18. [Epub ahead of print]

[Peritoneal microdialysis. Early diagnosis of anastomotic leakage after low anterior resection for rectosigmoid cancer.](#)

Ellebaek Pedersen M, Qvist N, Bisgaard C, Kelly U, Bernhard A, Møller Pedersen S.
Scand J Surg. 2009; 98(3):148-54.

[The effects of drug transporter inhibitors on the pharmacokinetics and tissue distribution of methotrexate in normal and tumor-bearing mice: a microdialysis study.](#)

Sani SN, Henry K, Böhlke M, Kim J, Stricker-Krongrad A, Maher TJ.
Cancer Chemother Pharmacol. 2010 May;66(1):159-69. Epub 2009 Oct 9.

[In vivo assessment of high-grade glioma biochemistry using microdialysis: a study of energy-related molecules, growth factors and cytokines.](#)

Marcus HJ, Carpenter KL, Price SJ, Hutchinson PJ.
J Neurooncol. 2009 Aug 28. [Epub ahead of print]

[Microdialysis: a technique for pharmacokinetic-pharmacodynamic studies of oncological drugs](#)

Wei YH, Xu LZ, Shen Q, Li FZ.
Curr Pharm Biotechnol. 2009 Sep; 10(6):631-40. Epub 2009 Sep 1

[Compartment-specific roles of ATP-binding cassette transporters define differential topotecan distribution in brain parenchyma and cerebrospinal fluid](#)

Shen J, Carcaboso AM, Hubbard KE, Tagen M, Wynn HG, Panetta JC, Waters CM, Elmeliogy MA, Stewart CF.
Cancer Res. 2009 Jul 15; 69(14):5885-92. Epub 2009 Jun 30.

[Chemotherapy and the future: microdialysis as a local administration technique.](#)

Martins FC, de Oliveira CF.
Eur J Gynaecol Oncol. 2009; 30(1):5-8.

[Estradiol increases IL-8 secretion of normal human breast tissue and breast cancer in vivo.](#)

Bendrik C, Dabrosin C.
J Immunol. 2009 Jan 1; 182(1):371-8.

[Effect of blood brain barrier permeability in recurrent high grade gliomas on the intramural pharmacokinetics of methotrexate: a microdialysis study.](#)

Blakeley JO, Olson J, Grossman SA, He X, Weingart J, Supko JG;
New Approaches to Brain Tumor Therapy (NABTT) Consortium.
J Neurooncol. 2009 Jan; 91(1):51-8. Epub 2008 Sep 12.

[Gene transfer of matrix metalloproteinase-9 induces tumor regression of breast cancer in vivo](#)

Bendrik C, Robertson J, Gaudie J, Dabrosin C.
Cancer Res. 2008 May 1; 68(9):3405-12.

[Tetramethylpyrazine inhibits activities of glioma cells and glutamate neuroexcitotoxicity: Potential therapeutic application for treatment of gliomas.](#)

Yu-Show Fu, Yen-Yang Lin, Shih-Chich Chou, Tung-Hu Tsai, Lung-Sen Kao, Shao-Yun Hsu, Fu-Chou Cheng, Yang-Hsin Shih, Henrich Cheng, Yu-Yi Fu, and Jia-Yi Wang.
Neuro Oncol. 2008 Apr;10(2):139-52. Epub 2008 Feb 26.

[Pharmacologic doses of ascorbate act as a prooxidant and decrease growth of aggressive tumor xenografts in mice.](#)

Chen Q, Espey MG, Sun AY, Pooput C, Kirk KL, Krishna MC, Khosh DB, Drisko J, Levine M.
Proc Natl Acad Sci U S A. 2008 Aug 12;105(32):11105-9. Epub 2008 Aug 4.

[Application of prolonged microdialysis sampling in carboplatin-treated cancer patients](#)

Konings IR, Engels FK, Sleijfer S, Verweij J, Wiemer EA, Loos WJ.
Cancer Chemother Pharmacol. 2008 Dec 20.

[Bioavailability of aminolaevulinic acid and methylaminolaevulinate in basal cell carcinomas: a perfusion study using microdialysis in vivo.](#)

Sandberg C, Halldin CB, Ericson MB, Larkö O, Krogstad AL, Wennberg AM.
Br J Dermatol. 2008 Nov; 159(5):1170-6.

[Glucose metabolites, glutamate and glycerol in malignant glioma tumours during radiotherapy.](#)

Tabatabaei P, Bergström P, Henriksson R, Bergenheim AT.
J Neurooncol. 2008 Oct; 90(1):35-9. Epub 2008 Jun 19.

[Tumor, tissue, and plasma pharmacokinetic studies and antitumor response studies of docetaxel in combination with 9-nitrocamptothecin in mice bearing SKOV-3 human ovarian xenografts.](#)

Zamboni WC, Strychor S, Joseph E, Parise RA, Egorin MJ, Eiseman JL.
Cancer Chemother Pharmacol. 2008 Aug;62(3):417-26. Epub 2007 Oct 24.

[In vivo measurement of tumor estradiol and Vascular Endothelial Growth Factor in breast cancer patients.](#)

Garvin S, Dabrosin C.
BMC Cancer 2008 Mar 18;8:73.

[Plasma, tumor, and tissue disposition of STEALTH liposomal CKD-602 \(S-CKD602\) and nonliposomal CKD-602 in mice bearing A375 human melanoma xenografts.](#)

Zamboni WC, Strychor S, Joseph E, Walsh DR, Zamboni BA, Parise RA, Tonda ME, Yu NY, Engbers C, Eiseman JL.

Clin Cancer Res. 2007 Dec 1;13(23):7217-23.

[Low-dose paclitaxel prior to intratumoral dendritic cell vaccine modulates intratumoral cytokine network and lung cancer growth.](#)

Zhong H, Han B, Tourkova IL, Lokshin A, Rosenbloom A, Shurin MR, Shurin GV.

Clin Cancer Res. 2007 Sep 15;13(18 Pt 1):5455-62.

[Flaxseed and its lignans inhibit estradiol-induced growth, angiogenesis, and secretion of vascular endothelial growth factor in human breast cancer xenografts in vivo.](#)

Bergman Jungeström M, Thompson LU, Dabrosin C.

Clin Cancer Res. 2007 Feb 1;13(3):1061-7.

[Metabolic manipulation of glioblastoma in vivo by retrograde microdialysis of L-2, 4 diaminobutyric acid \(DAB\).](#)

Bergenheim AT, Roslin M, Ungerstedt U, Waldenström A, Henriksson R, Ronquist G.

J Neurooncol. 2006 Dec;80(3):285-93. Epub 2006 Jun 14.

[The relevance of microdialysis for clinical oncology](#)

Kitzen JJ, Verweij J, Wiemer EA, Loos WJ.

Curr Clin Pharmacol. 2006 Sep;1(3):255-63. Review.

[Estradiol and tamoxifen regulate endostatin generation via matrix metalloproteinase activity in breast cancer in vivo](#)

Nilsson UW, Dabrosin C.

Cancer Res. 2006 May 1;66(9):4789-94.

[In vivo microdialysis for PK and PD studies of anticancer drugs.](#)

Zhou Q, Gallo JM.

AAPS J. 2005 Oct 24;7(3):E659-67. Article 66 Review. (<http://www.aapsj.org>).

[Microdialysis - an in vivo technique for studies of growth factors in breast cancer.](#)

Dabrosin C.

Front Biosci. 2005 May 1;10:1329-35. Review.

[Distribution of BPA and metabolic assessment in glioblastoma patients during BNCT treatment: a microdialysis study.](#)

Bergenheim AT, Capala J, Roslin M, Henriksson R.

J Neurooncol. 2005 Feb;71(3):287-93.

[Extracellular levels of amino acids and choline in human high grade gliomas: an intraoperative microdialysis study.](#)

Bianchi L, De Micheli E, Bricolo A, Ballini C, Fattori M, Venturi C, Pedata F, Tipton KF, Della Corte L.

Neurochem Res. 2004 Jan;29(1):325-34

[Alteration of striatal dopaminergic function induced by glioma development: a microdialysis and immunohistological study in the rat striatum.](#)

Lonjon M, Quantien MH, Risso JJ, Michiels JF, Carre E, Rostain JC, Darbin O.

Neurosci Lett. 2004 Jan 9;354(2):131-4.

[Cisplatin tumor concentrations after intra-arterial cisplatin infusion or embolization in patients with oral cancer.](#)

Tegeder I, Bräutigam L, Seegel M, Al-Dam A, Turowski B, Geisslinger G, Kovács AF.

Clin Pharmacol Ther. 2003 May;73(5):417-26.

[Penetration of capecitabine and its metabolites into malignant and healthy tissues of patients with advanced breast cancer.](#)

Mader RM, Schrolnberger C, Rizovski B, Brunner M, Wenzel C, Locker G, Eichler HG, Mueller M, Steger GG.

Br J Cancer. 2003 Mar 10;88(5):782-7.

[Baseline levels of glucose metabolites, glutamate and glycerol in malignant glioma assessed by stereotactic microdialysis.](#)

Roslin M, Henriksson R, Bergström P, Ungerstedt U, Bergenheim AT.

J Neurooncol. 2003 Jan;61(2):151-60.

[The importance of tumor glucuronidase in the activation of irinotecan in a mouse xenograft model.](#)

Dodds HM, Tobin PJ, Stewart CF, Cheshire P, Hanna S, Houghton P, Rivory LP.

J Pharmacol Exp Ther. 2002 Nov;303(2):649-55.

[Microdialysis: an in vivo approach for measuring drug delivery in oncology.](#)

Brunner M, Müller M.

Eur J Clin Pharmacol. 2002 Jul;58(4):227-34. Epub 2002 May 23. Review.

[Use of microdialysis to study platinum anticancer agent pharmacokinetics in preclinical models.](#)

Johansen MJ, Thapar N, Newman RA, Madden T.

J Exp Ther Oncol. 2002 May-Jun;2(3):163-73.

[Science, medicine, and the future: Microdialysis.](#)

Müller M.

BMJ. 2002 Mar 9;324(7337):588-91. Review.

[Penetration of dacarbazine and its active metabolite 5-aminoimidazole-4-carboxamide into cutaneous metastases of human malignant melanoma.](#)

Joukhadar C, Klein N, Mader RM, Schrolnberger C, Rizovski B, Heere-Ress E, Pehamberger H, Strauchmann N, Jansen B, Müller M

Cancer. 2001 Oct 15;92(8):2190-6.

[Local distribution into brain tumor and pharmacokinetics of 4-pyridoxate diammine hydroxy platinum, a novel cisplatin derivative, after intracarotid administration in rats with 9L malignant glioma: simultaneous brain microdialysis study.](#)

Tokunaga Y, Nakashima M, Sasaki H, Tomiyama N, Nakashima MN, Ichikawa M, Kaminogo M, Shibata S. Biol Pharm Bull. 2000 Dec;23(12):1491-6.

[Extracellular glutamate and other metabolites in and around RG2 rat glioma: an intracerebral microdialysis study.](#)

Behrens PF, Langemann H, Strohschein R, Draeger J, Hennig J. J Neurooncol. 2000 Mar;47(1):11-22.

[Extracellular levels of taurine in tumoral, peritumoral and normal brain tissue in patients with malignant glioma: an intraoperative microdialysis study.](#)

De Micheli E, Alfieri A, Pinna G, Bianchi L, Colivicchi MA, Melani A, Pedata F, Della Corte L, Bricolo A. Adv Exp Med Biol. 2000;483:621-5.

[Relationship between tumor extracellular fluid exposure to topotecan and tumor response in human neuroblastoma xenograft and cell lines.](#)

Zamboni WC, Houghton PJ, Hulstein JL, Kirstein M, Walsh J, Cheshire PJ, Hanna SK, Danks MK, Stewart CF. Cancer Chemother Pharmacol. 1999;43(4):269-76.

[Interstitial methotrexate kinetics in primary breast cancer lesions.](#) Müller M, Brunner M, Schmid R, Mader RM, Bockenheimer J, Steger GG, Steiner B, Eichler HG, Blöchl-Daum B. Cancer Res. 1998 Jul 15;58(14):2982-5.

[Intraoperative microdialysis and tissue-pO₂ measurement in human glioma.](#)

Baunach S, Meixensberger J, Gerlach M, Lan J, Roosen K. Acta Neurochir Suppl. 1998;71:241-3.

[Intratumoral differences in methotrexate levels within human osteosarcoma xenografts studied by microdialysis](#)

Ekstrøm PO, Giercksky KE, Andersen A, Bruland OS, Slørdal L. Life Sci. 1997; 61(19):PL275-80.

[Continuous intratumoral microdialysis during high-dose methotrexate therapy in a patient with malignant fibrous histiocytoma of the femur: a case report.](#)

Ekstrøm PO, Andersen A, Saeter G, Giercksky KE, Slørdal L. Cancer Chemother Pharmacol. 1997; 39(3):267-72.

[Measurement of extracellular fluid carboplatin kinetics in melanoma metastases with microdialysis](#)

Blöchl-Daum B, Müller M, Meisinger V, Eichler HG, Fassolt A, Pehamberger H. Br J Cancer. 1996 Apr;73(7):920-4.



[In vivo microdialysis to characterize drug transport in brain tumors: analysis of methotrexate uptake in rat glioma-2 \(RG-2\)-bearing rats.](#)

Devineni D, Klein-Szanto A, Gallo JM.

Cancer Chemother Pharmacol. 1996; 38(6):499-507.

[Application of microdialysis to clinical pharmacokinetics in humans.](#)

Müller M, Schmid R, Georgopoulos A, Buxbaum A, Wasicek C, Eichler HG.

Clin Pharmacol Ther. 1995 Apr;57(4):371-80.