

Bibliography

Microdialysis in pharmacokinetic/pharmacodynamic studies, July 2013

[Levels of heroin and its metabolites in blood and brain extracellular fluid after intravenous heroin administration to freely moving rats.](#)

Gottås A, Oiestad EL, Boix F, Vindenes V, Ripel A, Thaulow CH, Mørland J.
Br J Pharmacol. 2013 Jul 18. doi: 10.1111/bph.12305. [Epub ahead of print]

[Emerging trends in in vivo neurochemical monitoring by microdialysis.](#)

Kennedy RT.
Curr Opin Chem Biol. 2013 Jul 12. doi:pii: S1367-5931(13)00114-2. 10.1016/j.cbpa.2013.06.012.
[Epub ahead of print]

[Acquisition of MDMA self-administration: pharmacokinetic factors and MDMA-induced serotonin release.](#)

Bradbury S, Bird J, Colussi-Mas J, Mueller M, Ricaurte G, Schenk S.
Addict Biol. 2013 Jun 14. doi: 10.1111/adb.12069. [Epub ahead of print]

[\[Pharmacokinetics of tramadol hydrochloride in the extracellular fluid of mouse frontal cortex studied by in vivo microdialysis\].](#)

Ma ZQ, Tao F, Fang H, Xu T, Hong ZY.
Yao Xue Xue Bao. 2013 Mar;48(3):406-10. Chinese.

[P-glycoprotein Inhibition Increases the Brain Distribution and Antidepressant-Like Activity of Escitalopram in Rodents.](#)

O'Brien FE, O'Connor RM, Clarke G, Dinan TG, Griffin BT, Cryan JF.
Neuropsychopharmacology. 2013 May 14. doi: 10.1038/npp.2013.120. [Epub ahead of print]

[\[New methods of dose optimization and individualized pharmacotherapy? Determination of drug concentration and pharmacokinetic analysis at the site. I\].](#)

Schäftlein A, Simmel F, Kloft C.
Med Monatsschr Pharm. 2013 Mar;36(3):97-101. Review. German. No abstract available.

[Microdialysis study of cefotaxime cerebral distribution in patients with acute brain injury.](#)

Dahyot-Fizelier C, Frasca D, Grégoire N, Adier C, Mimoz O, Debaene B, Couet W, Marchand S.
Antimicrob Agents Chemother. 2013 Jun;57(6):2738-42. doi: 10.1128/AAC.02570-12. Epub 2013 Apr 9.

[An exploratory microdialysis study investigating the effect of repeated application of a diclofenac epolamine medicated plaster on prostaglandin concentrations in skeletal muscle after standardized physical exercise.](#)

Burian A, Frangione V, Rovati S, Mautone G, Leuratti C, Vaccani A, Crevenna R, Keilani M, Burian B, Brunner M, Zeitlinger M.
Br J Clin Pharmacol. 2013 Apr 1. doi: 10.1111/bcp.12125. [Epub ahead of print]

[Amphetamine, past and present--a pharmacological and clinical perspective.](#)

Heal DJ, Smith SL, Gosden J, Nutt DJ.

J Psychopharmacol. 2013 Jun;27(6):479-96. doi: 10.1177/0269881113482532. Epub 2013 Mar 28.

[The impact of P-gp functionality on non-steady state relationships between CSF and brain extracellular fluid.](#)

Westerhout J, Smeets J, Danhof M, de Lange EC.

J Pharmacokinet Pharmacodyn. 2013 Jun;40(3):327-42. doi: 10.1007/s10928-013-9314-4. Epub 2013 Mar 29.

[Cerebral microdialysis in clinical studies of drugs: pharmacokinetic applications.](#)

Shannon RJ, Carpenter KL, Guilfoyle MR, Helmy A, Hutchinson PJ.

J Pharmacokinet Pharmacodyn. 2013 Jun;40(3):343-58. doi: 10.1007/s10928-013-9306-4. Epub 2013 Mar 7.

[Oxymorphone active uptake at the blood-brain barrier and population modeling of its pharmacokinetic-pharmacodynamic relationship.](#)

Sadiq MW, Boström E, Keizer R, Björkman S, Hammarlund-Udenaes M.

J Pharm Sci. 2013 Mar 5. doi: 10.1002/jps.23492. [Epub ahead of print]

[Natural borneol enhances geniposide ophthalmic absorption in rabbits.](#)

Song J, Bi H, Xie X, Guo J, Wang X, Liu D.

Int J Pharm. 2013 Mar 10;445(1-2):163-70. doi: 10.1016/j.ijpharm.2013.01.047. Epub 2013 Jan 30.

[A quantitative phenytoin GC-MS method and its validation for samples from human ex situ brain microdialysis, blood and saliva using solid-phase extraction.](#)

Hösli R, Tobler A, König S, Mühlebach S.

J Anal Toxicol. 2013 Mar;37(2):102-9. doi: 10.1093/jat/bks137. Epub 2013 Jan 16.

[In vivo pharmacokinetics and in vitro antifungal activity of iodiconazole, a new triazole, determined by microdialysis sampling.](#)

Sun N, Xie Y, Sheng C, Cao Y, Zhang W, Chen H, Fan G.

Int J Antimicrob Agents. 2013 Mar;41(3):229-35. doi: 10.1016/j.ijantimicag.2012.10.020. Epub 2013 Jan 6.

[Pharmacological Characterisation of a Structurally Novel \$\alpha_2c\$ -Adrenoceptor Antagonist ORM-10921 and its Effects in Neuropsychiatric Models.](#)

Sallinen J, Holappa J, Koivisto A, Kuokkanen K, Chapman H, Lehtimäki J, Piepponen P, Mijatovic J, Tanila H, Virtanen R, Sirviö J, Haapalinna A.

Basic Clin Pharmacol Toxicol. 2013 May 30. doi: 10.1111/bcpt.12090. [Epub ahead of print]

[Different intravitreal properties of three triamcinolone formulations and their possible impact on retina practice.](#)

Chen H, Sun S, Li J, Du W, Zhao C, Hou J, Xu Y, Cheng L.

Invest Ophthalmol Vis Sci. 2013 Feb 28. doi:pii: iovs.12-11460v1. 10.1167/iov.12-11460. [Epub ahead of print]

[The mastermind approach to CNS drug therapy: translational prediction of human brain distribution, target site kinetics, and therapeutic effects.](#)

de Lange EC.

Fluids Barriers CNS. 2013 Feb 22;10(1):12. [Epub ahead of print]

[Effects of borneol on the pharmacokinetics of geniposide in cortex, hippocampus, hypothalamus and striatum of conscious rat by simultaneous brain microdialysis coupled with UPLC-MS.](#)

Yu B, Ruan M, Cui XB, Guo JM, Xu L, Dong XP.

J Pharm Biomed Anal. 2013 Apr 15;77:128-32. doi: 10.1016/j.jpba.2013.01.017. Epub 2013 Jan 29.

[Tissue pharmacokinetics of ertapenem at steady-state in diabetic patients with leg infections.](#)

Sauer mann R, Burian B, Burian A, Jäger W, Höferl M, Stella A, Theurer S, Riedl M, Zeitlinger M.

J Antimicrob Chemother. 2013 Apr;68(4):895-9. doi: 10.1093/jac/dks479. Epub 2012 Dec 4.

[Pharmacokinetics and dopamine/acetylcholine releasing effects of ginsenoside Re in hippocampus and mPFC of freely moving rats.](#)

Shi J, Xue W, Zhao WJ, Li KX.

Acta Pharmacol Sin. 2013 Feb;34(2):214-20. doi: 10.1038/aps.2012.147. Epub 2012 Dec 3.

[Application of microdialysis for elucidating the existing form of hyperoside in rat brain: comparison between intragastric and intraperitoneal administration.](#)

Guo JM, Lin P, Duan JA, Shang EX, Qian DW, Tang YP.

J Ethnopharmacol. 2012 Dec 18;144(3):664-70. doi: 10.1016/j.jep.2012.10.008. Epub 2012 Oct 12.

[Effect of Xiongbing compound on the pharmacokinetics and brain targeting of tetramethylpyrazine.](#)

Wang LS, Shi ZF, Zhang YF, Guo Q, Huang YW, Zhou LL.

J Pharm Pharmacol. 2012 Nov;64(11):1688-94. doi: 10.1111/j.2042-7158.2012.01546.x. Epub 2012 May 27.

[Improved preclinical cardiovascular therapeutic indices with long-term inhibition of norepinephrine reuptake using reboxetine.](#)

Fossa AA, Wisialowski TA, Cremers T, van der Hart M, Tseng E, Deng S, Rollema H, Wang EQ.

Toxicol Appl Pharmacol. 2012 Nov 1;264(3):343-50. doi: 10.1016/j.taap.2012.09.010. Epub 2012 Sep 19.

[Microdialysis of ethanol during operant ethanol self-administration and ethanol determination by gas chromatography.](#)

Schier CJ, Mangieri RA, Dilly GA, Gonzales RA.

J Vis Exp. 2012 Sep 5;(67). doi:pii: 4142. 10.3791/4142.

[Cerebral microdialysis in clinical studies of drugs: pharmacokinetic applications.](#)

Shannon RJ, Carpenter KL, Guilfoyle MR, Helmy A, Hutchinson PJ.

J Pharmacokinet Pharmacodyn. 2013 Mar 7. [Epub ahead of print]

[Oxymorphone active uptake at the blood-brain barrier and population modeling of its pharmacokinetic-pharmacodynamic relationship.](#)

Sadiq MW, Boström E, Keizer R, Björkman S, Hammarlund-Udenaes M.

J Pharm Sci. 2013 Mar 5. doi: 10.1002/jps.23492. [Epub ahead of print]

[Natural borneol enhances geniposide ophthalmic absorption in rabbits.](#)

Song J, Bi H, Xie X, Guo J, Wang X, Liu D.

Int J Pharm. 2013 Mar 10;445(1-2):163-170. doi: 10.1016/j.ijpharm.2013.01.047. Epub 2013 Jan 30.

[A Quantitative Phenytoin GC-MS Method and its Validation for Samples from Human ex situ Brain Microdialysis, Blood and Saliva Using Solid-Phase Extraction.](#)

Hösli R, Tobler A, König S, Mühlebach S.

J Anal Toxicol. 2013 Mar;37(2):102-9. doi: 10.1093/jat/bks137. Epub 2013 Jan 16.

[In vivo pharmacokinetics and in vitro antifungal activity of iodiconazole, a new triazole, determined by microdialysis sampling.](#)

Sun N, Xie Y, Sheng C, Cao Y, Zhang W, Chen H, Fan G.

Int J Antimicrob Agents. 2013 Mar;41(3):229-35. doi: 10.1016/j.ijantimicag.2012.10.020. Epub 2013 Jan 6.

[In vivo brain microdialysis as a formulation-screening tool for a poorly soluble centrally acting drug.](#)

Bommana MM, Kirthivasan B, Shikhar A, Gupta SS, Squillante E.

Drug Dev Ind Pharm. 2013 Jan 9. [Epub ahead of print]

[Dermal Pharmacokinetics of Terpinen-4-ol Following Topical Administration of Zingiber cassumunar \(plai\) Oil.](#)

Chooluck K, Singh RP, Sathirakul K, Derendorf H.

Planta Med. 2012 Oct 1. [Epub ahead of print]

[Design, Synthesis, and Pharmacological Evaluation of Piperidin-4-yl amino aryl sulfonamides: Novel, Potent, Selective, Orally Active, and Brain Penetrant 5-HT\(6\) Receptor Antagonists.](#)

Nirogi R, Shinde A, Daulatabad A, Kambhampati R, Gudla P, Shaik M, Gampa M, Balasubramaniam S, Gangadasari P, Reballi V, Badange R, Bojja K, Subramanian R, Bhyrapuneni G, Muddana N, Jayarajan P.

J Med Chem. 2012 Sep 28. [Epub ahead of print]

[Genetically engineered cancer models, but not xenografts, faithfully predict anticancer drug exposure in melanoma tumors.](#)

Combest AJ, Roberts PJ, Dillon PM, Sandison K, Hanna SK, Ross C, Habibi S, Zamboni B, Müller M, Brunner M, Sharpless NE, Zamboni WC.

Oncologist. 2012;17(10):1303-16. doi: 10.1634/theoncologist.2012-0274. Epub 2012 Sep 19.

[Pharmacokinetics and blood-brain barrier penetration of \(+\)-catechin and \(-\)-epicatechin in rats by microdialysis sampling coupled to high-performance liquid chromatography with chemiluminescence detection.](#)

Wu L, Zhang QL, Zhang XY, Lv C, Li J, Yuan Y, Yin FX.

J Agric Food Chem. 2012 Sep 19;60(37):9377-83. Epub 2012 Sep 6.

[Comparison of Fluconazole Renal Penetration Levels in Healthy and Candida albicans-Infected Wistar Rats.](#)

Azeredo FJ, de Araújo BV, Haas SE, Torres B, Pigatto M, de Andrade C, Dalla Costa T.

Antimicrob Agents Chemother. 2012 Nov;56(11):5852-7. doi: 10.1128/AAC.01323-12. Epub 2012 Sep 4.

[Methods to measure target site penetration of antibiotics in critically ill patients.](#)

Schwameis R, Zeitlinger M.

Curr Clin Pharmacol. 2012 Aug 29. [Epub ahead of print]

[\[Study on in vitro microdialysis recovery of hydroxycamptothecine\].](#)

Xie Y, Ling J, Gu J.

Zhongguo Zhong Yao Za Zhi. 2012 May;37(10):1491-3. Chinese.

[\[Pharmacokinetics of nicotine in blood and brain using microdialysis and stable labelled isotope\].](#)

Ling J, Wu X, Fu X.

Zhongguo Zhong Yao Za Zhi. 2012 Jan;37(1):104-8. Chinese.

[In vivo microdialysis in pharmacological studies of antibacterial agents in the brain.](#)

Notkina N, Dahyot-Fizelier C, Gupta AK.

Br J Anaesth. 2012 Aug;109(2):155-60. Epub 2012 Jun 28.

[Lisdexamfetamine and immediate release d-amphetamine - Differences in pharmacokinetic/pharmacodynamic relationships revealed by striatal microdialysis in freely-moving rats with simultaneous determination of plasma drug concentrations and locomotor activity.](#)

Rowley HL, Kulkarni R, Gosden J, Brammer R, Hackett D, Heal DJ.

Neuropharmacology. 2012 Jul 14. [Epub ahead of print]

[Nanostructured lipid carriers as novel ophthalmic delivery system for mangiferin: Improving in vivo ocular bioavailability.](#)

Liu R, Liu Z, Zhang C, Zhang B.

J Pharm Sci. 2012 Jul 5. doi: 10.1002/jps.23251. [Epub ahead of print]

[The effects of continuous prostacyclin infusion on regional blood flow and cerebral vasospasm following subarachnoid haemorrhage: study protocol for a randomized controlled trial.](#)

Rasmussen R, Wetterslev J, Stavngaard T, Olsen NV, Skjoeth-Rasmussen J, Grande PO, Romner B.

Trials. 2012 Jul 2;13(1):102. [Epub ahead of print]

[Simultaneous measurement of heroin and its metabolites in brain extracellular fluid by microdialysis and ultra performance liquid chromatography tandem mass spectrometry.](#)

Gottas A, Oiestad EL, Boix F, Ripel A, Thaulow CH, Pettersen BS, Vindenes V, Morland J.

J Pharmacol Toxicol Methods. 2012 Jul; 66(1):14-21. Epub 2012 Apr 26.

[Comparison of open-flow microperfusion and microdialysis methodologies when sampling topically applied fentanyl and benzoic acid in human dermis ex vivo.](#)

Holmgaard R, Benfeldt E, Nielsen JB, Gatschelhofer C, Sorensen JA, Höfferer C, Bodenlenz M, Pieber TR, Sinner F.

Pharm Res. 2012 Jul; 29(7):1808-20. Epub 2012 Mar 15.

[Topical bioequivalence of acyclovir creams using dermal microdialysis in pigs: a new model to evaluate bioequivalence for topical formulations.](#)

Wei H, Wang S, Xu F, Xu L, Zheng J, Chen Y.

Drug Dev Ind Pharm. 2012 Jul;38(7):785-91. Epub 2011 Oct 21.

[Microdialysis Evaluation of Clozapine and N-desmethylclozapine Pharmacokinetics in Rat Brain.](#)

Cremers TI, Flik G, Hofland C, Stratford RE Jr.

Drug Metab Dispos. 2012 Jun 26. [Epub ahead of print]

[Direct pharmacokinetic analysis of puqietinone by in vivo microdialysis sampling and turbulent-flow chromatography coupled with liquid chromatography-mass spectrometry.](#)

Xin GZ, Cao L, Shi ZQ, Li HJ, Wen XD, Chen J, Qi LW, Li P.

J Chromatogr B Analyt Technol Biomed Life Sci. 2012 Jun 15;899:127-34. Epub 2012 May 17.

[Dermal **Microdialysis** Technique to Evaluate the Trafficking of Surface-Modified Lipid Nanoparticles upon Topical Application.](#)

Desai PR, Shah PP, Patlolla RR, Singh M.

Pharm Res. 2012 May 30. [Epub ahead of print]

[Pharmacokinetic behavior and efficiency of acetylcholinesterase inhibition in rat brain after intranasal administration of galanthamine hydrobromide loaded flexible liposomes.](#)

Li W, Zhou Y, Zhao N, Hao B, Wang X, Kong P.

Environ Toxicol Pharmacol. 2012 May 3;34(2):272-279. [Epub ahead of print]

[Physiologically based **pharmacokinetic** modeling to investigate regional brain distribution kinetics in rats.](#)

Westerhout J, Ploeger B, Smeets J, Danhof M, de Lange EC.

AAPS J. 2012 Sep;14(3):543-53. Epub 2012 May 17.

[Convective transport of highly plasma protein bound drugs facilitates direct penetration into deep tissues after topical application.](#)

Dancik Y, Anissimov YG, Jepps OG, Roberts MS.

Br J Clin Pharmacol. 2012 Apr;73(4):564-78. doi: 10.1111/j.1365-2125.2011.04128.x. Erratum in: Br J Clin Pharmacol. 2012 May; 73(5):841.

[Microdialysis combined with liquid chromatography-tandem mass spectrometry for the determination of levo-tetrahydropalmatine in the rat striatum.](#)

Wang C, Li S, Tang Y, Wang S, Zhang Y, Fan G, Li L, Zhang Y.

J Pharm Biomed Anal. 2012 May; 64-65:1-7. Epub 2012 Feb 11.

[Stereotactic **microdialysis** of the basal ganglia in Parkinson's disease.](#)

Zsigmond P, Dernroth N, Kullman A, Augustinsson LE, Dizdar N.

J Neurosci Methods. 2012 May 30;207(1):17-22. Epub 2012 Mar 23.

[Simultaneous determination and pharmacokinetics of protein unbound aspirin and salicylic acid in rat blood and brain by **microdialysis**: an application to herbal-drug interaction.](#)

Shaw LH, Tsai TH.

J Chromatogr B Analyt Technol Biomed Life Sci. 2012 May 1;895-896:31-8. Epub 2012 Mar 15.

[Using **microdialysis** to analyse the passage of monovalent nanobodies through the blood-brain barrier.](#)

Caljon G, Caveliers V, Lahoutte T, Stijlemans B, Ghassabeh GH, Van Den Abbeele J, Smolders I, De Baetselier P, Michotte Y, Muyltermans S, Magez S, Clinckers R.

Br J Pharmacol. 2012 Apr;165(7):2341-53. doi: 10.1111/j.1476-5381.2011.01723.x.

[Verification of brain penetration of the unbound fraction of a novel HER2/EGFR dual kinase inhibitor \(TAK-285\) by **microdialysis** in rats.](#)

Erdo F, Gordon J, Wu JT, Sziráki I.

Brain Res Bull. 2012 Mar 10;87(4-5):413-9. Epub 2012 Jan 9.

[In vivo microdialysis with LC-MS for analysis of spinosin and its interaction with cyclosporin A in rat brain, blood and bile.](#)

Ma RH, Yang J, Qi LW, Xin GZ, Wang CZ, Yuan CS, Wen XD, Li P.
J Pharm Biomed Anal. 2012 Mar 5;61:22-9. Epub 2011 Nov 22.

[Concurrent administration of atypical antipsychotics and donepezil: drug interaction study in rats.](#)

Nirogi R, Bhyrapuneni G, Kandikere V, Benade V, Muddana N, Saralaya R, Irappanavar S, Ponnamaneni R, Mukkanti K.
Eur J Drug Metab Pharmacokinet. 2012 Feb 3. [Epub ahead of print]

[Pharmacokinetic study of unbound forsythiaside in rat blood and bile by microdialysis coupled with HPLC method.](#)

Chu Y, Wang X, Guo J, Li W, Ma X, Zhu Y.
Eur J Drug Metab Pharmacokinet. 2012 Feb 7. [Epub ahead of print]

[Effects of a novel mGlu_{2/3} receptor agonist prodrug, LY2140023 monohydrate, on central monoamine turnover as determined in human and rat cerebrospinal fluid.](#)

Lowe S, Dean R, Ackermann B, Jackson K, Natanegara F, Anderson S, Eckstein J, Yuen E, Ayan-Oshodi M, Ho M, McKinzie D, Perry K, Svensson K.
Psychopharmacology (Berl). 2012 Feb;219(4):959-70. Epub 2011 Aug 17.

[Pharmacokinetic analysis of topotecan after superselective ophthalmic artery infusion and periocular administration in a porcine model.](#)

Schajquevich P, Buitrago E, Ceciliano A, Fandino AC, Asprea M, Sierre S, Abramson DH, Bramuglia GF, Chantada GL.
Retina. 2012 Feb;32(2):387-95.

[\[Pharmacokinetics of nicotine in blood and brain using microdialysis and stable labelled isotope\].](#)

Ling J, Wu X, Fu X.
Zhongguo Zhong Yao Za Zhi. 2012 Jan;37(1):104-8. Chinese.

[Pharmacokinetics of venlafaxine and its major metabolite o-desmethylvenlafaxine in freely moving mice using automated dosing/sampling system.](#)

Aryal B, Aryal D, Kim EJ, Kim HG.
Indian J Pharmacol. 2012 Jan;44(1):20-5.

[Effects of poly\(amidoamine\) dendrimers on ocular absorption of puerarin using microdialysis.](#)

Yao C, Wang W, Zhou X, Qu T, Mu H, Liang R, Wang A, Sun K.
J Ocul Pharmacol Ther. 2011 Dec;27(6):565-9. Epub 2011 Sep 6.

[Determination of puerarin in rabbit aqueous humor by liquid chromatography tandem mass spectrometry using microdialysis sampling after topical administration of puerarin PAMAM dendrimer complex.](#)

Wang WY, Yao C, Shao YF, Mu HJ, Sun KX.
J Pharm Biomed Anal. 2011 Dec 5;56(4):825-9. Epub 2011 Jul 23.

[Preclinical pharmacology of TP1, a novel potent triple reuptake inhibitor with antidepressant properties.](#)

Tian JW, Jiang WL, Zhong Y, Meng Q, Gai Y, Zhu HB, Hou J, Xing Y, Li YX.
Neuroscience. 2011 Nov 24;196:124-30. Epub 2011 Aug 31.

[Plasma and tissue pharmacokinetics of cefazolin in patients undergoing elective and semielective abdominal aortic aneurysm open repair surgery.](#)

Douglas A, Udy AA, Wallis SC, Jarrett P, Stuart J, Lassig-Smith M, Deans R, Roberts MS, Taraporewalla K, Jenkins J, Medley G, Lipman J, Roberts JA.
Antimicrob Agents Chemother. 2011 Nov;55(11):5238-42. Epub 2011 Aug 22.

[Delivery of cefotaxime to the brain via intranasal administration.](#)

Manda P, Hargett JK, Vaka SR, Repka MA, Murthy SN.
Drug Dev Ind Pharm. 2011 Nov;37(11):1306-10. Epub 2011 Jun 27.

[Plasma protein binding of sorafenib, a multi kinase inhibitor: in vitro and in cancer patients.](#)

Villarroel MC, Pratz KW, Xu L, Wright JJ, Smith BD, Rudek MA.
Invest New Drugs. 2011 Nov 17. [Epub ahead of print]

[Determination of tissue penetration and pharmacokinetics of linezolid in patients with diabetic foot infections using in vivo microdialysis.](#)

Wiskirchen DE, Shepard A, Kuti JL, Nicolau DP.
Antimicrob Agents Chemother. 2011 Sep;55(9):4170-5. Epub 2011 Jun 27.

[Assessment of topical bioequivalence using dermal microdialysis and tape stripping methods.](#)

Incecayir T, Agabeyoglu I, Derici U, Sindel S.
Pharm Res. 2011 Sep;28(9):2165-75. Epub 2011 Apr 16.

[Diphenhydramine active uptake at the blood-brain barrier and its interaction with oxycodone in vitro and in vivo.](#)

Sadiq MW, Borgs A, Okura T, Shimomura K, Kato S, Deguchi Y, Jansson B, Björkman S, Terasaki T, Hammarlund-Udenaes M.
J Pharm Sci. 2011 Sep;100(9):3912-23. doi: 10.1002/jps.22567. Epub 2011 Apr 6.

[Gelucire44/14 as a novel absorption enhancer for drugs with different hydrophilicities: in vitro and in vivo improvement on transcorneal permeation.](#)

Liu R, Liu Z, Zhang C, Zhang B.
J Pharm Sci. 2011 Aug;100(8):3186-95. doi: 10.1002/jps.22540. Epub 2011 Mar 17.

[The pharmacokinetics and pharmacological effect of \(S\)-5-OH-DPAT following controlled delivery with transdermal iontophoresis.](#)

Ackaert OW, De Graan J, Shi S, Vreeken R, Pasqua OE, Dijkstra D, Westerink BH, Danhof M, Bouwstra JA.
J Pharm Sci. 2011 Jul;100(7):2996-3009. doi: 10.1002/jps.22492. Epub 2011 Jan 31.

[\[Study on in vitro microdialysis recovery of Shuanghuanglian\].](#)

Fu X, Ling J, Wu X.
Zhongguo Zhong Yao Za Zhi. 2011 Jul;36(14):1951-4. Chinese.

[Pharmacological blockade of serotonin 5-HT₇ receptor reverses working memory deficits in rats by normalizing cortical glutamate neurotransmission.](#)

Bonaventure P, Aluisio L, Shoblock J, Boggs JD, Fraser IC, Lord B, Lovenberg TW, Galici R.
PLoS One. 2011;6(6):e20210. Epub 2011 Jun 20.

[Pharmacokinetics of phenolic compounds of Danshen extract in rat blood and brain by microdialysis sampling.](#)

Zhang YJ, Wu L, Zhang QL, Li J, Yin FX, Yuan Y.
J Ethnopharmacol. 2011 Jun 14;136(1):129-36. Epub 2011 Apr 16.

[Pharmacodynamic interactions between MDMA and concomitants in MDMA tablets on extracellular dopamine and serotonin in the rat brain.](#)

Ikeda R, Igari Y, Fuchigami Y, Wada M, Kuroda N, Nakashima K.
Eur J Pharmacol. 2011 Jun 25;660(2-3):318-25. Epub 2011 Apr 9.

[How to Measure Pharmacokinetics in Critically Ill Patients?](#)

Liu X, Kruger PS, Roberts MS.
Curr Pharm Biotechnol. 2011 May 10. [Epub ahead of print]

[Pharmacokinetics of cefpodoxime in plasma and subcutaneous fluid following oral administration of cefpodoxime proxetil in male beagle dogs.](#)

Kumar V, Madabushi R, Lucchesi MB, Derendorf H.
J Vet Pharmacol Ther. 2011 Apr;34(2):130-5. doi: 10.1111/j.1365-2885.2010.01198.x.

[Determination of ligustilide in the brains of freely moving rats using microdialysis coupled with ultra performance liquid chromatography/mass spectrometry.](#)

Guo J, Shang EX, Duan JA, Tang Y, Qian D.
Fitoterapia. 2011 Apr;82(3):441-5. Epub 2010 Dec 13.

[A simple and sensitive LC-ESI-MS \(ion trap\) method for the determination of bupropion and its major metabolite, hydroxybupropion in rat plasma and brain microdialysates.](#)

Yeniceli D, Sener E, Korkmaz OT, Dođrukol-Ak D, Tuncel N.
Talanta. 2011 Mar 15;84(1):19-26. Epub 2010 Dec 21.

[\[Study of pharmacokinetics of nicotine in local brain by using microdialysis and stable labeled isotope\].](#)

Wu XJ, Ling JJ, Fu X, Qin ZH, Zhang YF.
Yao Xue Xue Bao. 2011 Mar;46(3):333-7. Chinese.

[Antibiotic dosing in the 'at risk' critically ill patient: Linking pathophysiology with pharmacokinetics/pharmacodynamics in sepsis and trauma patients.](#)

Roberts JA, Roberts MS, Semark A, Udy AA, Kirkpatrick CM, Paterson DL, Roberts MJ, Kruger P, Lipman J.
BMC Anesthesiol. 2011 Feb 20;11:3.

[The pharmacokinetics of cefazolin in patients undergoing elective & semi-elective abdominal aortic aneurysm open repair surgery.](#)

Douglas A, Altukroni M, Udy AA, Roberts MS, Taraporewalla K, Jenkins J, Lipman J, Roberts JA.
BMC Anesthesiol. 2011 Feb 22;11:5.

[Ex vivo and in vivo diffusion of ropivacaine through spinal meninges: influence of absorption enhancers.](#)

Brandhonneur N, Dollo G, Ratajczak-Enselme M, Deniau AL, Chevanne F, Estèbe JP, Legrand A, Le Corre P.
Int J Pharm. 2011 Feb 14;404(1-2):36-41. Epub 2010 Nov 4.

[Role of ATP-binding cassette and solute carrier transporters in erlotinib CNS penetration and intracellular accumulation.](#)

Elmeliegy MA, Carcaboso AM, Tagen M, Bai F, Stewart CF.
Clin Cancer Res. 2011 Jan 1;17(1):89-99. Epub 2010 Nov 18.

[Effect of co-administration of varenicline and antidepressants on extracellular monoamine concentrations in rat prefrontal cortex.](#)

Rollema H, Wilson GG, Lee TC, Folgering JH, Flik G.
Neurochem Int. 2011 Jan;58(1):78-84. Epub 2010 Nov 5.

[The potential and limitations of DOV 216,303 as a triple reuptake inhibitor for the treatment of major depression: a **microdialysis** study in olfactory bulbectomized rats.](#)

Prins J, Westphal KG, Korte-Bouws GA, Quinton MS, Schreiber R, Olivier B, Korte SM.
Pharmacol Biochem Behav. 2011 Jan;97(3):444-52. Epub 2010 Oct 8.

[Comparative **pharmacokinetic** assessments of topical drugs: evaluation by dermatopharmacokinetics, **microdialysis**, and systemic measurement.](#)

Chik Z, Tucker AT, Shiel JJ, Collier DJ, Perrett D, Lee TD, Johnston A.
J Invest Dermatol. 2010 Dec;130(12):2828-30. Epub 2010 Aug 12. No abstract available.

[Comparison of the **pharmacokinetic** properties of vancomycin, linezolid, tigecyclin, and daptomycin.](#)

Estes KS, Derendorf H.
Eur J Med Res. 2010 Nov 30;15(12):533-43.

[Improved ocular absorption kinetics of timolol maleate loaded into a bioadhesive niosomal delivery system.](#)

Kaur IP, Aggarwal D, Singh H, Kakkar S.
Graefes Arch Clin Exp Ophthalmol. 2010 Oct;248(10):1467-72. Epub 2010 May 2.

[Interaction between topically and systemically coadministered P-glycoprotein substrates/inhibitors: effect on vitreal kinetics.](#)

Hippalgaonkar K, Srirangam R, Avula B, Khan IA, Majumdar S.
Drug Metab Dispos. 2010 Oct;38(10):1790-7. Epub 2010 Jul 1.

[Pharmacokinetics and tissue depletion of florfenicol in Leghorn and Taiwan Native chickens.](#)

Chang SK, Davis JL, Cheng CN, Shien RH, Hsieh MK, Koh BW, Chou CC.
J Vet Pharmacol Ther. 2010 Oct;33(5):471-9. doi: 10.1111/j.1365-2885.2009.01155.x.

[Validation and use of **microdialysis** for determination of **pharmacokinetic** properties of the chemotherapeutic agent mitomycin C - an experimental study.](#)

Sørensen O, Andersen A, Olsen H, Alexandr K, Ekstrøm PO, Giercksky KE, Flatmark K.
BMC Cancer. 2010 Sep 1;10:469.

[Simultaneous HPLC analysis of triamcinolone acetonide and budesonide in microdialysate and rat plasma: application to a **pharmacokinetic** study.](#)

Vieira Mde L, Singh RP, Derendorf H.
J Chromatogr B Analyt Technol Biomed Life Sci. 2010 Nov 1;878(29):2967-73. Epub 2010 Sep 9.

[Brain **microdialysis** study of meropenem in two patients with acute brain injury.](#)

Dahyot-Fizelier C, Timofeev I, Marchand S, Hutchinson P, Debaene B, Menon D, Mimoz O, Gupta A,

Couet W.

Antimicrob Agents Chemother. 2010 Aug;54(8):3502-4. Epub 2010 Jun 1.

[\[Application of sites-microdialysis technology in pharmacokinetic studies\].](#)

Wu Z, Wang D.

Zhongguo Zhong Yao Za Zhi. 2010 Jul;35(13):1765-8. Review. Chinese.

[WAY-318068: a novel, potent and selective noradrenaline re-uptake inhibitor with activity in rodent models of pain and depression.](#)

Whiteside GT, Dwyer JM, Harrison JE, Beyer CE, Cummons T, Manzano L, Mark L, Johnston GH, Strassle BW, Adedoyin A, Lu P, Piesla MJ, Pulicchio CM, Erve JC, Platt BJ, Hughes ZA, Rogers KE, Deecher DC, Trybulski EJ, Kennedy JD, Zhang P, Leventhal L.

Br J Pharmacol. 2010 Jul;160(5):1105-18.

[Linezolid concentrations in infected soft tissue and bone following repetitive doses in diabetic patients with bacterial foot infections.](#)

Traunmüller F, Schintler MV, Spindel S, Popovic M, Mauric O, Scharnagl E, Joukhadar C.

Int J Antimicrob Agents. 2010 Jul;36(1):84-6. Epub 2010 Apr 24.

[Continuous dopaminergic stimulation by pramipexole is effective to treat early morning akinesia in animal models of Parkinson's disease: A pharmacokinetic-pharmacodynamic study using in vivo microdialysis in rats.](#)

Ferger B, Buck K, Shimasaki M, Koros E, Voehringer P, Buerger E.

Synapse. 2010 Jul;64(7):533-41.

[Soft tissue and bone penetration abilities of daptomycin in diabetic patients with bacterial foot infections.](#)

Traunmüller F, Schintler MV, Metzler J, Spindel S, Mauric O, Popovic M, Konz KH, Scharnagl E, Joukhadar C.

J Antimicrob Chemother. 2010 Jun;65(6):1252-7. Epub 2010 Apr 7.

[Vitreous pharmacokinetics of peptide-transporter-targeted prodrugs of ganciclovir in conscious animals.](#)

Janoria KG, Boddu SH, Natesan S, Mitra AK.

J Ocul Pharmacol Ther. 2010 Jun;26(3):265-71.

[Microdialysis sampling for investigations of bioavailability and bioequivalence of topically administered drugs: current state and future perspectives.](#)

Holmgaard R, Nielsen JB, Benfeldt E.

Skin Pharmacol Physiol. 2010;23(5):225-43. Epub 2010 May 18. Review.

[\[Pharmacokinetic evaluation of danshensu with in vivo microdialysis in freely moving rat's jugular vein\].](#)

Zhang H, Lv L, Cong L.

Zhongguo Zhong Yao Za Zhi. 2010 Apr;35(8):1064-7. Chinese.

[Pharmacokinetic interaction between puerarin and edaravone, and effect of borneol on the brain distribution kinetics of puerarin in rats.](#)

Gao C, Li X, Li Y, Wang L, Xue M.

J Pharm Pharmacol. 2010 Mar;62(3):360-7.

[Microdialysis: a technique for pharmacokinetic-pharmacodynamic studies of oncological drugs.](#)

Wei YH, Xu LZ, Shen Q, Li FZ.

Curr Pharm Biotechnol. 2009 Sep;10(6):631-40. Epub 2009 Sep 1. Review.

[Pharmacokinetic applications of microdevices and microsampling techniques.](#)

Musteata FM.

Bioanalysis. 2009 Apr;1(1):171-85. Review.

[Epidural, intrathecal and plasma pharmacokinetic study of epidural ropivacaine in PLGA-microspheres in sheep model.](#)

Ratajczak-Enselme M, Estebe JP, Dollo G, Chevanne F, Bec D, Malinovsky JM, Ecoffey C, Le Corre P.

Eur J Pharm Biopharm. 2009 May;72(1):54-61. Epub 2008 Nov 25.

[Blood-brain barrier transport helps to explain discrepancies in in vivo potency between oxycodone and morphine.](#)

Boström E, Hammarlund-Udenaes M, Simonsson US.

Anesthesiology. 2008 Mar;108(3):495-505.

[Microdialysis for pharmacokinetic-pharmacodynamic studies.](#)

Yu W, Cheng Q, Feng J, Li F.

Pharmazie. 2007 Dec;62(12):883-91. Review.

[Microdialysis for pharmacokinetic-pharmacodynamic studies.](#)

Yu W, Cheng Q, Feng J, Li F.

Pharmazie. 2007 Dec;62(12):883-91. Review.

[Population pharmacokinetic modelling of non-linear brain distribution of morphine: influence of active saturable influx and P-glycoprotein mediated efflux.](#)

Groenendaal D, Freijer J, de Mik D, Bouw MR, Danhof M, de Lange EC.

Br J Pharmacol. 2007 Jul;151(5):701-12. Epub 2007 Apr 30.

[Peritoneal microdialysis in freely moving rodents: an alternative to blood sampling for pharmacokinetic studies in the rat and the mouse.](#)

Beier H, Kaiser K, Langhans M, Malmendier K, Sluijsmans I, Weiher J.

Eur J Pharm Sci. 2007 Jan;30(1):75-83. Epub 2006 Oct 29.

[An integrated microdialysis rat model for multiple pharmacokinetic/pharmacodynamic investigations of serotonergic agents.](#)

Bundgaard C, Jørgensen M, Mørk A.

J Pharmacol Toxicol Methods. 2007 Mar-Apr;55(2):214-23. Epub 2006 Aug 4.

[In vivo blood-brain barrier transport of oxycodone in the rat: indications for active influx and implications for pharmacokinetics/pharmacodynamics.](#)

Boström E, Simonsson US, Hammarlund-Udenaes M.

Drug Metab Dispos. 2006 Sep;34(9):1624-31. Epub 2006 Jun 8.

[Microdialysis: current applications in clinical pharmacokinetic studies and its potential role in the future.](#)

Joukhadar C, Müller M.

Clin Pharmacokinet. 2005;44(9):895-913. Review.

[Microdialysis for in vivo pharmacokinetic/pharmacodynamic characterization of anti-infective drugs.](#)

Brunner M, Derendorf H, Müller M.

Curr Opin Pharmacol. 2005 Oct;5(5):495-9. Review.

[In vivo microdialysis for PK and PD studies of anticancer drugs.](#)

Zhou Q, Gallo JM.

AAPS J. 2005 Oct 24;7(3):E659-67. Review.

[Quantitative in vivo microdialysis in pharmacokinetic studies: some reminders.](#)

Cano-Cebrián MJ, Zornoza T, Polache A, Granero L.

Curr Drug Metab. 2005 Apr;6(2):83-90. Review.

[How to measure drug transport across the blood-brain barrier.](#)

Bickel U.

NeuroRx. 2005 Jan;2(1):15-26. Review.

[Application of triple-probe microdialysis for fast pharmacokinetic/pharmacodynamic evaluation of dopaminergic activity of drug candidates in the rat brain.](#)

Weikop P, Egestad B, Kehr J.

J Neurosci Methods. 2004 Dec 30;140(1-2):59-65.

[Pharmacokinetics of baicalin in rats and its interactions with cyclosporin A, quinidine and SKF-525A: a microdialysis study.](#)

Tsai PL, Tsai TH.

Planta Med. 2004 Nov;70(11):1069-74.

[An integrated model for the analysis of pharmacokinetic data from microdialysis experiments.](#)

Tunblad K, Hammarlund-Udenaes M, Jonsson EN.

Pharm Res. 2004 Sep;21(9):1698-707.

[Review of microdialysis in brain tumors, from concept to application: first annual Carolyn Frye-Halloran symposium.](#)

Benjamin RK, Hochberg FH, Fox E, Bungay PM, Elmquist WF, Stewart CF, Gallo JM, Collins JM, Pelletier RP, de Groot JF, Hickner RC, Cavus I, Grossman SA, Colvin OM.

Neuro Oncol. 2004 Jan;6(1):65-74. Erratum in: Neuro-oncol. 2004 Apr;6(2):172.

[A microdialysis model to examine nasal drug delivery and olfactory absorption in rats using lidocaine hydrochloride as a model drug.](#)

Bagger M, Bechgaard E.

Int J Pharm. 2004 Jan 28;269(2):311-22.

[Assaying protein unbound drugs using microdialysis techniques.](#)

Tsai TH.

J Chromatogr B Analyt Technol Biomed Life Sci. 2003 Nov 25;797(1-2):161-73. Review.

[A model to evaluate the pharmacokinetic and pharmacodynamic variables of extended-release products using in vivo tissue microdialysis in humans: bupivacaine-loaded microcapsules.](#)

Kopacz DJ, Bernardis CM, Allen HW, Landau C, Nandy P, Wu D, Lacouture PG.

Anesth Analg. 2003 Jul;97(1):124-31, table of contents.

[Microdialysis: an in vivo approach for measuring drug delivery in oncology.](#)

Brunner M, Müller M.

Eur J Clin Pharmacol. 2002 Jul;58(4):227-34. Epub 2002 May 23. Review.

[Determination and pharmacokinetic profile of omeprazole in rat blood, brain and bile by microdialysis and high-performance liquid chromatography.](#)

Cheng FC, Ho YF, Hung LC, Chen CF, Tsai TH.

J Chromatogr A. 2002 Mar 8;949(1-2):35-42.

[Blood-brain barrier transport and brain distribution of morphine-6-glucuronide in relation to the antinociceptive effect in rats--pharmacokinetic/pharmacodynamic modelling.](#)

Bouw MR, Xie R, Tunblad K, Hammarlund-Udenaes M.

Br J Pharmacol. 2001 Dec;134(8):1796-804.

[Ocular pharmacokinetics in rabbits using a novel dual probe microdialysis technique.](#)

Macha S, Mitra AK.

Exp Eye Res. 2001 Mar;72(3):289-99.

[Pharmacokinetic-pharmacodynamic modelling of morphine transport across the blood-brain barrier as a cause of the antinociceptive effect delay in rats--a microdialysis study.](#)

Bouw MR, Gårdmark M, Hammarlund-Udenaes M.

Pharm Res. 2000 Oct;17(10):1220-7.

[The use of microdialysis in CNS drug delivery studies. Pharmacokinetic perspectives and results with analgesics and antiepileptics.](#)

Hammarlund-Udenaes M.

Adv Drug Deliv Rev. 2000 Dec 15;45(2-3):283-94. Review.

[Methodological issues in microdialysis sampling for pharmacokinetic studies.](#)

de Lange EC, de Boer AG, Breimer DD.

Adv Drug Deliv Rev. 2000 Dec 15;45(2-3):125-48. Review.

[A combined in vivo pharmacokinetic-in vitro pharmacodynamic approach to simulate target site pharmacodynamics of antibiotics in humans.](#)

Delacher S, Derendorf H, Hollenstein U, Brunner M, Joukhadar C, Hofmann S, Georgopoulos A, Eichler HG, Müller M.

J Antimicrob Chemother. 2000 Nov;46(5):733-9.

[Microdialysis for pharmacokinetic analysis of drug transport to the brain.](#)

de Lange EC, de Boer BA, Breimer DD.

Adv Drug Deliv Rev. 1999 Apr 5;36(2-3):211-227.

[Subcutaneous microdialysis in rats correlates with carbamazepine concentrations in plasma and brain.](#)

Graumlich JF, McLaughlin RG, Birkhahn D, Shah N, Burk A, Jobe PC, Dailey JW.

Epilepsy Res. 2000 Jun;40(1):25-32.

[Pharmacokinetic and metabolism studies using microdialysis sampling.](#)

Hansen DK, Davies MI, Lunte SM, Lunte CE.

J Pharm Sci. 1999 Jan;88(1):14-27. Review. No abstract available.

[Methodological considerations of intracerebral **microdialysis** in **pharmacokinetic** studies on drug transport across the blood-brain barrier.](#)

de Lange EC, Danhof M, de Boer AG, Breimer DD.
Brain Res Brain Res Rev. 1997 Sep 30;25(1):27-49. Review.

[The design and validation of a novel intravenous **microdialysis** probe: application to fluconazole pharmacokinetics in the freely-moving rat model.](#)

Yang H, Wang Q, Elmquist WF.
Pharm Res. 1997 Oct;14(10):1455-60.

[Application of **microdialysis** in **pharmacokinetic** studies.](#)

Elmquist WF, Sawchuk RJ.
Pharm Res. 1997 Mar;14(3):267-88. Review.

[Drug equilibration across the blood-brain barrier--**pharmacokinetic** considerations based on the **microdialysis** method.](#)

Hammarlund-Udenaes M, Paalzow LK, de Lange EC.
Pharm Res. 1997 Feb;14(2):128-34.

[The simultaneous estimation of the influx and efflux blood-brain barrier permeabilities of gabapentin using a **microdialysis-pharmacokinetic** approach.](#)

Wang Y, Welty DF.
Pharm Res. 1996 Mar;13(3):398-403.

[The use of intracerebral **microdialysis** for the determination of **pharmacokinetic** profiles of anticancer drugs in tumor-bearing rat brain.](#)

de Lange EC, de Vries JD, Zurcher C, Danhof M, de Boer AG, Breimer DD.
Pharm Res. 1995 Dec;12(12):1924-31.

[Theophylline kinetics in peripheral tissues in vivo in humans.](#)

Müller M, v Osten B, Schmid R, Piegler E, Gerngross I, Buchegger H, Eichler HG.
Naunyn Schmiedebergs Arch Pharmacol. 1995 Oct;352(4):438-41.

[**Pharmacokinetic** study of trimethadione and its metabolite in blood, liver and brain by **microdialysis** in conscious, unrestrained rats.](#)

Kurata N, Inagaki M, Iwase M, Nishimura Y, Kiuchi Y, Yamazaki Y, Kobayashi S, Oguchi K, Uchida E, Yasuhara H.
Res Commun Mol Pathol Pharmacol. 1995 Jul;89(1):45-56.

[The use of **microdialysis** for the study of drug kinetics: some methodological considerations illustrated with antipyrine in rat frontal cortex.](#)

Patsalos PN, Abed WT, Alavijeh MS, O'Connell MT.
Br J Pharmacol. 1995 Jun;115(3):503-9.

[Simultaneous in vivo **microdialysis** in plasma and skeletal muscle: a study of the **pharmacokinetic** properties of levodopa by noncompartmental analysis.](#)

Deleu D, Sarre S, Michotte Y, Ebinger G.
J Pharm Sci. 1994 Jan;83(1):25-8.

[A survey on quantitative **microdialysis**: theoretical models and practical implications.](#)

Kehr J.

J Neurosci Methods. 1993 Jul;48(3):251-61. Review.

[**Microdialysis** in pharmacokinetics.](#)

Ståhle L.

Eur J Drug Metab Pharmacokinet. 1993 Jan-Mar;18(1):89-96.

[**Pharmacokinetic** estimations from **microdialysis** data.](#)

Ståhle L.

Eur J Clin Pharmacol. 1992;43(3):289-94.