

CMA 110 Liquid Switch

1. Cao, F., Zhang, L. & Tian, Y., 2016. A novel N-doped carbon nanotube fiber for selective and reliable electrochemical determination of ascorbic acid in rat brain microdialysates. *Journal of Electroanalytical Chemistry*, 781, pp.278–283.
2. Vazquez-DeRose, J. et al., 2016. Hypocretin/orexin antagonism enhances sleep-related adenosine and GABA neurotransmission in rat basal forebrain. *Brain Structure and Function*, 221(2), pp.923–940.
3. Legrand, R. et al., 2015. Dopamine release in the lateral hypothalamus is stimulated by α -MSH in both the anticipatory and consummatory phases of feeding. *Psychoneuroendocrinology*, 56, pp.79–87.
4. Wang, Z., Zhang, L. & Tian, Y., 2015. A durable non-enzymatic electrochemical sensor for monitoring H₂O₂ in rat brain microdialysates based on one-step fabrication of hydrogels. *Analyst*, 140(11), pp.3788–3793.
5. Sugita, T. et al., 2015. Breathing is affected by dopamine D₂-like receptors in the basolateral amygdala. *Respiratory Physiology & Neurobiology*, 209, pp.23–27.
6. Sørensen, M.A. et al., 2014. Regional disturbances in blood flow and metabolism in equine limb wound healing with formation of exuberant granulation tissue. *Wound Repair and Regeneration*, 22(5), pp.647–653.
7. Hambrecht-Wiedbusch, V.S. et al., 2014. Benzodiazepine Site Agonists Differentially Alter Acetylcholine Release in Rat Amygdala. *Anesthesia and analgesia*, 118(6), pp.1293–1300.
8. Yu, Y. et al., 2013. Size-tunable Pt nanoparticles assembled on functionalized ordered mesoporous carbon for the simultaneous and on-line detection of glucose and L-lactate in brain microdialysate. *Biosensors and Bioelectronics*, 41, pp.511–518.
9. Di Giovanni, G. et al., 2013. In Vivo Microdialysis to Study Striatal Dopaminergic Neurodegeneration. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 23–42. Available at: http://dx.doi.org/10.1007/978-1-62703-173-8_2.
10. Ristić, D. & Ellrich, J., 2012. P2X₇ receptor blockade reverses purinergic facilitation of neck muscle nociception in mice. *Cephalalgia*, 32(7), pp.544–553.
11. Nirogi, R. et al., 2012. Approach to reduce the non-specific binding in microdialysis. *Journal of Neuroscience Methods*, 209(2), pp.379–387.
12. Yu, Y. et al., 2011. [C₃(OH)₂mim][BF₄]-Au/Pt biosensor for glutamate sensing in vivo integrated with on-line microdialysis system. *Biosensors and Bioelectronics*, 26(7), pp.3227–3232.
13. Ristic, D., Spangenberg, P. & Ellrich, J., 2011. Acetylsalicylic acid inhibits α , β -meATP-induced facilitation of neck muscle nociception in mice — Implications for acute treatment of tension-type headache. *European Journal of Pharmacology*, 673(1–3), pp.13–19.
14. Liu, Y. et al., 2010. Capillary UHPLC with Elevated Temperature for Sub-One Minute Separations of Basal Serotonin in Sub-Microliter Brain Microdialysate Samples. *Analytical chemistry*, 82(23), pp.9611–9616.
15. Ellrich, J. et al., 2010. Inhibition of nitric oxide synthases prevents and reverses α , β -meATP-induced neck muscle nociception in mice. *Cephalalgia*, 30(10), pp.1225–1232.
16. Vallee, N., Rostain, J.-C. & Risso, J.-J., 2010. A Pressurized Nitrogen Counterbalance to Cortical Glutamatergic Pathway Stimulation. *Neurochemical Research*, 35(5), pp.718–726.

17. Thompson, J.W., Prentice, H.M. & Lutz, P.L., 2007. Regulation of extracellular glutamate levels in the long-term anoxic turtle striatum: coordinated activity of glutamate transporters, adenosine, KATP+ channels and GABA. *Journal of Biomedical Science*, 14(6), pp.809–817.
18. Trabace, L. et al., 2004. The effects of nitric oxide on striatal serotonergic transmission involve multiple targets: an in vivo microdialysis study in the awake rat. *Brain Research*, 1008(2), pp.293–298.
19. Khandelwal, P. et al., 2004. Nanoprobe NMR spectroscopy and in vivo microdialysis: new analytical methods to study brain neurochemistry. *Journal of Neuroscience Methods*, 133(1–2), pp.181–189.
20. Boehnke, S.E. & Rasmusson, D.D., 2001. Time course and effective spread of lidocaine and tetrodotoxin delivered via microdialysis: an electrophysiological study in cerebral cortex. *Journal of Neuroscience Methods*, 105(2), pp.133–141.
21. Andr n, P.E. & Caprioli, R.M., 1999. Determination of extracellular release of neurotensin in discrete rat brain regions utilizing in vivo microdialysis/electrospray mass spectrometry. *Brain Research*, 845(2), pp.123–129.
22. Davies, S.E.C. et al., 1998. Hypoosmolarity Induces an Increase of Extracellular N-Acetylaspartate Concentration in the Rat Striatum. *Neurochemical Research*, 23(8), pp.1021–1025.
23. Obrenovitch, T.P., Hardy, A.M. & Urenjak, J., 1997. High extracellular glycine does not potentiate N-methyl-d-aspartate-evoked depolarization in vivo. *Brain Research*, 746(1–2), pp.190–194.
24. Kala, S.V. & Jadhav, A.L., 1995. Low Level Lead Exposure Decreases In Vivo Release of Dopamine in the Rat Nucleus Accumbens: A Microdialysis Study. *Journal of Neurochemistry*, 65(4), pp.1631–1635.
25. Obrenovitch, T.P., Zilkha, E. & Urenjak, J., 1995. Intracerebral Microdialysis: Electrophysiological Evidence of a Critical Pitfall. *Journal of Neurochemistry*, 64(4), pp.1884–1887.
26. Wahl, F. et al., 1994. Extracellular Glutamate During Focal Cerebral Ischaemia in Rats: Time Course and Calcium Dependency. *Journal of Neurochemistry*, 63(3), pp.1003–1011.
27. Obrenovitch, T. p., Urenjak, J. & Zilkha, E., 1994. Intracerebral microdialysis combined with recording of extracellular field potential: a novel method for investigation of depolarizing drugs in vivo. *British Journal of Pharmacology*, 113(4), pp.1295–1302.
28. Herrera-Marschitz, M., 1991. Modulation of Striatal Dopamine and Acetylcholine Release by Different Glutamate Receptors: Studies with in Vivo Microdialysis. In G. Bernardi et al., eds. *The Basal Ganglia III*. Advances in Behavioral Biology. Springer New York, pp. 357–362. Available at: http://link.springer.com/chapter/10.1007/978-1-4684-5871-8_36.
29. Herrera-Marschitz, M. et al., 1990. Regulation of cortical and striatal dopamine and acetylcholine release by glutamate mechanisms assayed in vivo with microdialysis: in situ stimulation with kainate-, quisqualate-and NMDA-receptor agonists. In G. Lubec & G. A. Rosenthal, eds. *Amino Acids*. Springer Netherlands, pp. 599–604. Available at: http://link.springer.com/chapter/10.1007/978-94-011-2262-7_70.