

## CMA 20 Microdialysis Probes

1. Zhang, X., Wang, L., et al., 2017. Online microdialysis-ultra performance liquid chromatography–mass spectrometry method for comparative pharmacokinetic investigation on iridoids from *Gardenia jasminoides* Ellis in rats with different progressions of type 2 diabetic complications. ***Journal of Pharmaceutical and Biomedical Analysis***, 140, pp.146–154.
2. Klucher, J., 2017. Enzyme kinetics studies to guide mathematical modeling of microdialysis sampling to predict in situ biochemistry. ***Chemistry & Biochemistry Undergraduate Honors Theses***. Available at: <http://scholarworks.uark.edu/chbcuht/22>.
3. Torres, B.G.S. et al., 2017. Population Pharmacokinetic Modeling as a Tool to Characterize the Decrease in Ciprofloxacin free Interstitial Levels Caused by *Pseudomonas aeruginosa* Biofilm Lung Infection in Wistar Rats. ***Antimicrobial Agents and Chemotherapy***, p.AAC.02553-16.
4. Tang, Z. et al., 2017. Liver, blood microdialysate and plasma pharmacokinetics of matrine following transdermal or intravenous administration. ***Die Pharmazie - An International Journal of Pharmaceutical Sciences***, 72(3), pp.167–170.
5. Su, C.-K., Tseng, P.-J., et al., 2017. Sequential enzymatic derivatization coupled with online microdialysis sampling for simultaneous profiling of mouse tumor extracellular hydrogen peroxide, lactate, and glucose. ***Analytica Chimica Acta***, 956, pp.24–31.
6. Su, C.-K., Chen, Y.-T. & Sun, Y.-C., 2017. Using on-line solid phase extraction for in vivo speciation of diffusible ferrous and ferric iron in living rat brain extracellular fluid. ***Analytica Chimica Acta***, 953, pp.87–94.
7. Bernardi, P.M., Barreto, F. & Dalla Costa, T., 2017. Application of a LC–MS/MS method for evaluating lung penetration of tobramycin in rats by microdialysis. ***Journal of Pharmaceutical and Biomedical Analysis***, 134, pp.340–345.
8. Fong, S.Y.K. et al., 2017. A novel microdialysis-dissolution/permeation system for testing oral dosage forms: A proof-of-concept study. ***European Journal of Pharmaceutical Sciences***, 96, pp.154–163.
9. Demand, D., Schack-Kirchner, H. & Lang, F., 2017. Assessment of diffusive phosphate supply in soils by microdialysis. ***Journal of Plant Nutrition and Soil Science***, 180(2), pp.220–230.
10. Post, E.H. et al., 2017. Changes in kidney perfusion and renal cortex metabolism in septic shock: an experimental study. ***Journal of Surgical Research***, 207, pp.145–154.
11. Opekar, F. & Tůma, P., 2017. Hydrodynamic sample injection into short electrophoretic capillary in systems with a flow-gating interface. ***Journal of Chromatography A***, 1480, pp.93–98.
12. Zhang, X., Liu, S., et al., 2017. Simultaneous quantification method for comparative pharmacokinetics studies of two major metabolites from geniposide and genipin by online microdialysis-UPLC–MS/MS. ***Journal of Chromatography B***, 1041–1042, pp.11–18.
13. Bisht, R. et al., 2016. Ex vivo investigation of ocular tissue distribution following intravitreal administration of connexin43 mimetic peptide using the microdialysis technique and LC-MS/MS. ***Drug Delivery and Translational Research***, 6(6), pp.763–770.
14. Su, F. et al., 2016. The Harmful Effects of Hypertonic Sodium Lactate Administration in Hyperdynamic Septic Shock. ***Shock: Injury, Inflammation, and Sepsis: Laboratory and Clinical Approaches***, 46(6), pp.663–671.
15. Bentzer, P. & Gründe, P.-O., 2016. Isolated Brain Trauma in Cats Triggers Rapid Onset of Hypovolemia.

**Neurocritical Care**, pp.1–7.

16. Breuer, T. et al., 2016. Kinetics of ventilation-induced changes in diaphragmatic metabolism by bilateral phrenic pacing in a piglet model. **Scientific Reports**, 6. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5069624/>.
17. Pigatto, M.C. et al., 2016. Population Pharmacokinetic Modeling of Etoposide Free Concentrations in Solid Tumor. **Pharmaceutical Research**, 33(7), pp.1657–1670.
18. Schneider, A., 2016. An Approach to Collect Non-Standard Microdialysis Compounds. **Chemistry & Biochemistry Undergraduate Honors Theses**. Available at: <http://scholarworks.uark.edu/chbcuht/16>.
19. Young, M., 2016. Microdialysis Studies Using Porcine Pancreatic Elastase to Guide Mathematical Modeling of Microdialysis Sampling for in vivo Measurements. **Biomedical Engineering Undergraduate Honors Theses**. Available at: <http://scholarworks.uark.edu/bmeguht/29>.
20. Smith, J.A. et al., 2016. Equivalency challenge: Evaluation of Lipodox® as the generic equivalent for Doxil® in a human ovarian cancer orthotopic mouse model. **Gynecologic Oncology**, 141(2), pp.357–363.
21. Cavus, I. et al., 2016. 50 Hz hippocampal stimulation in refractory epilepsy: Higher level of basal glutamate predicts greater release of glutamate. **Epilepsia**, 57(2), pp.288–297.
22. Abrahamsson, P. et al., 2016. Outcome of microdialysis sampling on liver surface and parenchyma. **Journal of Surgical Research**, 200(2), pp.480–487.
23. Baioni, N.E. 1993-, 2016. *Development Toward Fluorescence Imaging of Microdialysis Sampling Diffusion Profiles*. Thesis. Available at: <http://uarkive.uark.edu:8080/xmlui/handle/10826/1334>.
24. Klaus, R. et al., 2016. An Exploratory Microdialysis Study to Assess the Ocular Pharmacokinetics of Ciprofloxacin Eye Drops in Rabbits. **Journal of Ocular Pharmacology and Therapeutics**, 32(6), pp.390–395.
25. Wei, N. et al., 2016. Determination of dopamine, serotonin, biosynthesis precursors and metabolites in rat brain microdialysates by ultrasonic-assisted in situ derivatization–dispersive liquid–liquid microextraction coupled with UHPLC-MS/MS. **Talanta**, 161, pp.253–264.
26. Hernández, G. et al., 2016. Effects of dexmedetomidine and esmolol on systemic hemodynamics and exogenous lactate clearance in early experimental septic shock. **Critical Care**, 20, p.234.
27. Jiang, S. et al., 2016. Investigation of signaling molecules and metabolites found in crustacean hemolymph via in vivo microdialysis using a multifaceted mass spectrometric platform. **ELECTROPHORESIS**, 37(7–8), pp.1031–1038.
28. Brackin, R. et al., 2015. Nitrogen fluxes at the root-soil interface show a mismatch of nitrogen fertilizer supply and sugarcane root uptake capacity. **Scientific Reports**, 5. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4620560/>.
29. Wang, F. et al., 2015. Sensitive Determination of Amantadine in Microdialysis Samples from Rat Plasma by HPLC with Fluorescence Detection. **Journal of Liquid Chromatography & Related Technologies**, 38(17), pp.1622–1628.
30. Monterrubio, C. et al., 2015. Combined Microdialysis-Tumor Homogenate Method for the Study of the Steady State Compartmental Distribution of a Hydrophobic Anticancer Drug in Patient-Derived Xenografts. **Pharmaceutical Research**, 32(9), pp.2889–2900.
31. Blazkova, I. et al., 2015. Doxorubicin interactions with bovine serum albumin revealed by microdialysis with on-line laser-induced fluorescence detection at subpicogram level. **ELECTROPHORESIS**, 36(11–12), pp.1282–1288.
32. Pigatto, M.C., Mossmann, D.L. & Dalla Costa, T., 2015. HPLC-UV method for quantifying etoposide in plasma and tumor interstitial fluid by microdialysis: application to pharmacokinetic studies. **Biomedical Chromatography**, 29(4), pp.529–536.

33. Luo, K. et al., 2014. Study of captopril pharmacokinetics in rabbit blood with microdialysis based on online generated Au nanoclusters and pepsin–captopril interaction in luminol chemiluminescence. *RSC Advances*, 4(106), pp.61465–61475.
34. K. Hurtado, F. et al., 2014. Enhanced penetration of moxifloxacin into rat prostate tissue evidenced by microdialysis. *International Journal of Antimicrobial Agents*, 44(4), pp.327–333.
35. Morad, V., Abrahamsson, A. & Dabrosin, C., 2014. Estradiol Affects Extracellular Leptin:Adiponectin Ratio in Human Breast Tissue in Vivo. *The Journal of Clinical Endocrinology & Metabolism*, 99(9), pp.3460–3467.
36. Liu, D. et al., 2014. Quantitative determination of unbound levofloxacin by simultaneous microdialysis in rat pancreas after intravenous and oral doses. *Journal of Pharmacy and Pharmacology*, 66(9), pp.1215–1221.
37. Kalkhof, S. et al., 2014. Proteomics and Metabolomics for In Situ Monitoring of Wound Healing. *BioMed Research International*, 2014, p.e934848.
38. Lee, P.-L. et al., 2014. Development and validation of TOF-SIMS and CLSM imaging method for cytotoxicity study of ZnO nanoparticles in HaCaT cells. *Journal of Hazardous Materials*, 277, pp.3–12.
39. Hou, J. et al., 2014. An In Vivo Microdialysis Study of FLZ Penetration through the Blood-Brain Barrier in Normal and 6-Hydroxydopamine Induced Parkinson's Disease Model Rats. *BioMed Research International*, 2014, p.e850493.
40. Favor, J.D.L. et al., 2014. Sex Differences with Aging in Nutritive Skeletal Muscle Blood Flow: Impact of Exercise Training, Nitric Oxide, and Alpha-Adrenergic Mediated Mechanisms. *American Journal of Physiology - Heart and Circulatory Physiology*, p.ajpheart.00247.2014.
41. Haynie, J., 2014. Fluorescence Imaging of Microdialysis Sampling. *Chemical Engineering Undergraduate Honors Theses*. Available at: <http://scholarworks.uark.edu/cheguht/44>.
42. Sørensen, O. et al., 2014. Impact of hyperthermia on pharmacokinetics of intraperitoneal mitomycin C in rats investigated by microdialysis. *Journal of Surgical Oncology*, 109(6), pp.521–526.
43. Bajpai, G., Simmen, R.C.M. & Stenken, J.A., 2014. In vivo microdialysis sampling of adipokines CCL2, IL-6, and leptin in the mammary fat pad of adult female rats. *Molecular BioSystems*, 10(4), pp.806–812.
44. Rottbøll, L.A.H. & Friis, C., 2014. Microdialysis as a Tool for Drug Quantification in the Bronchioles of Anaesthetized Pigs. *Basic & Clinical Pharmacology & Toxicology*, 114(3), pp.226–232.
45. Huang, S. et al., 2014. Dynamics of interstitial calcium in rat myocardial ischemia reperfusion injury in vivo. *Journal of Huazhong University of Science and Technology [Medical Sciences]*, 34(1), pp.37–41.
46. Hurtado, F.K. et al., 2014. Population Pharmacokinetic Modeling of the Unbound Levofloxacin Concentrations in Rat Plasma and Prostate Tissue Measured by Microdialysis. *Antimicrobial Agents and Chemotherapy*, 58(2), pp.678–686.
47. Su, C.-K., Hsia, S.-C. & Sun, Y.-C., 2014a. A high-throughput microdialysis–parallel solid phase extraction–inductively coupled plasma mass spectrometry hyphenated system for continuous monitoring of extracellular metal ions in living rat brain. *Journal of Chromatography A*, 1326, pp.73–79.
48. Shaw, R., Williams, A.P. & Jones, D.L., 2014. Assessing Soil Nitrogen Availability using Microdialysis-Derived Diffusive Flux Measurements. *Soil Science Society of America Journal*, 78(5), pp.1797–1803.
49. de Castro, W.V. et al., 2014. Effect of experimentally induced hypovolemia on ertapenem tissue distribution using microdialysis in rats. *European Journal of Pharmaceutical Sciences*, 51, pp.45–50.
50. Zoremba, N. et al., 2014. Interstitial lactate, lactate/pyruvate and glucose in rat muscle before, during and in the recovery from global hypoxia. *Acta Veterinaria Scandinavica*, 56, p.72.
51. Tan, Q., 2014. In Vivo Bioreactor: New Type of Implantable Medical Devices. In W. Bureson & S. Carrara, eds. *Security and Privacy for Implantable Medical Devices*. Springer New York, pp. 129–152. Available at: [http://link.springer.com/chapter/10.1007/978-1-4614-1674-6\\_5](http://link.springer.com/chapter/10.1007/978-1-4614-1674-6_5).

52. Li, R. et al., 2014. Presence of intratumoral platelets is associated with tumor vessel structure and metastasis. *BMC Cancer*, 14, p.167.
53. Su, C.-K., Hsia, S.-C. & Sun, Y.-C., 2014b. Three-dimensional printed sample load/inject valves enabling online monitoring of extracellular calcium and zinc ions in living rat brains. *Analytica Chimica Acta*, 838, pp.58–63.
54. de Andrade, C. et al., 2014. Validation of LC-MS/MS method applied to evaluation of free tissue concentrations of vildagliptin in diabetic rats by microdialysis. *Biomedical Chromatography*, 28(12), pp.1722–1727.
55. Li, S.-S. et al., 2013. Evaluation of Paeonol Skin-Target Delivery from Its Microsponge Formulation: In Vitro Skin Permeation and In Vivo Microdialysis. *PLOS ONE*, 8(11), p.e79881.
56. Sadiq, M.W. et al., 2013. Oxymorphone active uptake at the blood–brain barrier and population modeling of its pharmacokinetic–pharmacodynamic relationship. *Journal of Pharmaceutical Sciences*, 102(9), pp.3320–3331.
57. Courderot-Masuyer, C. et al., 2013. Evaluation of the Effects of Corticosteroids on Histamine Release by *ex Vivo* Cutaneous Microdialysis. *Journal of Cosmetics, Dermatological Sciences and Applications*, 03(03), p.228.
58. Axelsson, B. et al., 2013. Milrinone and levosimendan during porcine myocardial ischemia – no effects on calcium overload and metabolism. *Acta Anaesthesiologica Scandinavica*, 57(6), pp.719–728.
59. Nirogi, R. et al., 2013. LC–MS/MS method for the quantification of almotriptan in dialysates: Application to rat brain and blood microdialysis study. *Journal of Pharmaceutical and Biomedical Analysis*, 81–82, pp.160–167.
60. Ho, C.-C. et al., 2013. Quantum dots induced monocyte chemotactic protein-1 expression via MyD88-dependent Toll-like receptor signaling pathways in macrophages. *Toxicology*, 308, pp.1–9.
61. Liu, Z. et al., 2013. Plasma pharmacochimistry combined with microdialysis to screen potential bioactive components and their metabolites in Anemarrhena asphodeloides saponin extract using ultrahigh-performance liquid chromatography/quadrupole-time-of-flight mass spectrometry. *Journal of Separation Science*, 36(9–10), pp.1659–1666.
62. Leifler, K.S. et al., 2013. Inflammation Induced by MMP-9 Enhances Tumor Regression of Experimental Breast Cancer. *The Journal of Immunology*, 190(8), pp.4420–4430.
63. Mumford, H. et al., 2013. Human plasma-derived BuChE as a stoichiometric bioscavenger for treatment of nerve agent poisoning. *Chemico-Biological Interactions*, 203(1), pp.160–166.
64. Chen, H. et al., 2013. Different Intravitreal Properties of Three Triamcinolone Formulations and Their Possible Impact on Retina Practice. *Investigative Ophthalmology & Visual Science*, 54(3), pp.2178–2185.
65. Araújo, B.V. de et al., 2013. Validation of an efficient LC-microdialysis method for gemifloxacin quantitation in lung, kidney and liver of rats. *Journal of Chromatography B*, 919–920, pp.62–66.
66. Förster, Y. et al., 2013. Monitoring of the first stages of bone healing with microdialysis. *Acta Orthopaedica*, 84(1), pp.76–81.
67. Fonouni, H. et al., 2013. Evaluating the effects of extended cold ischemia on interstitial metabolite in grafts in kidney transplantation using microdialysis. *Langenbeck's Archives of Surgery*, 398(1), pp.87–97.
68. Moraska, A.F. et al., 2013. Changes in Blood Flow and Cellular Metabolism at a Myofascial Trigger Point With Trigger Point Release (Ischemic Compression): A Proof-of-Principle Pilot Study. *Archives of Physical Medicine and Rehabilitation*, 94(1), pp.196–200.
69. Llansola, M. et al., 2013. Impaired release of corticosterone from adrenals contributes to impairment of

- circadian rhythms of activity in hyperammonemic rats. *Archives of Biochemistry and Biophysics*, 536(2), pp.164–170.
70. Zielke, H.R., Zielke, C. & Baab, P., 2013. In Vivo Microdialysis for Measurement of Oxidative Metabolism in the Living Brain. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 89–102. Available at: [http://dx.doi.org/10.1007/978-1-62703-173-8\\_5](http://dx.doi.org/10.1007/978-1-62703-173-8_5).
  71. Schmerberg, C.M. & Li, L., 2013. Mass Spectrometric Detection of Neuropeptides Using Affinity-Enhanced Microdialysis with Antibody-Coated Magnetic Nanoparticles. *Analytical Chemistry*, 85(2), pp.915–922.
  72. Colding, P.D. et al., 2013. Metabolic effects of three different inotropic strategies in the newborn piglet myocardium. *Acta Anaesthesiologica Scandinavica*, 57(4), pp.443–451.
  73. Patel, M.R., Mandava, N.K. & Mitra, A.K., 2013. Microdialysis in Ocular Drug Development. In M. Müller, ed. *Microdialysis in Drug Development*. AAPS Advances in the Pharmaceutical Sciences Series. Springer New York, pp. 197–222. Available at: [http://link.springer.com/chapter/10.1007/978-1-4614-4815-0\\_11](http://link.springer.com/chapter/10.1007/978-1-4614-4815-0_11).
  74. Schuster, F. et al., 2013. Minimally invasive monitoring of skeletal muscle hypermetabolism induced by the phosphodiesterase-III-inhibitor milrinone and sodium fluoride. *Journal of Pharmacy and Pharmacology*, 65(4), pp.547–551.
  75. Li, Z. et al., 2013. Pomalidomide Shows Significant Therapeutic Activity against CNS Lymphoma with a Major Impact on the Tumor Microenvironment in Murine Models. *PLOS ONE*, 8(8), p.e71754.
  76. Larentzakis, A. et al., 2013. Porcine model of hemorrhagic shock with microdialysis monitoring. *Journal of Surgical Research*, 179(1), pp.e177–e182.
  77. Desai, P.R. et al., 2012. Dermal Microdialysis Technique to Evaluate the Trafficking of Surface-Modified Lipid Nanoparticles upon Topical Application. *Pharmaceutical Research*, 29(9), pp.2587–2600.
  78. Chu, Y. et al., 2012. Pharmacokinetic study of unbound forsythiaside in rat blood and bile by microdialysis coupled with HPLC method. *European Journal of Drug Metabolism and Pharmacokinetics*, 37(3), pp.173–177.
  79. Raittinen, L.P. et al., 2012. Sympathetic innervation does not contribute to glycerol release in ischemic flaps. *Scandinavian Journal of Clinical and Laboratory Investigation*, 72(5), pp.420–426.
  80. Högberg, N., Carlsson, P.-O., Hillered, L., Stenbäck, A., et al., 2012. Intraluminal intestinal microdialysis detects markers of hypoxia and cell damage in experimental necrotizing enterocolitis. *Journal of Pediatric Surgery*, 47(9), pp.1646–1651.
  81. Srirangam, R., Hippalgaonkar, K., Avula, B., et al., 2012. Evaluation of the Intravenous and Topical Routes for Ocular Delivery of Hesperidin and Hesperetin. *Journal of Ocular Pharmacology and Therapeutics*, 28(6), pp.618–627.
  82. Insele, E. & Näsholm, T., 2012a. The below-ground perspective of forest plants: soil provides mainly organic nitrogen for plants and mycorrhizal fungi. *New Phytologist*, 195(2), pp.329–334.
  83. Björnsson, B. et al., 2012. Remote or Conventional Ischemic Preconditioning –Local Liver Metabolism in Rats Studied with Microdialysis. *Journal of Surgical Research*, 176(1), pp.55–62.
  84. Insele, E. & Näsholm, T., 2012b. A novel method to measure the effect of temperature on diffusion of plant-available nitrogen in soil. *Plant and Soil*, 354(1–2), pp.251–257.
  85. Zhou, W. et al., 2012. Cardioprotection of electroacupuncture against myocardial ischemia-reperfusion injury by modulation of cardiac norepinephrine release. *American Journal of Physiology - Heart and Circulatory Physiology*, 302(9), pp.H1818–H1825.
  86. Erdő, F. et al., 2012. Verification of brain penetration of the unbound fraction of a novel HER2/EGFR dual kinase inhibitor (TAK-285) by microdialysis in rats. *Brain Research Bulletin*, 87(4–5), pp.413–419.
  87. Waldenström, A. et al., 2012. Ischaemic preconditioning reduces myocardial calcium overload in coronary-

- occluded pig hearts shown by continuous in vivo assessment using microdialysis. *Clinical Physiology and Functional Imaging*, 32(2), pp.133–138.
88. Abrahamsson, P. et al., 2012. Surface microdialysis sampling: a new approach described in a liver ischaemia model. *Clinical Physiology and Functional Imaging*, 32(2), pp.99–105.
  89. Högberg, N., Carlsson, P.-O., Hillered, L., Meurling, S., et al., 2012. Intestinal ischemia measured by intraluminal microdialysis. *Scandinavian Journal of Clinical and Laboratory Investigation*, 72(1), pp.59–66.
  90. Azeredo, F.J. et al., 2012. Comparison of Fluconazole Renal Penetration Levels in Healthy and Candida albicans-Infected Wistar Rats. *Antimicrobial Agents and Chemotherapy*, 56(11), pp.5852–5857.
  91. Su, C.-K., Lin, Y.-L. & Sun, Y.-C., 2012. Simultaneous in vivo monitoring of multiple brain metals using an online microdialysis-in-loop solid phase extraction-inductively coupled plasma mass spectrometry system. *Journal of Analytical Atomic Spectrometry*, 27(1), pp.56–62.
  92. Srirangam, R., Hippalgaonkar, K. & Majumdar, S., 2012. Intravitreal kinetics of hesperidin, hesperetin, and hesperidin G: Effect of dose and physicochemical properties. *Journal of Pharmaceutical Sciences*, 101(4), pp.1631–1638.
  93. Blind, P.-J. et al., 2012. Microdialysis in Early Detection of Temporary Pancreatic Ischemia in a Porcine Model. *European Surgical Research*, 49(3–4), pp.113–120.
  94. Vaseghi, M. et al., 2012. Sympathetic innervation of the anterior left ventricular wall by the right and left stellate ganglia. *Heart Rhythm*, 9(8), pp.1303–1309.
  95. Alessandri, B. et al., 2012. The Neuroprotective Effect of Lactate Is Not Due to Improved Glutamate Uptake after Controlled Cortical Impact in Rats. *Journal of Neurotrauma*, 29(12), pp.2181–2191.
  96. Herbaugh, A.W. & Stenken, J.A., 2011. Antibody-enhanced microdialysis collection of CCL2 from rat brain. *Journal of Neuroscience Methods*, 202(2), pp.124–127.
  97. Robin, S. et al., 2011. LC–MS determination of oxidized and reduced glutathione in human dermis: A microdialysis study. *Journal of Chromatography B*, 879(30), pp.3599–3606.
  98. Zhou, X. et al., 2011. Determination of the penetration of 9-fluoropropyl-(+)-dihydropyridazine across the blood–brain barrier in rats by microdialysis combined with liquid chromatography–tandem mass spectrometry. *Journal of Chromatography B*, 879(28), pp.3041–3046.
  99. Sadiq, M.W. et al., 2011. Diphenhydramine active uptake at the blood–brain barrier and its interaction with oxycodone in vitro and in vivo. *Journal of Pharmaceutical Sciences*, 100(9), pp.3912–3923.
  100. Fenhammar, J. et al., 2011. Endothelin Receptor A Antagonism Attenuates Renal Medullary Blood Flow Impairment in Endotoxemic Pigs. *PLOS ONE*, 6(7), p.e21534.
  101. Howe III, H.R. et al., 2011. Increased adipose tissue lipolysis after a 2-week high-fat diet in sedentary overweight/obese men. *Metabolism*, 60(7), pp.976–981.
  102. Broek, R.P.G. ten, Wilbers, J. & Goor, H. van, 2011. Electrocautery causes more ischemic peritoneal tissue damage than ultrasonic dissection. *Surgical Endoscopy*, 25(6), pp.1827–1834.
  103. Inselsbacher, E. et al., 2011. The potential of microdialysis to monitor organic and inorganic nitrogen compounds in soil. *Soil Biology and Biochemistry*, 43(6), pp.1321–1332.
  104. Jevne, C. et al., 2011. A reduction in the interstitial fluid pressure per se, does not enhance the uptake of the small molecule weight compound 5-fluorouracil into 4T1 mammary tumours. *Drugs and Therapy Studies*, 1(1), p.5.
  105. Abrahamsson, P. et al., 2011. Detection of myocardial ischaemia using surface microdialysis on the beating heart. *Clinical Physiology and Functional Imaging*, 31(3), pp.175–181.
  106. Mou, X. et al., 2011. Modulation of the Foreign Body Reaction for Implants in the Subcutaneous Space:

- Microdialysis Probes as Localized Drug Delivery/Sampling Devices. *Journal of Diabetes Science and Technology*, 5(3), pp.619–631.
107. Shih, T.-T., Chen, W.-Y. & Sun, Y.-C., 2011. Open-channel chip-based solid-phase extraction combined with inductively coupled plasma-mass spectrometry for online determination of trace elements in volume-limited saline samples. *Journal of Chromatography A*, 1218(16), pp.2342–2348.
  108. Nichols, S.P. et al., 2011. Increased In Vivo Glucose Recovery via Nitric Oxide Release. *Analytical Chemistry*, 83(4), pp.1180–1184.
  109. Allam, C.L. et al., 2011. Determination of Renal Hypothermic Temperature Adequacy for Renoprotection During Ischemia Using Renal Interstitial Glycerol Concentrations in a Porcine Model. *Urology*, 77(2), p.508.e1-508.e4.
  110. Weenink, R.P. et al., 2011. Cerebral arterial gas embolism in swine. Comparison of two sites for air injection. *Journal of Neuroscience Methods*, 194(2), pp.336–341.
  111. Duo, J. & Stenken, J.A., 2011. In vitro and in vivo affinity microdialysis sampling of cytokines using heparin-immobilized microspheres. *Analytical and Bioanalytical Chemistry*, 399(2), pp.783–793.
  112. Grote, E.C. von et al., 2011. Long-term subcutaneous microdialysis sampling and qRT-PCR of MCP-1, IL-6 and IL-10 in freely-moving rats. *Molecular BioSystems*, 7(1), pp.150–161.
  113. Chao, Y.-Y. et al., 2011. Membrane Sampling with Microdialysis Coupled to HPLC/UV for On-line Simultaneous Determination of Melamine and Cyanuric Acid in Non-dairy Coffee Creamer. *Analytical Sciences*, 27(10), pp.1025–1025.
  114. Åberg, A.M. et al., 2010. Ischaemic pre-conditioning means an increased adenosine metabolism with decreased glycolytic flow in ischaemic pig myocardium. *Acta Anaesthesiologica Scandinavica*, 54(10), pp.1257–1264.
  115. Vieira, M. de L.T., Singh, R.P. & Derendorf, H., 2010. Simultaneous HPLC analysis of triamcinolone acetonide and budesonide in microdialysate and rat plasma: Application to a pharmacokinetic study. *Journal of Chromatography B*, 878(29), pp.2967–2973.
  116. Gan, L. et al., 2010. Self-assembled liquid crystalline nanoparticles as a novel ophthalmic delivery system for dexamethasone: Improving preocular retention and ocular bioavailability. *International Journal of Pharmaceutics*, 396(1–2), pp.179–187.
  117. Saarinen, N.M., Abrahamsson, A. & Dabrosin, C., 2010. Estrogen-induced angiogenic factors derived from stromal and cancer cells are differently regulated by enterolactone and genistein in human breast cancer in vivo. *International Journal of Cancer*, 127(3), pp.737–745.
  118. Walter, B. et al., 2010. Age-dependent effects of gradual decreases in cerebral perfusion pressure on the neurochemical response in swine. *Intensive Care Medicine*, 36(6), pp.1067–1075.
  119. Wintner, E.A. et al., 2010. A monobromobimane-based assay to measure the pharmacokinetic profile of reactive sulphide species in blood. *British Journal of Pharmacology*, 160(4), pp.941–957.
  120. Tůma, P. et al., 2010. The use of capillary electrophoresis with contactless conductivity detection for monitoring of glycerol in adipose tissues during a sporting performance. *ELECTROPHORESIS*, 31(12), pp.2037–2043.
  121. Mou, X. et al., 2010. Long-term calibration considerations during subcutaneous microdialysis sampling in mobile rats. *Biomaterials*, 31(16), pp.4530–4539.
  122. Ahabrach, H. et al., 2010. Chronic hyperammonemia alters the circadian rhythms of corticosteroid hormone levels and of motor activity in rats. *Journal of Neuroscience Research*, 88(7), pp.1605–1614.
  123. Mukherjee, R. et al., 2010. Short-term Disruption in Regional Left Ventricular Electrical Conduction Patterns Increases Interstitial Matrix Metalloproteinase Activity. *American Journal of Physiology - Heart and*

- Circulatory Physiology**. Available at:  
<http://ajpheart.physiology.org/content/early/2010/05/14/ajpheart.00065.2010>.
124. Waldenström, A. et al., 2010. Ischaemic preconditioning is related to decreasing levels of extracellular adenosine that may be metabolically useful in the at-risk myocardium: an experimental study in the pig. **Acta Physiologica**, 199(1), pp.1–9.
  125. Jacobs, S. et al., 2010. Extracellular fluid concentrations of cisplatin, carboplatin, and oxaliplatin in brain, muscle, and blood measured using microdialysis in nonhuman primates. **Cancer Chemotherapy and Pharmacology**, 65(5), pp.817–824.
  126. Stenken, J.A. et al., 2010. How Minimally Invasive is Microdialysis Sampling? A Cautionary Note for Cytokine Collection in Human Skin and other Clinical Studies. **The AAPS Journal**, 12(1), pp.73–78.
  127. Boddu, S.H. et al., 2010. Ocular microdialysis: a continuous sampling technique to study pharmacokinetics and pharmacodynamics in the eye. **Bioanalysis**, 2(3), pp.487–507.
  128. Metzsch, C. et al., 2010. Levosimendan cardioprotection in acutely  $\beta$ -1 adrenergic receptor blocked open chest pigs. **Acta Anaesthesiologica Scandinavica**, 54(1), pp.103–110.
  129. Behrens, H. & Li, L., 2010. Monitoring Neuropeptides In Vivo via Microdialysis and Mass Spectrometry. In M. Soloviev, ed. *Peptidomics*. Methods in Molecular Biology. Humana Press, pp. 57–73. Available at: [http://dx.doi.org/10.1007/978-1-60761-535-4\\_5](http://dx.doi.org/10.1007/978-1-60761-535-4_5).
  130. Birkler, R.I.D. et al., 2010. A UPLC–MS/MS application for profiling of intermediary energy metabolites in microdialysis samples—A method for high-throughput. **Journal of Pharmaceutical and Biomedical Analysis**, 53(4), pp.983–990.
  131. Hamza, M. et al., 2010. Nitric oxide is negatively correlated to pain during acute inflammation. **Molecular Pain**, 6, p.55.
  132. Farnebo, S. et al., 2010. Urea clearance: a new method to register local changes in blood flow in rat skeletal muscle based on microdialysis. **Clinical Physiology and Functional Imaging**, 30(1), pp.57–63.
  133. Sørensen, O. et al., 2010. Validation and use of microdialysis for determination of pharmacokinetic properties of the chemotherapeutic agent mitomycin C - an experimental study. **BMC Cancer**, 10, p.469.