

CMA 7 Microdialysis Probes

1. Dall, C. et al., 2017. Muscarinic receptor M4 positive allosteric modulators attenuate central effects of cocaine. *Drug and Alcohol Dependence*, 176, pp.154–161.
2. Chen, X. et al., 2017. Influence of peptide transporter 2 (PEPT2) on the distribution of cefadroxil in mouse brain: A microdialysis study. *Biochemical Pharmacology*, 131, pp.89–97.
3. Bank, J.H.H. et al., 2017. Gene expression analysis and microdialysis suggest hypothalamic triiodothyronine (T3) gates daily torpor in Djungarian hamsters (*Phodopus sungorus*). *Journal of Comparative Physiology B*, pp.1–12.
4. Ramírez-Jarquín, U.N. et al., 2017. Chronic infusion of SOD1G93A astrocyte-secreted factors induces spinal motoneuron degeneration and neuromuscular dysfunction in healthy rats. *Journal of Cellular Physiology*, p.n/a-n/a.
5. Yoshimoto, K. et al., 2017. Enhanced alcohol-drinking behavior associated with active ghrelinergic and serotonergic neurons in the lateral hypothalamus and amygdala. *Pharmacology Biochemistry and Behavior*, 153, pp.1–11.
6. Ramírez-Jarquín, U.N. & Tapia, R., 2017. Chronic GABAergic blockade in the spinal cord in vivo induces motor alterations and neurodegeneration. *Neuropharmacology*, 117, pp.85–92.
7. Moreno-Castilla, P. et al., 2017. Hippocampal release of dopamine and norepinephrine encodes novel contextual information. *Hippocampus*, 27(5), pp.547–557.
8. Rapanelli, M. et al., 2017. Histamine H3R receptor activation in the dorsal striatum triggers stereotypies in a mouse model of tic disorders. *Translational Psychiatry*, 7(1), p.e1013.
9. Pham, T.H. et al., 2017. Ketamine treatment involves medial prefrontal cortex serotonin to induce a rapid antidepressant-like activity in BALB/cJ mice. *Neuropharmacology*, 112, Part A, pp.198–209.
10. Callan, S.P. et al., 2017. Toluene's effects on activity and extracellular dopamine in the mouse are altered by GABAA antagonism. *Neuroscience Letters*, 647, pp.67–71.
11. Prévôt, T.D. et al., 2016. Roles of Hippocampal Somatostatin Receptor Subtypes in Stress Response and Emotionality. *Neuropsychopharmacology*. Available at: <https://www.nature.com/npp/journal/vaop/ncurrent/full/npp2016281a.html>.
12. Møller, L.L.V. et al., 2016. Decreased spontaneous activity in AMPK α 2 muscle specific kinase dead mice is not caused by changes in brain dopamine metabolism. *Physiology & Behavior*, 164, Part A, pp.300–305.
13. Ramírez-Jarquín, U.N. & Tapia, R., 2016. Neuropathological characterization of spinal motor neuron degeneration processes induced by acute and chronic excitotoxic stimulus in vivo. *Neuroscience*, 331, pp.78–90.
14. Besson, M. et al., 2016. Alterations in α 5* nicotinic acetylcholine receptors result in midbrain- and hippocampus-dependent behavioural and neural impairments. *Psychopharmacology*, 233(18), pp.3297–3314.
15. Rozov, S.V. et al., 2016. Altered Electroencephalographic Activity Associated with Changes in the Sleep-Wakefulness Cycle of C57BL/6J Mice in Response to a Photoperiod Shortening. *Frontiers in Behavioral Neuroscience*, 10. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5005378/>.

16. Martín-García, E. et al., 2016. Differential Control of Cocaine Self-Administration by GABAergic and Glutamatergic CB1 Cannabinoid Receptors. *Neuropsychopharmacology*, 41(9), pp.2192–2205.
17. Thyron, L., Portelli, J., et al., 2016. Disruption, but not overexpression of urate oxidase alters susceptibility to pentylenetetrazole- and pilocarpine-induced seizures in mice. *Epilepsia*, 57(7), pp.e146–e150.
18. Thyron, L., Raedt, R., et al., 2016. Uric acid is released in the brain during seizure activity and increases severity of seizures in a mouse model for acute limbic seizures. *Experimental Neurology*, 277, pp.244–251.
19. Dominguez, G. et al., 2016. Alcohol withdrawal induces long-lasting spatial working memory impairments: relationship with changes in corticosterone response in the prefrontal cortex. *Addiction Biology*, p.n/a-n/a.
20. Hwa, L.S. et al., 2016. Dissociation of μ -opioid receptor and CRF-R1 antagonist effects on escalated ethanol consumption and mPFC serotonin in C57BL/6J mice. *Addiction Biology*, 21(1), pp.111–124.
21. Battisti, U.M. et al., 2016. “Heart-cut” bidimensional achiral-chiral liquid chromatography applied to the evaluation of stereoselective metabolism, in vivo biological activity and brain response to chiral drug candidates targeting the central nervous system. *Journal of Chromatography A*, 1443, pp.152–161.
22. Zhou, Y. et al., 2015. Reducing Adsorption To Improve Recovery and in Vivo Detection of Neuropeptides by Microdialysis with LC-MS. *Analytical Chemistry*, 87(19), pp.9802–9809.
23. Sørensen, G. et al., 2015. The glucagon-like peptide 1 (GLP-1) receptor agonist exendin-4 reduces cocaine self-administration in mice. *Physiology & Behavior*, 149, pp.262–268.
24. Kim, T. et al., 2015. Disrupted sleep–wake regulation in type 1 equilibrative nucleoside transporter knockout mice. *Neuroscience*, 303, pp.211–219.
25. Altieri, S.C. et al., 2015. Perinatal vs Genetic Programming of Serotonin States Associated with Anxiety. *Neuropsychopharmacology*, 40(6), pp.1456–1470.
26. Yau, J.L.W., Noble, J., et al., 2015. Diurnal and stress-induced intra-hippocampal corticosterone rise attenuated in 11 β -HSD1-deficient mice: a microdialysis study in young and aged mice. *European Journal of Neuroscience*, 41(6), pp.787–792.
27. Chao, A., Paon, A. & Remage-Healey, L., 2015. Dynamic variation in forebrain estradiol levels during song learning. *Developmental Neurobiology*, 75(3), pp.271–286.
28. Zhang, J.-W. et al., 2015. Effects of tetrathiomolybdate and penicillamine on brain hydroxyl radical and free copper levels: A microdialysis study in vivo. *Biochemical and Biophysical Research Communications*, 458(1), pp.82–85.
29. Yau, J.L.W., Wheelan, N., et al., 2015. Intrahippocampal glucocorticoids generated by 11 β -HSD1 affect memory in aged mice. *Neurobiology of Aging*, 36(1), pp.334–343.
30. Zhang, Y. et al., 2015. Mouse Model of the OPRM1 (A118G) Polymorphism: Differential Heroin Self-Administration Behavior Compared with Wild-Type Mice. *Neuropsychopharmacology*, 40(5), pp.1091–1100.
31. Pawlisch, B.A. & Remage-Healey, L., 2015. Neuroestrogen signaling in the songbird auditory cortex propagates into a sensorimotor network via an ‘interface’ nucleus. *Neuroscience*, 284, pp.522–535.
32. Le, W. et al., 2015. Pitx3 deficiency produces decreased dopamine signaling and induces motor deficits in Pitx3(-/-) mice. *Neurobiology of Aging*, 36(12), pp.3314–3320.
33. Kleberg, K. et al., 2015. Sensing of triacylglycerol in the gut: different mechanisms for fatty acids and 2-monoacylglycerol. *The Journal of Physiology*, 593(8), pp.2097–2109.
34. Guercio, G.D. et al., 2014. d-serine prevents cognitive deficits induced by acute stress. *Neuropharmacology*, 86, pp.1–8.
35. Rensel, M.A. et al., 2014. Region-Specific Neural Corticosterone Patterns Differ From Plasma in a Male

- Songbird. *Endocrinology*, 155(9), pp.3572–3581.
36. Lanteri, C. et al., 2014. Repeated exposure to MDMA triggers long-term plasticity of noradrenergic and serotonergic neurons. *Molecular Psychiatry*, 19(7), pp.823–833.
 37. Sørensen, G. et al., 2014. Addiction-Related Effects of DOV 216,303 and Cocaine: A Comparative Study in the Mouse. *Basic & Clinical Pharmacology & Toxicology*, 114(6), pp.451–459.
 38. Santa-Cruz, L.D. & Tapia, R., 2014. Role of Energy Metabolic Deficits and Oxidative Stress in Excitotoxic Spinal Motor Neuron Degeneration in Vivo. *ASN Neuro*, 6(2), p.AN20130046.
 39. Griffin Iii, W.C. et al., 2014. Increased Extracellular Glutamate In the Nucleus Accumbens Promotes Excessive Ethanol Drinking in Ethanol Dependent Mice. *Neuropsychopharmacology*, 39(3), pp.707–717.
 40. Ikeda, M. et al., 2014. In Vivo Detection of Fluctuating Brain Steroid Levels in Zebra Finches. *Cold Spring Harbor Protocols*, 2014(12), p.pdb.prot084616.
 41. Rapanelli, M. et al., 2014. Dysregulated intracellular signaling in the striatum in a pathophysiologically grounded model of Tourette syndrome. *European Neuropsychopharmacology*, 24(12), pp.1896–1906.
 42. Matsudaira, S. et al., 2014. Early Onset of Ventilatory and Airway Response to Hypercapnia is Mediated by Medullary 5-HT_{1A} Receptors in Infant Rats. *The Showa University Journal of Medical Sciences*, 26(3), pp.211–217.
 43. Sierra-Paredes, G. et al., 2014. Effects of eslicarbazepine acetate on acute and chronic latrunculin A-induced seizures and extracellular amino acid levels in the mouse hippocampus. *BMC Neuroscience*, 15, p.134.
 44. Rozov, S.V. et al., 2014. Periodic properties of the histaminergic system of the mouse brain. *European Journal of Neuroscience*, 39(2), pp.218–228.
 45. Bonhomme, D. et al., 2014. Retinoic acid modulates intrahippocampal levels of corticosterone in middle-aged mice: consequences on hippocampal plasticity and contextual memory. *Frontiers in Aging Neuroscience*, 6. Available at: <http://journal.frontiersin.org/article/10.3389/fnagi.2014.00006/full> .
 46. Dominguez, G. et al., 2014. Stress induced a shift from dorsal hippocampus to prefrontal cortex dependent memory retrieval: role of regional corticosterone. *Frontiers in Behavioral Neuroscience*, 8. Available at: <http://journal.frontiersin.org/article/10.3389/fnbeh.2014.00166/full> .
 47. Chan, G.N.Y. et al., 2013. In vivo induction of P-glycoprotein expression at the mouse blood–brain barrier: an intracerebral microdialysis study. *Journal of Neurochemistry*, 127(3), pp.342–352.
 48. Walker, M.D. et al., 2013. Measuring dopaminergic function in the 6-OHDA-lesioned rat: a comparison of PET and microdialysis. *EJNMMI Research*, 3(1), p.69.
 49. Doucet, E.L. et al., 2013. Sustained Impairment of α 2A-Adrenergic Autoreceptor Signaling Mediates Neurochemical and Behavioral Sensitization to Amphetamine. *Biological Psychiatry*, 74(2), pp.90–98.
 50. Li, Z., Caulfield, T., et al., 2012. Pharmacokinetics of bendamustine in the central nervous system: chemoinformatic screening followed by validation in a murine model. *MedChemComm*, 3(12), pp.1526–1530.
 51. Dencker, D. et al., 2012. An allosteric enhancer of M4 muscarinic acetylcholine receptor function inhibits behavioral and neurochemical effects of cocaine. *Psychopharmacology*, 224(2), pp.277–287.
 52. Tourino, C. et al., 2012. The orphan receptor GPR3 modulates the early phases of cocaine reinforcement. *British Journal of Pharmacology*, 167(4), pp.892–904.
 53. Wang, Y. et al., 2012. Green tea epigallocatechin-3-gallate (EGCG) promotes neural progenitor cell proliferation and sonic hedgehog pathway activation during adult hippocampal neurogenesis. *Molecular Nutrition & Food Research*, 56(8), pp.1292–1303.
 54. Sørensen, G. et al., 2012. Neuropeptide Y Y5 receptor antagonism attenuates cocaine-induced effects in

- mice. *Psychopharmacology*, 222(4), pp.565–577.
55. Dietrich, M.O. et al., 2012. AgRP neurons regulate development of dopamine neuronal plasticity and nonfood-associated behaviors. *Nature Neuroscience*, 15(8), pp.1108–1110.
 56. López-Pérez, S.J. et al., 2012. Short- and long-term changes in extracellular glutamate and acetylcholine concentrations in the rat hippocampus following hypoxia. *Neurochemistry International*, 61(2), pp.258–265.
 57. Cassano, T. et al., 2012. Glutamatergic alterations and mitochondrial impairment in a murine model of Alzheimer disease. *Neurobiology of Aging*, 33(6), p.1121.e1-1121.e12.
 58. Wells, L. et al., 2012. In vivo dopaminergic and behavioral responses to acute cocaine are altered in adenosine A2A receptor knockout mice. *Synapse*, 66(5), pp.383–390.
 59. Yoshimoto, K. et al., 2012. Serotonin_{2C} receptors in the nucleus accumbens are involved in enhanced alcohol-drinking behavior. *European Journal of Neuroscience*, 35(8), pp.1368–1380.
 60. Panin, F. et al., 2012. Coupled intracerebral microdialysis and electrophysiology for the assessment of dopamine neuron function in vivo. *Journal of Pharmacological and Toxicological Methods*, 65(2), pp.83–92.
 61. Ferreira, J.G. et al., 2012. Regulation of fat intake in the absence of flavour signalling. *The Journal of Physiology*, 590(4), pp.953–972.
 62. Li, Z., Kamon, T., et al., 2012. Pharmacokinetics of Agelastatin A in the central nervous system. *MedChemComm*, 3(2), pp.233–237.
 63. Zhang, L. et al., 2012. Withdrawal from Chronic Nicotine Exposure Alters Dopamine Signaling Dynamics in the Nucleus Accumbens. *Biological Psychiatry*, 71(3), pp.184–191.
 64. Guzmán-Ramos, K. et al., 2012. Restoration of dopamine release deficits during object recognition memory acquisition attenuates cognitive impairment in a triple transgenic mice model of Alzheimer’s disease. *Learning & Memory*, 19(10), pp.453–460.
 65. Varcin, M. et al., 2011. Acute versus long-term effects of 6-hydroxydopamine on oxidative stress and dopamine depletion in the striatum of mice. *Journal of Neuroscience Methods*, 202(2), pp.128–136.
 66. Khalid, M., Aoun, R.A. & Mathews, T.A., 2011. Altered striatal dopamine release following a sub-acute exposure to manganese. *Journal of Neuroscience Methods*, 202(2), pp.182–191.
 67. Merlini, M. et al., 2011. Vascular β -amyloid and early astrocyte alterations impair cerebrovascular function and cerebral metabolism in transgenic arcA β mice. *Acta Neuropathologica*, 122(3), pp.293–311.
 68. Schmidt, L.S. et al., 2011. Increased cocaine self-administration in M4 muscarinic acetylcholine receptor knockout mice. *Psychopharmacology*, 216(3), pp.367–378.
 69. Saldanha, C.J., Remage-Healey, L. & Schlinger, B.A., 2011. Synaptocrine Signaling: Steroid Synthesis and Action at the Synapse. *Endocrine Reviews*, 32(4), pp.532–549.
 70. Carrara-Nascimento, P.F. et al., 2011. Changes in extracellular levels of glutamate in the nucleus accumbens after ethanol-induced behavioral sensitization in adolescent and adult mice. *Alcohol*, 45(5), pp.451–460.
 71. Boger, H.A. et al., 2011. Effects of brain-derived neurotrophic factor on dopaminergic function and motor behavior during aging. *Genes, Brain and Behavior*, 10(2), pp.186–198.
 72. Matto, V. et al., 2011. Impaired striatal dopamine output of homozygous Wfs1 mutant mice in response to [K⁺] challenge. *Journal of Physiology and Biochemistry*, 67(1), pp.53–60.
 73. Bosse, K.E. & Mathews, T.A., 2011. Ethanol-induced increases in extracellular dopamine are blunted in brain-derived neurotrophic factor heterozygous mice. *Neuroscience Letters*, 489(3), pp.172–176.
 74. Good, C.H. et al., 2011. Impaired nigrostriatal function precedes behavioral deficits in a genetic

- mitochondrial model of Parkinson's disease. *The FASEB Journal*, 25(4), pp.1333–1344.
75. Schallier, A. et al., 2011. Region- and Age-Specific Changes in Glutamate Transport in the A β PP23 Mouse Model for Alzheimer's Disease. *Journal of Alzheimer's Disease*, 24(2), pp.287–300.
 76. Hedegaard, E.R. et al., 2011. Non-endothelial endothelin counteracts hypoxic vasodilation in porcine large coronary arteries. *BMC Physiology*, 11, p.8.
 77. Liu, Y. et al., 2010a. Capillary UHPLC with Elevated Temperature for Sub-One Minute Separations of Basal Serotonin in Sub-Microliter Brain Microdialysate Samples. *Analytical chemistry*, 82(23), pp.9611–9616.
 78. Liu, Y. et al., 2010b. Capillary Ultrahigh Performance Liquid Chromatography with Elevated Temperature for Sub-One Minute Separations of Basal Serotonin in Submicroliter Brain Microdialysate Samples. *Analytical Chemistry*, 82(23), pp.9611–9616.
 79. Melrose, H.L. et al., 2010. Impaired dopaminergic neurotransmission and microtubule-associated protein tau alterations in human LRRK2 transgenic mice. *Neurobiology of Disease*, 40(3), pp.503–517.
 80. Li, Z., Boules, M., et al., 2010. Similarities in the behavior and molecular deficits in the frontal cortex between the neurotensin receptor subtype 1 knockout mice and chronic phencyclidine-treated mice: Relevance to schizophrenia. *Neurobiology of Disease*, 40(2), pp.467–477.
 81. Cortez, A.M. et al., 2010. Age-dependent effects of κ -opioid receptor stimulation on cocaine-induced stereotyped behaviors and dopamine overflow in the caudate–putamen: an in vivo microdialysis study. *Neuroscience*, 169(1), pp.203–213.
 82. Garcia-Reitböck, P. et al., 2010. SNARE protein redistribution and synaptic failure in a transgenic mouse model of Parkinson's disease. *Brain*, 133(7), pp.2032–2044.
 83. Li, Z., Liang, Y., et al., 2010. Effect of amphetamine on extracellular concentrations of amino acids in striatum in neurotensin subtype 1 and 2 receptor null mice: A possible interaction between neurotensin receptors and amino acid systems for study of schizophrenia. *Neuropharmacology*, 58(7), pp.1174–1178.
 84. Tronche, C. et al., 2010. Increased stress-induced intra-hippocampus corticosterone rise associated with memory impairments in middle-aged mice. *Neurobiology of Learning and Memory*, 93(3), pp.343–351.
 85. Popa, D. et al., 2010. A longitudinal study of 5-HT outflow during chronic fluoxetine treatment using a new technique of chronic microdialysis in a highly emotional mouse strain. *European Journal of Pharmacology*, 628(1–3), pp.83–90.
 86. Løfgren, B. et al., 2010. Amino acid transamination is crucial for ischaemic cardioprotection in normal and preconditioned isolated rat hearts – focus on l-glutamate. *Experimental Physiology*, 95(1), pp.140–152.
 87. Morley, J.E. et al., 2010. A Physiological Role for Amyloid- β Protein: Enhancement of Learning and Memory. *Journal of Alzheimer's Disease*, 19(2), pp.441–449.
 88. Uutela, P. et al., 2005. Analysis of acetylcholine and choline in microdialysis samples by liquid chromatography/tandem mass spectrometry. *Rapid Communications in Mass Spectrometry*, 19(20), pp.2950–2956.
 89. Kehr, J. et al., 2001. Microdialysis in freely moving mice: determination of acetylcholine, serotonin and noradrenaline release in galanin transgenic mice. *Journal of Neuroscience Methods*, 109(1), pp.71–80.