

CMA Citations 2011

1. Strong, P.V. et al., 2011. 5-hydroxytryptamine 2C receptors in the dorsal striatum mediate stress-induced interference with negatively reinforced instrumental escape behavior. *Neuroscience*, 197, pp.132–144.
2. Dekundy, A. et al., 2011. Pharmacological characterization of MRZ-8676, a novel negative allosteric modulator of subtype 5 metabotropic glutamate receptors (mGluR5): focus on l-DOPA-induced dyskinesia. *Journal of Neural Transmission*, 118(12), pp.1703–1716.
3. Aourz, N. et al., 2011. Rat hippocampal somatostatin sst3 and sst4 receptors mediate anticonvulsive effects in vivo: Indications of functional interactions with sst2 receptors. *Neuropharmacology*, 61(8), pp.1327–1333.
4. Tian, J.-W. et al., 2011. Preclinical pharmacology of TP1, a novel potent triple reuptake inhibitor with antidepressant properties. *Neuroscience*, 196, pp.124–130.
5. Varcin, M. et al., 2011. Acute versus long-term effects of 6-hydroxydopamine on oxidative stress and dopamine depletion in the striatum of mice. *Journal of Neuroscience Methods*, 202(2), pp.128–136.
6. Khalid, M., Aoun, R.A. & Mathews, T.A., 2011. Altered striatal dopamine release following a sub-acute exposure to manganese. *Journal of Neuroscience Methods*, 202(2), pp.182–191.
7. Herbaugh, A.W. & Stenken, J.A., 2011. Antibody-enhanced microdialysis collection of CCL2 from rat brain. *Journal of Neuroscience Methods*, 202(2), pp.124–127.
8. Robin, S. et al., 2011. LC–MS determination of oxidized and reduced glutathione in human dermis: A microdialysis study. *Journal of Chromatography B*, 879(30), pp.3599–3606.
9. Cooley, J.C. & Lunte, C.E., 2011. Detection of malondialdehyde in vivo using microdialysis sampling with CE-fluorescence. *ELECTROPHORESIS*, 32(21), pp.2994–2999.
10. Soustiel, J.F. et al., 2011. Improvement of Cerebral Metabolism Mediated by Ro5-4864 is Associated with Relief of Intracranial Pressure and Mitochondrial Protective Effect in Experimental Brain Injury. *Pharmaceutical Research*, 28(11), pp.2945–2953.
11. Katikaneni, S. et al., 2011. Iontophoresis of a 13 kDa protein monitored by subcutaneous microdialysis in vivo. *Bioanalysis*, 3(21), pp.2419–2426.
12. Gibbs, R.B. et al., 2011. Galanthamine plus estradiol treatment enhances cognitive performance in aged ovariectomized rats. *Hormones and Behavior*, 60(5), pp.607–616.
13. Luca, F. et al., 2011. GET73 modulates rat hippocampal glutamate transmission: evidence for a functional interaction with mGluR5. *Pharmacological Reports*, 63(6), pp.1359–1371.
14. Zhou, X. et al., 2011. Determination of the penetration of 9-fluoropropyl-(+)-dihydrotetrabenazine across the blood–brain barrier in rats by microdialysis combined with liquid chromatography–tandem mass spectrometry. *Journal of Chromatography B*, 879(28), pp.3041–3046.
15. Gold, P.E. et al., 2011. Acetylcholine release in the hippocampus and prelimbic cortex during acquisition of a socially transmitted food preference. *Neurobiology of Learning and Memory*, 96(3), pp.498–503.
16. Engler, H. et al., 2011. Acute amygdaloid response to systemic inflammation. *Brain, Behavior, and Immunity*, 25(7), pp.1384–1392.

17. Potschka, H. et al., 2011. Impact of seizure activity on free extracellular phenytoin concentrations in amygdala-kindled rats. *Neuropharmacology*, 61(5–6), pp.909–917.
18. Wegener, N. et al., 2011. Evaluation of brain pharmacokinetics of (+)MK-801 in relation to behaviour. *Neuroscience Letters*, 503(1), pp.68–72.
19. Schumacher, A. et al., 2011. Electrical high frequency stimulation in the dorsal striatum: Effects on response learning and on GABA levels in rats. *Behavioural Brain Research*, 222(2), pp.368–374.
20. Cauli, O. et al., 2011. Differential modulation of the glutamate-nitric oxide-cyclic GMP pathway by distinct neurosteroids in cerebellum in vivo. *Neuroscience*, 190, pp.27–36.
21. Sadiq, M.W. et al., 2011. Diphenhydramine active uptake at the blood–brain barrier and its interaction with oxycodone in vitro and in vivo. *Journal of Pharmaceutical Sciences*, 100(9), pp.3912–3923.
22. Merlini, M. et al., 2011. Vascular β -amyloid and early astrocyte alterations impair cerebrovascular function and cerebral metabolism in transgenic arcA β mice. *Acta Neuropathologica*, 122(3), pp.293–311.
23. Ostock, C.Y. et al., 2011. Role of the primary motor cortex in L-DOPA-induced dyskinesia and its modulation by 5-HT_{1A} receptor stimulation. *Neuropharmacology*, 61(4), pp.753–760.
24. Carnevale, G. et al., 2011. Influence of Griffonia simplicifolia on male sexual behavior in rats: Behavioral and neurochemical study. *Phytomedicine*, 18(11), pp.947–952.
25. Schmidt, L.S. et al., 2011. Increased cocaine self-administration in M4 muscarinic acetylcholine receptor knockout mice. *Psychopharmacology*, 216(3), pp.367–378.
26. Saldanha, C.J., Remage-Healey, L. & Schlinger, B.A., 2011. Synaptocrine Signaling: Steroid Synthesis and Action at the Synapse. *Endocrine Reviews*, 32(4), pp.532–549.
27. Vaka, S.R.K. et al., 2011. Upregulation of endogenous neurotrophin levels in the brain by intranasal administration of carnosic acid. *Journal of Pharmaceutical Sciences*, 100(8), pp.3139–3145.
28. Carrara-Nascimento, P.F. et al., 2011. Changes in extracellular levels of glutamate in the nucleus accumbens after ethanol-induced behavioral sensitization in adolescent and adult mice. *Alcohol*, 45(5), pp.451–460.
29. Emmanouilidou, E. et al., 2011. Assessment of α -Synuclein Secretion in Mouse and Human Brain Parenchyma. *PLOS ONE*, 6(7), p.e22225.
30. Kaul, S., Faiman, M.D. & Lunte, C.E., 2011. Determination of GABA, glutamate, dopamine and carbamathione in brain microdialysis samples by micellar electrokinetic chromatography and laser-induced fluorescence (MEKC-LIF). *Analytical Methods*, 3(7), pp.1514–1520.
31. Fenhammar, J. et al., 2011. Endothelin Receptor A Antagonism Attenuates Renal Medullary Blood Flow Impairment in Endotoxemic Pigs. *PLOS ONE*, 6(7), p.e21534.
32. Aluf, Y. et al., 2011. Alterations in striatal oxidative stress level produced by pharmacological manipulation of dopamine as shown by a novel synthetic marker molecule. *Neuropharmacology*, 61(1–2), pp.87–94.
33. Howe III, H.R. et al., 2011. Increased adipose tissue lipolysis after a 2-week high-fat diet in sedentary overweight/obese men. *Metabolism*, 60(7), pp.976–981.
34. Zhang, Y.-J. et al., 2011. Pharmacokinetics of phenolic compounds of Danshen extract in rat blood and brain by microdialysis sampling. *Journal of Ethnopharmacology*, 136(1), pp.129–136.
35. Rong, P.-J. & Ma, S.-X., 2011. Electroacupuncture Zusanli (ST36) on Release of Nitric Oxide in the Gracile Nucleus and Improvement of Sensory Neuropathies in Zucker Diabetic Fatty Rats. *Evidence-Based Complementary and Alternative Medicine*, 2011, p.enep103.
36. Broek, R.P.G. ten, Wilbers, J. & Goor, H. van, 2011. Electrocautery causes more ischemic peritoneal tissue damage than ultrasonic dissection. *Surgical Endoscopy*, 25(6), pp.1827–1834.
37. Villégier, A.-S., Belluzzi, J.D. & Leslie, F.M., 2011. Serotonergic mechanism underlying tranlylcypromine

- enhancement of nicotine self-administration. *Synapse*, 65(6), pp.479–489.
38. Inselebacher, E. et al., 2011. The potential of microdialysis to monitor organic and inorganic nitrogen compounds in soil. *Soil Biology and Biochemistry*, 43(6), pp.1321–1332.
 39. Jevne, C. et al., 2011. A reduction in the interstitial fluid pressure per se, does not enhance the uptake of the small molecule weight compound 5-fluorouracil into 4T1 mammary tumours. *Drugs and Therapy Studies*, 1(1), p.5.
 40. Abrahamsson, P. et al., 2011. Detection of myocardial ischaemia using surface microdialysis on the beating heart. *Clinical Physiology and Functional Imaging*, 31(3), pp.175–181.
 41. Mou, X. et al., 2011. Modulation of the Foreign Body Reaction for Implants in the Subcutaneous Space: Microdialysis Probes as Localized Drug Delivery/Sampling Devices. *Journal of Diabetes Science and Technology*, 5(3), pp.619–631.
 42. Zhang, X. et al., 2011. Pre-Equilibrium Solid-Phase Microextraction of Free Analyte in Complex Samples: Correction for Mass Transfer Variation from Protein Binding and Matrix Tortuosity. *Analytical Chemistry*, 83(9), pp.3365–3370.
 43. Fabricius, K. et al., 2011. Socially isolated rats exhibit changes in dopamine homeostasis pertinent to schizophrenia. *International Journal of Developmental Neuroscience*, 29(3), pp.347–350.
 44. Shih, T.-T., Chen, W.-Y. & Sun, Y.-C., 2011. Open-channel chip-based solid-phase extraction combined with inductively coupled plasma-mass spectrometry for online determination of trace elements in volume-limited saline samples. *Journal of Chromatography A*, 1218(16), pp.2342–2348.
 45. Baumann, M.H. et al., 2011. Serotonin (5-HT) precursor loading with 5-hydroxy-L-tryptophan (5-HTP) reduces locomotor activation produced by (+)-amphetamine in the rat. *Drug and Alcohol Dependence*, 114(2–3), pp.147–152.
 46. Boix, J. et al., 2011. Metabotropic glutamate receptor 5 modulates the nitric oxide-cGMP pathway in cerebellum in vivo through activation of AMPA receptors. *Neurochemistry International*, 58(5), pp.599–604.
 47. Yeniceli, D. et al., 2011. A simple and sensitive LC–ESI-MS (ion trap) method for the determination of bupropion and its major metabolite, hydroxybupropion in rat plasma and brain microdialysates. *Talanta*, 84(1), pp.19–26.
 48. Yu, Y., Liu, X., et al., 2011. [C3(OH)2mim][BF4]-Au/Pt biosensor for glutamate sensing in vivo integrated with on-line microdialysis system. *Biosensors and Bioelectronics*, 26(7), pp.3227–3232.
 49. Uchida, S. et al., 2011. Sustained subcutaneous infusion of nicotine enhances cholinergic vasodilation in the cerebral cortex induced by stimulation of the nucleus basalis of Meynert in rats. *European Journal of Pharmacology*, 654(3), pp.235–240.
 50. Kao, C.-H. et al., 2011. Central interleukin-10 attenuated lipopolysaccharide-induced changes in core temperature and hypothalamic glutamate, hydroxyl radicals and prostaglandin-E2. *European Journal of Pharmacology*, 654(2), pp.187–193.
 51. Bloms-Funke, P. et al., 2011. Tramadol increases extracellular levels of serotonin and noradrenaline as measured by in vivo microdialysis in the ventral hippocampus of freely-moving rats. *Neuroscience Letters*, 490(3), pp.191–195.
 52. Boger, H.A. et al., 2011. Effects of brain-derived neurotrophic factor on dopaminergic function and motor behavior during aging. *Genes, Brain and Behavior*, 10(2), pp.186–198.
 53. Matto, V. et al., 2011. Impaired striatal dopamine output of homozygous Wfs1 mutant mice in response to [K+] challenge. *Journal of Physiology and Biochemistry*, 67(1), pp.53–60.
 54. Xue, C. et al., 2011. Identification of the potential active components of *Abelmoschus manihot* in rat blood

- and kidney tissue by microdialysis combined with ultra-performance liquid chromatography/quadrupole time-of-flight mass spectrometry. *Journal of Chromatography B*, 879(5–6), pp.317–325.
55. Nichols, S.P. et al., 2011. Increased In Vivo Glucose Recovery via Nitric Oxide Release. *Analytical Chemistry*, 83(4), pp.1180–1184.
 56. Brandhonneur, N. et al., 2011. Ex vivo and in vivo diffusion of ropivacaine through spinal meninges: Influence of absorption enhancers. *International Journal of Pharmaceutics*, 404(1–2), pp.36–41.
 57. Bosse, K.E. & Mathews, T.A., 2011. Ethanol-induced increases in extracellular dopamine are blunted in brain-derived neurotrophic factor heterozygous mice. *Neuroscience Letters*, 489(3), pp.172–176.
 58. Lin, L. et al., 2011. New integrated in vivo microdialysis-electrochemical device for determination of the neurotransmitter dopamine in rat striatum of freely moving rats. *Microchimica Acta*, 172(1–2), pp.217–223.
 59. Rasmussen, B.A. et al., 2011. β -Lactam antibiotic produces a sustained reduction in extracellular glutamate in the nucleus accumbens of rats. *Amino Acids*, 40(2), pp.761–764.
 60. Allam, C.L. et al., 2011. Determination of Renal Hypothermic Temperature Adequacy for Renoprotection During Ischemia Using Renal Interstitial Glycerol Concentrations in a Porcine Model. *Urology*, 77(2), p.508.e1-508.e4.
 61. Hammond, R., Nelson, D. & Gibbs, R.B., 2011. GPR30 co-localizes with cholinergic neurons in the basal forebrain and enhances potassium-stimulated acetylcholine release in the hippocampus. *Psychoneuroendocrinology*, 36(2), pp.182–192.
 62. Zielińska, M. et al., 2011. Hyperammonemia increases the expression and activity of the glutamine/arginine transporter y-LAT2 in rat cerebral cortex: Implications for the nitric oxide/cGMP pathway. *Neurochemistry International*, 58(2), pp.190–195.
 63. Weenink, R.P. et al., 2011. Cerebral arterial gas embolism in swine. Comparison of two sites for air injection. *Journal of Neuroscience Methods*, 194(2), pp.336–341.
 64. Li, Y. et al., 2011. Severe Postnatal Iron Deficiency Alters Emotional Behavior and Dopamine Levels in the Prefrontal Cortex of Young Male Rats. *The Journal of Nutrition*, 141(12), pp.2133–2138.
 65. Wang, X.-F. et al., 2011. Agmatine modulates neuroadaptations of glutamate transmission in the nucleus accumbens of repeated morphine-treated rats. *European Journal of Pharmacology*, 650(1), pp.200–205.
 66. Good, C.H. et al., 2011. Impaired nigrostriatal function precedes behavioral deficits in a genetic mitochondrial model of Parkinson's disease. *The FASEB Journal*, 25(4), pp.1333–1344.
 67. Pereira, F.C. et al., 2011. Buprenorphine Modulates Methamphetamine-Induced Dopamine Dynamics in the Rat Caudate Nucleus. *Neurotoxicity Research*, 19(1), pp.94–101.
 68. Kaminski, R.M. et al., 2011. Effects of Cocaine-Kindling on the Expression of NMDA Receptors and Glutamate Levels in Mouse Brain. *Neurochemical Research*, 36(1), pp.146–152.
 69. Duo, J. & Stenzen, J.A., 2011. In vitro and in vivo affinity microdialysis sampling of cytokines using heparin-immobilized microspheres. *Analytical and Bioanalytical Chemistry*, 399(2), pp.783–793.
 70. Grote, E.C. von et al., 2011. Long-term subcutaneous microdialysis sampling and qRT-PCR of MCP-1, IL-6 and IL-10 in freely-moving rats. *Molecular BioSystems*, 7(1), pp.150–161.
 71. Schallier, A. et al., 2011. Region- and Age-Specific Changes in Glutamate Transport in the A β PP23 Mouse Model for Alzheimer's Disease. *Journal of Alzheimer's Disease*, 24(2), pp.287–300.
 72. Hovelsø, N., Sager, T.N. & Mørk, A., 2011. Combination of escitalopram and a 5-HT1A receptor antagonist selectively decreases the extracellular levels of dopamine in the nucleus accumbens relative to striatum through 5-HT2C receptor stimulation; suggestive of antipsychotic potential. *Pharmacology Biochemistry and Behavior*, 97(3), pp.479–485.

73. de Oliveira, A.R. et al., 2011. Conditioned fear is modulated by D2 receptor pathway connecting the ventral tegmental area and basolateral amygdala. ***Neurobiology of Learning and Memory***, 95(1), pp.37–45.
74. Rollema, H. et al., 2011. Effect of co-administration of varenicline and antidepressants on extracellular monoamine concentrations in rat prefrontal cortex. ***Neurochemistry International***, 58(1), pp.78–84.
75. Ristic, D., Spangenberg, P. & Ellrich, J., 2011. Acetylsalicylic acid inhibits α,β -meATP-induced facilitation of neck muscle nociception in mice — Implications for acute treatment of tension-type headache. ***European Journal of Pharmacology***, 673(1–3), pp.13–19.
76. Vallée, N., Rissoe, J.-J. & Blatteau, J.-E., 2011. Effect of an hyperbaric nitrogen narcotic ambience on arginine and citrulline levels, the precursor and co-product of nitric oxide, in rat striatum. ***Medical Gas Research***, 1, p.16.
77. Folkersma, H. et al., 2011. Increased cerebral (R)-[11C]PK11195 uptake and glutamate release in a rat model of traumatic brain injury: a longitudinal pilot study. ***Journal of Neuroinflammation***, 8, p.67.
78. Chao, Y.-Y. et al., 2011. Membrane Sampling with Microdialysis Coupled to HPLC/UV for On-line Simultaneous Determination of Melamine and Cyanuric Acid in Non-dairy Coffee Creamer. ***Analytical Sciences***, 27(10), pp.1025–1025.
79. Kostin, A. et al., 2011. Nitric oxide production in the perifornical-lateral hypothalamic area and its influences on the modulation of perifornical-lateral hypothalamic area neurons. ***Neuroscience***, 179, pp.159–169.
80. Hedegaard, E.R. et al., 2011. Non-endothelial endothelin counteracts hypoxic vasodilation in porcine large coronary arteries. ***BMC Physiology***, 11, p.8.
81. Yu, Y., Sun, Q., et al., 2011. On-line microdialysis system with poly(amidoamine)-encapsulated Pt nanoparticles biosensor for glutamate sensing in vivo. ***Bioelectrochemistry***, 81(1), pp.53–57.
82. Chefer, V. et al., 2011. Repeated exposure to moderate doses of ethanol augments hippocampal glutamate neurotransmission by increasing release. ***Addiction Biology***, 16(2), pp.229–237.