

## CMA 11 Microdialysis Probes

1. Devroye, C. et al., 2017. Opposite control of mesocortical and mesoaccumbal dopamine pathways by serotonin<sub>2B</sub> receptor blockade: Involvement of medial prefrontal cortex serotonin<sub>1A</sub> receptors. **Neuropharmacology**, 119, pp.91–99.
2. Zhang, C. et al., 2017. Reduced GABAergic transmission in the ventrobasal thalamus contributes to thermal hyperalgesia in chronic inflammatory pain. **Scientific Reports**, 7. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5288727/>.
3. Kim, M. et al., 2017. Changes in dopamine, serotonin and their metabolites in brain microdialysates from rats following exposure to new psychoactive drugs. **Forensic Toxicology**, 35(1), pp.66–76.
4. Jin, W. et al., 2017. Acupuncture reduces relapse to cocaine-seeking behavior via activation of GABA neurons in the ventral tegmental area. **Addiction Biology**, p.n/a-n/a.
5. Dupuis, A. et al., 2017. Increasing spinal 5-HT<sub>2A</sub> receptor responsiveness mediates anti-allodynic effect and potentiates fluoxetine efficacy in neuropathic rats. Evidence for GABA release. **Pharmacological Research**, 118, pp.93–103.
6. Shadgan, B. et al., 2017. Optical monitoring of spinal cord hemodynamics, a feasibility study. In p. 100720T–100720T–9. Available at: <http://dx.doi.org/10.1117/12.2248776>.
7. Cao, F., Zhang, L. & Tian, Y., 2016. A novel N-doped carbon nanotube fiber for selective and reliable electrochemical determination of ascorbic acid in rat brain microdialysates. **Journal of Electroanalytical Chemistry**, 781, pp.278–283.
8. Herrera, A. et al., 2016. Aminochrome induces dopaminergic neuronal dysfunction: a new animal model for Parkinson's disease. **Cellular and Molecular Life Sciences**, 73(18), pp.3583–3597.
9. Kim, M. et al., 2016. Silica stationary phase-based on-line sample enrichment coupled with LC-MS/MS for the quantification of dopamine, serotonin and their metabolites in rat brain microdialysates. **Analytica Chimica Acta**, 923, pp.55–65.
10. Schober, A. et al., 2016. Microdialysis Assessment of Cerebral Perfusion during Cardiac Arrest, Extracorporeal Life Support and Cardiopulmonary Resuscitation in Rats – A Pilot Trial. **PLOS ONE**, 11(5), p.e0155303.
11. Hosmann, A. et al., 2016. Cerebral and Peripheral Metabolism to Predict Successful Reperfusion After Cardiac Arrest in Rats: A Microdialysis Study. **Neurocritical Care**, 24(2), pp.283–293.
12. Vazquez-DeRose, J. et al., 2016. Hypocretin/orexin antagonism enhances sleep-related adenosine and GABA neurotransmission in rat basal forebrain. **Brain Structure and Function**, 221(2), pp.923–940.
13. Fragale, J.E.C. et al., 2016. Dysfunction in amygdala–prefrontal plasticity and extinction-resistant avoidance: A model for anxiety disorder vulnerability. **Experimental Neurology**, 275, Part 1, pp.59–68.
14. Kasper, J.M. et al., 2016. Gamma-Aminobutyric Acidergic Projections From the Dorsal Raphe to the Nucleus Accumbens Are Regulated by Neuromedin U. **Biological Psychiatry**, 80(11), pp.878–887.
15. Miguelez, C. et al., 2016. L-DOPA elicits non-vesicular releases of serotonin and dopamine in hemiparkinsonian rats in vivo. **European Neuropsychopharmacology**, 26(8), pp.1297–1309.
16. Llidó, A. et al., 2016. Neonatal finasteride administration decreases dopamine release in nucleus accumbens

- after alcohol and food presentation in adult male rats. *Behavioural Brain Research*, 309, pp.44–50.
17. Wang, C. et al., 2015. Dopamine Responsiveness in the Nucl. Accumbens Shell and Parameters of the Heroin-Influenced Conditioned Place Preference in Rats. *Neurophysiology*, 47(3), pp.212–217.
  18. Legrand, R. et al., 2015. Dopamine release in the lateral hypothalamus is stimulated by  $\alpha$ -MSH in both the anticipatory and consummatory phases of feeding. *Psychoneuroendocrinology*, 56, pp.79–87.
  19. Wang, Z., Zhang, L. & Tian, Y., 2015. A durable non-enzymatic electrochemical sensor for monitoring H<sub>2</sub>O<sub>2</sub> in rat brain microdialysates based on one-step fabrication of hydrogels. *Analyst*, 140(11), pp.3788–3793.
  20. Ji, G., Li, Z. & Neugebauer, V., 2015. Reactive oxygen species (ROS) mediate visceral pain-related amygdala plasticity and behaviors. *Pain*, 156(5), pp.825–836.
  21. Dahlberg, D. et al., 2015. Staphylococcal  $\alpha$ -hemolysin is neurotoxic and causes lysis of brain cells in vivo and in vitro. *NeuroToxicology*, 48, pp.61–67.
  22. Sugita, T. et al., 2015. Breathing is affected by dopamine D<sub>2</sub>-like receptors in the basolateral amygdala. *Respiratory Physiology & Neurobiology*, 209, pp.23–27.
  23. Thompson, J.M., Ji, G. & Neugebauer, V., 2015. Small-conductance calcium-activated potassium (SK) channels in the amygdala mediate pain-inhibiting effects of clinically available riluzole in a rat model of arthritis pain. *Molecular Pain*, 11, p.51.
  24. O'Dell, L.E. et al., 2014. Enhanced nicotine self-administration and suppressed dopaminergic systems in a rat model of diabetes. *Addiction Biology*, 19(6), pp.1006–1019.
  25. John, J., Kodama, T. & Siegel, J.M., 2014. Caffeine promotes glutamate and histamine release in the posterior hypothalamus. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 307(6), pp.R704–R710.
  26. Sørensen, M.A. et al., 2014. Regional disturbances in blood flow and metabolism in equine limb wound healing with formation of exuberant granulation tissue. *Wound Repair and Regeneration*, 22(5), pp.647–653.
  27. Cass, W.A. et al., 2014. Calcitriol Promotes Augmented Dopamine Release in the Lesioned Striatum of 6-Hydroxydopamine Treated Rats. *Neurochemical Research*, 39(8), pp.1467–1476.
  28. Laeger, T. et al., 2014. Leucine acts in the brain to suppress food intake but does not function as a physiological signal of low dietary protein. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 307(3), pp.R310–R320.
  29. Hambrecht-Wiedbusch, V.S. et al., 2014. Benzodiazepine Site Agonists Differentially Alter Acetylcholine Release in Rat Amygdala. *Anesthesia and analgesia*, 118(6), pp.1293–1300.
  30. Hassel, B. et al., 2014. Brain infection with *Staphylococcus aureus* leads to high extracellular levels of glutamate, aspartate,  $\gamma$ -aminobutyric acid, and zinc. *Journal of Neuroscience Research*, 92(12), pp.1792–1800.
  31. Fuqua, J.L. et al., 2014. Dynamic changes in dopamine neuron function after DNSP-11 treatment: Effects in vivo and increased ERK 1/2 phosphorylation in vitro. *Peptides*, 54, pp.1–8.
  32. Taylor, B.K. et al., 2014. Inflammation enhances Y<sub>1</sub> receptor signaling, neuropeptide Y-mediated inhibition of hyperalgesia, and substance P release from primary afferent neurons. *Neuroscience*, 256, pp.178–194.
  33. Wölfer, J. et al., 2014. Interstitial amino acid concentrations in rodent brain tissue during chemical ischemia. *Journal of Neuroscience Research*, 92(8), pp.955–963.
  34. Voleti, B. et al., 2013a. Scopolamine Rapidly Increases Mammalian Target of Rapamycin Complex 1 Signaling, Synaptogenesis, and Antidepressant Behavioral Responses. *Biological Psychiatry*, 74(10), pp.742–749.

35. Voleti, B. et al., 2013b. Scopolamine rapidly increases mTORC1 signaling, synaptogenesis, and antidepressant behavioral responses. *Biological psychiatry*, 74(10). Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3773272/>.
36. Lejeune, S. et al., 2013. The dopamine D1 receptor agonist SKF 38393 improves temporal order memory performance in maternally deprived rats. *Neurobiology of Learning and Memory*, 106, pp.268–273.
37. Leal, A.K., Mitchell, J.H. & Smith, S.A., 2013. Treatment of muscle mechanoreflex dysfunction in hypertension: effects of L-arginine dialysis in the nucleus tractus solitarii. *Experimental Physiology*, 98(9), pp.1337–1348.
38. Thrivikraman, K.V. et al., 2013. In vivo dialysis setup with a loop injection valve facilitates retrodialysis studies. *Journal of Pharmacological and Toxicological Methods*, 68(2), pp.217–224.
39. Auclair, A.L. et al., 2013. Levomilnacipran (F2695), a norepinephrine-preferring SNRI: Profile in vitro and in models of depression and anxiety. *Neuropharmacology*, 70, pp.338–347.
40. Khalki, H. et al., 2013. A tobacco extract containing alkaloids induces distinct effects compared to pure nicotine on dopamine release in the rat. *Neuroscience Letters*, 544, pp.85–88.
41. Yu, Y. et al., 2013. Size-tunable Pt nanoparticles assembled on functionalized ordered mesoporous carbon for the simultaneous and on-line detection of glucose and L-lactate in brain microdialysate. *Biosensors and Bioelectronics*, 41, pp.511–518.
42. Manta, S. et al., 2013. Electrophysiological and neurochemical effects of long-term vagus nerve stimulation on the rat monoaminergic systems. *International Journal of Neuropsychopharmacology*, 16(2), pp.459–470.
43. Grace, K.P., Hughes, S.W. & Horner, R.L., 2013. Identification of the Mechanism Mediating Genioglossus Muscle Suppression in REM Sleep. *American Journal of Respiratory and Critical Care Medicine*, 187(3), pp.311–319.
44. Littrell, O.M. et al., 2013. A synthetic five amino acid propeptide increases dopamine neuron differentiation and neurochemical function. *Neuropeptides*, 47(1), pp.43–49.
45. Lelkes, Z., Porkka-Heiskanen, T. & Stenberg, D., 2013. Cholinergic basal forebrain structures are involved in the mediation of the arousal effect of noradrenaline. *Journal of Sleep Research*, 22(6), pp.721–726.
46. Zhao, L. et al., 2013. Glycogen synthase kinase-3 reduces acetylcholine level in striatum via disturbing cellular distribution of choline acetyltransferase in cholinergic interneurons in rats. *Neuroscience*, 255, pp.203–211.
47. Di Giovanni, G. et al., 2013. In Vivo Microdialysis to Study Striatal Dopaminergic Neurodegeneration. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 23–42. Available at: [http://dx.doi.org/10.1007/978-1-62703-173-8\\_2](http://dx.doi.org/10.1007/978-1-62703-173-8_2)].
48. Chen, C. et al., 2013. Microdialysis and Advances for Sampling Synaptic and Extrasynaptic Pools. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 63–88. Available at: [http://dx.doi.org/10.1007/978-1-62703-173-8\\_4](http://dx.doi.org/10.1007/978-1-62703-173-8_4).
49. Kostin, A. et al., 2013. Sleep-wake and diurnal modulation of nitric oxide in the perifornical-lateral hypothalamic area: Real-time detection in freely behaving rats. *Neuroscience*, 254, pp.275–284.
50. Natividad, L.A. et al., 2012. Adolescent rats are resistant to adaptations in excitatory and inhibitory mechanisms that modulate mesolimbic dopamine during nicotine withdrawal. *Journal of Neurochemistry*, 123(4), pp.578–588.
51. Ossanai, L.T. et al., 2012. Effects of a toxin isolated from Tityus bahiensis scorpion venom on the hippocampus of rats. *Life Sciences*, 91(7–8), pp.230–236.
52. Saveliev, S.A. et al., 2012. Sleep homeostasis and depression: Studies with the rat clomipramine model of

- depression. *Neuroscience*, 212, pp.149–158.
53. Ristić, D. & Ellrich, J., 2012. P2X7 receptor blockade reverses purinergic facilitation of neck muscle nociception in mice. *Cephalalgia*, 32(7), pp.544–553.
  54. Fu, L.-W., Guo, Z.-L. & Longhurst, J.C., 2012. Ionotropic glutamate receptors in the external lateral parabrachial nucleus participate in processing cardiac sympathoexcitatory reflexes. *American Journal of Physiology - Heart and Circulatory Physiology*, 302(7), pp.H1444–H1453.
  55. Wenker, I.C. et al., 2012. Nitric oxide activates hypoglossal motoneurons by cGMP-dependent inhibition of TASK channels and cGMP-independent activation of HCN channels. *Journal of Neurophysiology*, 107(5), pp.1489–1499.
  56. Panin, F. et al., 2012. Coupled intracerebral microdialysis and electrophysiology for the assessment of dopamine neuron function in vivo. *Journal of Pharmacological and Toxicological Methods*, 65(2), pp.83–92.
  57. Mejía-Toiber, J. et al., 2012. In vivo GABA release and kinetics of transgene loss in a GABAergic cell line after long-term transplantation into the rat brain. *Neuroscience*, 203, pp.244–254.
  58. Chaitoff, K.A. et al., 2012. Effects of inducible nitric oxide synthase blockade within the periaqueductal gray on cardiovascular responses during mechanical, heat, and cold nociception. *Neurological Sciences*, 33(1), pp.69–78.
  59. Nirogi, R. et al., 2012. Approach to reduce the non-specific binding in microdialysis. *Journal of Neuroscience Methods*, 209(2), pp.379–387.
  60. Leal, A.K. et al., 2012. A role for nitric oxide within the nucleus tractus solitarii in the development of muscle mechanoreflex dysfunction in hypertension. *Experimental Physiology*, 97(12), pp.1292–1304.
  61. Vidal-Torres, A. et al., 2012. Evaluation of Formalin-Induced Pain Behavior and Glutamate Release in the Spinal Dorsal Horn Using In Vivo Microdialysis in Conscious Rats. *Journal of Pharmacological Sciences*, 120(2), pp.129–132.
  62. Cass, W.A. et al., 2012. Evoked dopamine overflow is augmented in the striatum of calcitriol treated rats. *Neurochemistry International*, 60(2), pp.186–191.
  63. Aryal, B. et al., 2012. Pharmacokinetics of venlafaxine and its major metabolite o-desmethylvenlafaxine in freely moving mice using automated dosing/sampling system. *Indian Journal of Pharmacology*, 44(1), pp.20–25.
  64. Hilgier, W. et al., 2012. Repeated exposure of adult rats to Aroclor 1254 induces neuronal injury and impairs the neurochemical manifestations of the NMDA receptor-mediated intracellular signaling in the hippocampus. *NeuroToxicology*, 33(1), pp.16–22.
  65. Rampersaud, N. et al., 2012. Retracted: Exendin-4 reverts behavioural and neurochemical dysfunction in a pre-motor rodent model of Parkinson's disease with noradrenergic deficit. *British Journal of Pharmacology*, 167(7), pp.1467–1479.
  66. Gold, P.E. et al., 2011. Acetylcholine release in the hippocampus and prefrontal cortex during acquisition of a socially transmitted food preference. *Neurobiology of Learning and Memory*, 96(3), pp.498–503.
  67. Schumacher, A. et al., 2011. Electrical high frequency stimulation in the dorsal striatum: Effects on response learning and on GABA levels in rats. *Behavioural Brain Research*, 222(2), pp.368–374.
  68. Rong, P.-J. & Ma, S.-X., 2011. Electroacupuncture Zusanli (ST36) on Release of Nitric Oxide in the Gracile Nucleus and Improvement of Sensory Neuropathies in Zucker Diabetic Fatty Rats. *Evidence-Based Complementary and Alternative Medicine*, 2011, p.enep103.
  69. Yu, Y. et al., 2011. [C3(OH)2mim][BF4]-Au/Pt biosensor for glutamate sensing in vivo integrated with on-line microdialysis system. *Biosensors and Bioelectronics*, 26(7), pp.3227–3232.

70. Kaminski, R.M. et al., 2011. Effects of Cocaine-Kindling on the Expression of NMDA Receptors and Glutamate Levels in Mouse Brain. *Neurochemical Research*, 36(1), pp.146–152.
71. Ristic, D., Spangenberg, P. & Ellrich, J., 2011. Acetylsalicylic acid inhibits  $\alpha,\beta$ -meATP-induced facilitation of neck muscle nociception in mice — Implications for acute treatment of tension-type headache. *European Journal of Pharmacology*, 673(1–3), pp.13–19.
72. Kostin, A. et al., 2011. Nitric oxide production in the perifornical-lateral hypothalamic area and its influences on the modulation of perifornical-lateral hypothalamic area neurons. *Neuroscience*, 179, pp.159–169.
73. Chefer, V. et al., 2011. Repeated exposure to moderate doses of ethanol augments hippocampal glutamate neurotransmission by increasing release. *Addiction Biology*, 16(2), pp.229–237.
74. Liu, Y. et al., 2010. Capillary UHPLC with Elevated Temperature for Sub-One Minute Separations of Basal Serotonin in Sub-Microliter Brain Microdialysate Samples. *Analytical chemistry*, 82(23), pp.9611–9616.
75. Lubbers, L.S. et al., 2010. Estrogen receptor (ER) subtype agonists alter monoamine levels in the female rat brain. *The Journal of Steroid Biochemistry and Molecular Biology*, 122(5), pp.310–317.
76. Savage, L.M. & Guarino, S., 2010. Memory for reward location is enhanced even though acetylcholine efflux within the amygdala is impaired in rats with damage to the diencephalon produced by thiamine deficiency. *Neurobiology of Learning and Memory*, 94(4), pp.554–560.
77. Cass, W.A. & Peters, L.E., 2010a. Neurturin protects against 6-hydroxydopamine-induced reductions in evoked dopamine overflow in rat striatum. *Neurochemistry International*, 57(5), pp.540–546.
78. Rytkönen, K.-M. et al., 2010. Nitric oxide mediated recovery sleep is attenuated with aging. *Neurobiology of Aging*, 31(11), pp.2011–2019.
79. Wang, J. et al., 2010. Nucleus Accumbens-Derived GDNF is a Retrograde Enhancer of Dopaminergic Tone in the Mesocorticolimbic System. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 30(43), pp.14502–14512.
80. Ellrich, J. et al., 2010. Inhibition of nitric oxide synthases prevents and reverses  $\alpha,\beta$ -meATP-induced neck muscle nociception in mice. *Cephalalgia*, 30(10), pp.1225–1232.
81. Si, W. et al., 2010. Neuropeptide S stimulates dopaminergic neurotransmission in the medial prefrontal cortex. *Journal of Neurochemistry*, 115(2), pp.475–482.
82. Anzalone, S. et al., 2010. Cortical cholinergic abnormalities contribute to the amnesic state induced by pyriithiamine-induced thiamine deficiency in the rat. *European Journal of Neuroscience*, 32(5), pp.847–858.
83. Auclair, A.L. et al., 2010. The central serotonin2B receptor: a new pharmacological target to modulate the mesoaccumbens dopaminergic pathway activity. *Journal of Neurochemistry*, 114(5), pp.1323–1332.
84. Kehr, J. et al., 2010. The selective 5-HT1A receptor antagonist NAD-299 increases acetylcholine release but not extracellular glutamate levels in the frontal cortex and hippocampus of awake rat. *European Neuropsychopharmacology*, 20(7), pp.487–500.
85. Vallee, N., Rostain, J.-C. & Risso, J.-J., 2010. A Pressurized Nitrogen Counterbalance to Cortical Glutamatergic Pathway Stimulation. *Neurochemical Research*, 35(5), pp.718–726.
86. Cass, W.A. & Peters, L.E., 2010b. Neurturin Effects on Nigrostriatal Dopamine Release and Content: Comparison with GDNF. *Neurochemical Research*, 35(5), pp.727–734.
87. Bradley, L.H. et al., 2010. Dopamine Neuron Stimulating Actions of a GDNF Propeptide. *PLOS ONE*, 5(3), p.e9752.
88. Roland, J.J. et al., 2010. Differential effects of systemic and intraseptal administration of the acetylcholinesterase inhibitor tacrine on the recovery of spatial behavior in an animal model of diencephalic amnesia. *European Journal of Pharmacology*, 629(1–3), pp.31–39.

89. Demchenko, I.T. et al., 2010. Involvement of Extracellular Superoxide Dismutase in Regulating Brain Blood Flow. *Neuroscience and Behavioral Physiology*, 40(2), p.173.
90. Natividad, L.A. et al., 2010. Nicotine withdrawal produces a decrease in extracellular levels of dopamine in the nucleus accumbens that is lower in adolescent versus adult male rats. *Synapse (New York, N.Y.)*, 64(2), pp.136–145.
91. Morris, K.A. et al., 2010. Age-related memory impairments due to reduced blood glucose responses to epinephrine. *Neurobiology of Aging*, 31(12), pp.2136–2145.
92. DuBord, M.-A., Liu, H. & Horner, R.L., 2010. Protein kinase A activators produce a short-term, but not long-term, increase in respiratory-drive transmission at the hypoglossal motor nucleus in vivo. *Neuroscience Letters*, 486(1), pp.14–18.
93. Navailles, S. et al., 2010. Serotonergic neurons mediate ectopic release of dopamine induced by l-DOPA in a rat model of Parkinson's disease. *Neurobiology of Disease*, 38(1), pp.136–143.
94. Thompson, J.W., Prentice, H.M. & Lutz, P.L., 2007. Regulation of extracellular glutamate levels in the long-term anoxic turtle striatum: coordinated activity of glutamate transporters, adenosine, KATP+ channels and GABA. *Journal of Biomedical Science*, 14(6), pp.809–817.
95. Trabace, L. et al., 2004. The effects of nitric oxide on striatal serotonergic transmission involve multiple targets: an in vivo microdialysis study in the awake rat. *Brain Research*, 1008(2), pp.293–298.
96. Khandelwal, P. et al., 2004. Nanoprobe NMR spectroscopy and in vivo microdialysis: new analytical methods to study brain neurochemistry. *Journal of Neuroscience Methods*, 133(1–2), pp.181–189.
97. Boehnke, S.E. & Rasmusson, D.D., 2001. Time course and effective spread of lidocaine and tetrodotoxin delivered via microdialysis: an electrophysiological study in cerebral cortex. *Journal of Neuroscience Methods*, 105(2), pp.133–141.
98. Andrén, P.E. & Caprioli, R.M., 1999. Determination of extracellular release of neurotensin in discrete rat brain regions utilizing in vivo microdialysis/electrospray mass spectrometry. *Brain Research*, 845(2), pp.123–129.
99. Davies, S.E.C. et al., 1998. Hypoosmolarity Induces an Increase of Extracellular N-Acetylaspartate Concentration in the Rat Striatum. *Neurochemical Research*, 23(8), pp.1021–1025.
100. Obrenovitch, T.P., Hardy, A.M. & Urenjak, J., 1997. High extracellular glycine does not potentiate N-methyl-d-aspartate-evoked depolarization in vivo. *Brain Research*, 746(1–2), pp.190–194.
101. Kala, S.V. & Jadhav, A.L., 1995. Low Level Lead Exposure Decreases In Vivo Release of Dopamine in the Rat Nucleus Accumbens: A Microdialysis Study. *Journal of Neurochemistry*, 65(4), pp.1631–1635.
102. Obrenovitch, T.P., Zilkha, E. & Urenjak, J., 1995. Intracerebral Microdialysis: Electrophysiological Evidence of a Critical Pitfall. *Journal of Neurochemistry*, 64(4), pp.1884–1887.
103. Wahl, F. et al., 1994. Extracellular Glutamate During Focal Cerebral Ischaemia in Rats: Time Course and Calcium Dependency. *Journal of Neurochemistry*, 63(3), pp.1003–1011.
104. Obrenovitch, T. p., Urenjak, J. & Zilkha, E., 1994. Intracerebral microdialysis combined with recording of extracellular field potential: a novel method for investigation of depolarizing drugs in vivo. *British Journal of Pharmacology*, 113(4), pp.1295–1302.
105. Herrera-Marschitz, M., 1991. Modulation of Striatal Dopamine and Acetylcholine Release by Different Glutamate Receptors: Studies with in Vivo Microdialysis. In G. Bernardi et al., eds. *The Basal Ganglia III*. Advances in Behavioral Biology. Springer New York, pp. 357–362. Available at: [http://link.springer.com/chapter/10.1007/978-1-4684-5871-8\\_36](http://link.springer.com/chapter/10.1007/978-1-4684-5871-8_36).
106. Herrera-Marschitz, M. et al., 1990. Regulation of cortical and striatal dopamine and acetylcholine release by glutamate mechanisms assayed in vivo with microdialysis: in situ stimulation with kainate-, quisqualate-and

NMDA-receptor agonists. In G. Lubec & G. A. Rosenthal, eds. *Amino Acids*. Springer Netherlands, pp. 599–604. Available at: [http://link.springer.com/chapter/10.1007/978-94-011-2262-7\\_70](http://link.springer.com/chapter/10.1007/978-94-011-2262-7_70).

107. Dworak, M. et al., Creatine supplementation reduces sleep need and homeostatic sleep pressure in rats. *Journal of Sleep Research*, p.n/a-n/a.
108. Cass, W.A. & Peters, L.E., Reduced ability of calcitriol to promote augmented dopamine release in the lesioned striatum of aged rats. *Neurochemistry International*. Available at: <http://www.sciencedirect.com/science/article/pii/S0197018616304934>.