

## CMA 12 Microdialysis Probes

1. Paasonen, J. et al., 2017. Dose-response effect of acute phencyclidine on functional connectivity and dopamine levels, and their association with schizophrenia-like symptom classes in rat. *Neuropharmacology*, 119, pp.15–25.
2. Kealy, J. et al., 2017. Real-time changes in hippocampal energy demands during a spatial working memory task. *Behavioural Brain Research*, 326, pp.59–68.
3. Alves, I.A. et al., 2017. Influence of Experimental Cryptococcal Meningitis in Wistar Rats on Voriconazole Brain Penetration Assessed by Microdialysis. *Antimicrobial Agents and Chemotherapy*, p.AAC.00321-17.
4. Jin, W.-S. et al., 2017. Peritoneal dialysis reduces amyloid-beta plasma levels in humans and attenuates Alzheimer-associated phenotypes in an APP/PS1 mouse model. *Acta Neuropathologica*, pp.1–14.
5. Kurosawa, T. et al., 2017. Involvement of Proton-Coupled Organic Cation Antiporter in Varenicline Transport at Blood-Brain Barrier of Rats and in Human Brain Capillary Endothelial Cells. *Journal of Pharmaceutical Sciences*, 0(0). Available at: [http://jpharmsci.org/article/S0022-3549\(17\)30267-8/abstract](http://jpharmsci.org/article/S0022-3549(17)30267-8/abstract) [Accessed May 14, 2017].
6. Bank, J.H.H. et al., 2017. Gene expression analysis and microdialysis suggest hypothalamic triiodothyronine (T3) gates daily torpor in Djungarian hamsters (*Phodopus sungorus*). *Journal of Comparative Physiology B*, pp.1–12.
7. Miller, S. et al., 2017. Therapeutic Uses Of Compounds Having Affinity To The Serotonin Transporter, Serotonin Receptors And Noradrenalin Transporter. Available at: <http://www.freepatentsonline.com/y2017/0087138.html> [Accessed May 14, 2017].
8. Wang, W. et al., 2017. Effect of Efflux Transporter Inhibition on the Distribution of Fluconazole in the Rat Brain. *Neurochemical Research*, pp.1–8.
9. Mørk, A. et al., 2017. Effects of the 5-HT<sub>6</sub> receptor antagonist idalopirdine on extracellular levels of monoamines, glutamate and acetylcholine in the rat medial prefrontal cortex. *European Journal of Pharmacology*, 799, pp.1–6.
10. Takeda, A. et al., 2017. Characteristic of Extracellular Zn<sup>2+</sup> Influx in the Middle-Aged Dentate Gyrus and Its Involvement in Attenuation of LTP. *Molecular Neurobiology*, pp.1–11.
11. Huang, H.-C. et al., 2017. Components of Goutengsan in Rat Plasma by Microdialysis Sampling and Its Protection on A $\beta$ <sub>25–35</sub>-Induced PC12 Cells Injury. *Evidence-Based Complementary and Alternative Medicine*, 2017, p.e7593027.
12. Jørgensen, L.M. et al., 2017. Cerebral 5-HT release correlates with [11C]Cimbi36 PET measures of 5-HT<sub>2A</sub> receptor occupancy in the pig brain. *Journal of Cerebral Blood Flow & Metabolism*, 37(2), pp.425–434.
13. Lee, K.J. et al., 2017. Striatal Glutamate and GABA after High Frequency Subthalamic Stimulation in Parkinsonian Rat. *Journal of Korean Neurosurgical Society*, 60(2), pp.138–145.
14. Czarnecka, A. et al., 2017. Intracerebral Administration of S-Adenosylhomocysteine or S-Adenosylmethionine Attenuates the Increases in the Cortical Extracellular Levels of Dimethylarginines Without Affecting cGMP Level in Rats with Acute Liver Failure. *Neurotoxicity Research*, 31(1), pp.99–108.
15. Brink, W.J. van den et al., 2017. Revealing the Neuroendocrine Response After Remoxipride Treatment

- Using Multi-Biomarker Discovery and Quantifying It by PK/PD Modeling. *The AAPS Journal*, 19(1), pp.274–285.
16. Das, C., Wang, G. & Nguyen, C., 2017. A Low-Cost, Accurate, and High-Precision Fluid Dispensing System for Microscale Application. *SLAS TECHNOLOGY: Translating Life Sciences Innovation*, 22(2), pp.144–152.
  17. Sriramula, S. et al., 2017. Determining the Enzymatic Activity of Angiotensin-Converting Enzyme 2 (ACE2) in Brain Tissue and Cerebrospinal Fluid Using a Quenched Fluorescent Substrate. In R. M. Touyz & E. L. Schiffrin, eds. *Hypertension*. Methods in Molecular Biology. Springer New York, pp. 117–126. Available at: [http://dx.doi.org/10.1007/978-1-4939-6625-7\\_9](http://dx.doi.org/10.1007/978-1-4939-6625-7_9) [Accessed May 14, 2017].
  18. Das, C., Wang, G., Sun, Q., et al., 2017. Multiplexed and fully automated detection of metabolic biomarkers using microdialysis probe. *Sensors and Actuators B: Chemical*, 238, pp.633–640.
  19. Wang, X.-F. et al., 2016. Agmatine Prevents Adaptation of the Hippocampal Glutamate System in Chronic Morphine-Treated Rats. *Neuroscience Bulletin*, 32(6), pp.523–530.
  20. Bundgaard, C. et al., 2016. Selegiline induces a wake promoting effect in rats which is related to formation of its active metabolites. *Pharmacology Biochemistry and Behavior*, 150–151, pp.147–152.
  21. Wang, Y. et al., 2016. Effects of realgar on GSH synthesis in the mouse hippocampus: Involvement of system XAG<sup>-</sup>, system XC<sup>-</sup>, MRP-1 and Nrf2. *Toxicology and Applied Pharmacology*, 308, pp.91–101.
  22. Prokai, L. et al., 2016. Mass spectrometric analysis of carisoprodol and meprobamate in rat brain microdialysates. *Journal of Mass Spectrometry*, 51(10), pp.900–907.
  23. Kołosowska, K. et al., 2016. The role of IL-1 $\beta$  and glutamate in the effects of lipopolysaccharide on the hippocampal electrical kindling of seizures. *Journal of Neuroimmunology*, 298, pp.146–152.
  24. Beggiato, S. et al., 2016. Functional role of striatal A2A, D2, and mGlu5 receptor interactions in regulating striatopallidal GABA neuronal transmission. *Journal of Neurochemistry*, 138(2), pp.254–264.
  25. Xiao, B.-X. et al., 2016. Pharmacokinetic profiles of the five isoflavonoids from Pueraria lobata roots in the CSF and plasma of rats. *Journal of Ethnopharmacology*, 184, pp.22–29.
  26. Zhang, W. et al., 2016. Effect of Jian-Pi-Zhi-Dong Decoction on striatal glutamate and  $\gamma$ -aminobutyric acid levels detected using microdialysis in a rat model of Tourette syndrome. *Neuropsychiatric Disease and Treatment*, 12, pp.1233–1242.
  27. Larsen, M.S. et al., 2016. Pharmacokinetic/Pharmacodynamic Relationship of Gabapentin in a CFA-induced Inflammatory Hyperalgesia Rat Model. *Pharmaceutical Research*, 33(5), pp.1133–1143.
  28. Newman, L.A. & Gold, P.E., 2016. Attenuation in rats of impairments of memory by scopolamine, a muscarinic receptor antagonist, by mecamylamine, a nicotinic receptor antagonist. *Psychopharmacology*, 233(5), pp.925–932.
  29. Lindqvist, A. et al., 2016. In vivo Functional Evaluation of Increased Brain Delivery of the Opioid Peptide DAMGO by Glutathione-PEGylated Liposomes. *Pharmaceutical Research*, 33(1), pp.177–185.
  30. He, Y. et al., 2016. In situ derivatization-ultrasound-assisted dispersive liquid–liquid microextraction for the determination of neurotransmitters in Parkinson’s rat brain microdialysates by ultra high performance liquid chromatography-tandem mass spectrometry. *Journal of Chromatography A*, 1458, pp.70–81.
  31. Ortega, J., Meana, J.J. & Callado, L., 2016. In Vivo Brain Microdialysis of Monoamines. In R. Luján & F. Ciruela, eds. *Receptor and Ion Channel Detection in the Brain*. Neuromethods. Springer New York, pp. 415–434. Available at: [http://dx.doi.org/10.1007/978-1-4939-3064-7\\_25](http://dx.doi.org/10.1007/978-1-4939-3064-7_25) [Accessed May 16, 2017].
  32. Yokobori, S. et al., 2016. Microdialysis as Clinical Evaluation of Therapeutic Hypothermia in Rat Subdural Hematoma Model. In F. H. Kobeissy et al., eds. *Injury Models of the Central Nervous System*. Methods in Molecular Biology. Springer New York, pp. 413–431. Available at: [http://dx.doi.org/10.1007/978-1-4939-3816-2\\_23](http://dx.doi.org/10.1007/978-1-4939-3816-2_23) [Accessed May 16, 2017].

33. Fang, Z. et al., 2016. Pluronic P85-coated poly(butylcyanoacrylate) nanoparticles overcome phenytoin resistance in P-glycoprotein overexpressing rats with lithium-pilocarpine-induced chronic temporal lobe epilepsy. *Biomaterials*, 97, pp.110–121.
34. Zhang, S. et al., 2016. Protective effect of melatonin on soluble A $\beta$ 1–42-induced memory impairment, astrogliosis, and synaptic dysfunction via the Musashi1/Notch1/Hes1 signaling pathway in the rat hippocampus. *Alzheimer's Research & Therapy*, 8, p.40.
35. Qi, D. et al., 2016. Quantification of Dopamine in Brain Microdialysates with High-Performance Liquid Chromatography–Tandem Mass Spectrometry. *Analytical Sciences*, 32(4), pp.419–424.
36. Herrik, K.F. et al., 2016. The 5-HT6 receptor antagonist idalopirdine potentiates the effects of acetylcholinesterase inhibition on neuronal network oscillations and extracellular acetylcholine levels in the rat dorsal hippocampus. *Neuropharmacology*, 107, pp.351–363.
37. Bergh, M.S.-S. et al., 2016. Validated methods for determination of neurotransmitters and metabolites in rodent brain tissue and extracellular fluid by reversed phase UHPLC–MS/MS. *Journal of Chromatography B*, 1028, pp.120–129.
38. Wang, F. et al., 2015. Sensitive Determination of Amantadine in Microdialysis Samples from Rat Plasma by HPLC with Fluorescence Detection. *Journal of Liquid Chromatography & Related Technologies*, 38(17), pp.1622–1628.
39. Keeler, G.D., Durdik, J.M. & Stenken, J.A., 2015a. Effects of delayed delivery of dexamethasone-21-phosphate via subcutaneous microdialysis implants on macrophage activation in rats. *Acta Biomaterialia*, 23, pp.27–37.
40. Gottås, A. et al., 2015. Determination of dopamine concentrations in brain extracellular fluid using microdialysis with short sampling intervals, analyzed by ultra high performance liquid chromatography tandem mass spectrometry. *Journal of Pharmacological and Toxicological Methods*, 74, pp.75–79.
41. Portelli, J. et al., 2015. Des-acyl ghrelin attenuates pilocarpine-induced limbic seizures via the ghrelin receptor and not the orexin pathway. *Neuropeptides*, 51, pp.1–7.
42. Wei, J. et al., 2015. Alteration of glutamate/GABA balance during acute alcohol intoxication in rats: Effect of Xingnaojing injection. *Journal of Ethnopharmacology*, 166, pp.333–339.
43. Gu, F. et al., 2015. In vivo and continuous measurement of bisulfide in the hippocampus of rat's brain by an on-line integrated microdialysis/droplet-based microfluidic system. *Analyst*, 140(11), pp.3814–3819.
44. Deshmukh, G. et al., 2015. Use of Cassette Dosing to Enhance the Throughput of Rat Brain Microdialysis Studies. *Drug Metabolism and Disposition*, p.dmd.115.064204.
45. Zhang, L.-H. et al., 2015. Simultaneous determination of multiple neurotransmitters and their metabolites in rat brain homogenates and microdialysates by LC-MS/MS. *Analytical Methods*, 7(9), pp.3929–3938.
46. Beaudin, S.A. et al., 2015. Oral Methylphenidate Alleviates the Fine Motor Dysfunction Caused by Chronic Postnatal Manganese Exposure in Adult Rats. *Toxicological Sciences*, 144(2), pp.318–327.
47. Zhang, Q. et al., 2015. Improved blood–brain barrier distribution: Effect of borneol on the brain pharmacokinetics of kaempferol in rats by in vivo microdialysis sampling. *Journal of Ethnopharmacology*, 162, pp.270–277.
48. Durk, M.R. et al., 2015. Vitamin D Receptor Activation Induces P-Glycoprotein and Increases Brain Efflux of Quinidine: An Intracerebral Microdialysis Study in Conscious Rats. *Pharmaceutical Research*, 32(3), pp.1128–1140.
49. Alonso-Alonso, S. et al., 2015. Partial seizures induced by latrunculin A microperfusion in the mouse hippocampus: Role of extracellular glutamate and NMDA receptors. *Molecular & Cellular Epilepsy*, 2(0). Available at: <http://smartscitech.com/index.php/MCE/article/view/608> [Accessed May 16, 2017].

50. Welt, T. et al., 2015. Acute Effects of Muscarinic M1 Receptor Modulation on A $\beta$ PP Metabolism and Amyloid- $\beta$  Levels in vivo: A Microdialysis Study. *Journal of Alzheimer's Disease*, 46(4), pp.971–982.
51. Misini, B. et al., 2015. Continuous monitoring of highly reactive oxygen radicals during in vivo microdialysis. *Journal of Neuroscience Methods*, 251, pp.1–6.
52. Koch, H. et al., 2015. Impaired Cognition after Stimulation of P2Y1 Receptors in the Rat Medial Prefrontal Cortex. *Neuropsychopharmacology*, 40(2), pp.305–314.
53. Keeler, G.D., Durdik, J.M. & Stenken, J.A., 2015b. Localized delivery of dexamethasone-21-phosphate via microdialysis implants in rat induces M(GC) macrophage polarization and alters CCL2 concentrations. *Acta Biomaterialia*, 12, pp.11–20.
54. Ferry, B. et al., 2015. Noradrenergic influences in the basolateral amygdala on inhibitory avoidance memory are mediated by an action on  $\alpha$ 2-adrenoceptors. *Psychoneuroendocrinology*, 51, pp.68–79.
55. Wang, Q. et al., 2014. Application of online microdialysis coupled with liquid chromatography-tandem mass spectrometry method in assessing neuroprotective effect of Rhizoma coptidis on diabetic rats. *Analytical Methods*, 7(1), pp.45–52.
56. Gao, X. et al., 2014. Shu- Yu capsule, a Traditional Chinese Medicine formulation, attenuates premenstrual syndrome depression induced by chronic stress constraint. *Molecular Medicine Reports*, 10(6), pp.2942–2948.
57. Freire-Cobo, C. et al., 2014. The Calcineurin Inhibitor Ascomycin Interferes with the Early Stage of the Epileptogenic Process Induced by Latrunculin A Microperfusion in Rat Hippocampus. *Journal of Neuroimmune Pharmacology*, 9(5), pp.654–667.
58. Lietsche, J. et al., 2014. Self-built microdialysis probes with improved recoveries of ATP and neuropeptides. *Journal of Neuroscience Methods*, 237, pp.1–8.
59. Tang, Y.-B. et al., 2014. Simultaneous determination of the repertoire of classical neurotransmitters released from embryonal carcinoma stem cells using online microdialysis coupled with hydrophilic interaction chromatography–tandem mass spectrometry. *Analytica Chimica Acta*, 849, pp.70–79.
60. Zhang, M., Fang, C. & Smagin, G., 2014. Derivatization for the simultaneous LC/MS quantification of multiple neurotransmitters in extracellular fluid from rat brain microdialysis. *Journal of Pharmaceutical and Biomedical Analysis*, 100, pp.357–364.
61. Trigub, M. et al., 2014. Biogenic Amine Neurotransmitter Response to Morphine in the Anterior Cingulate Cortex Predicts Propensity for Acquiring Self-Administration and the Intensity of the Withdrawal Syndrome. *Pharmacology & Pharmacy*, 05(11), p.1006.
62. Gough, B. et al., 2014. Propentophylline increases striatal dopamine release but dampens methamphetamine-induced dopamine dynamics: A microdialysis study. *Neurochemistry International*, 76, pp.109–113.
63. Taylor, H. et al., 2014. Investigating local and long-range neuronal network dynamics by simultaneous optogenetics, reverse microdialysis and silicon probe recordings in vivo. *Journal of Neuroscience Methods*, 235, pp.83–91.
64. Zhao, L. et al., 2014. Determination of cefuroxime lysine in rat brain microdialysates by ultra-fast liquid chromatography with UV and tandem mass spectrometry: application to an acute toxicokinetic study. *Biomedical Chromatography*, 28(9), pp.1199–1204.
65. Huo, T. et al., 2014. Effect of realgar on extracellular amino acid neurotransmitters in hippocampal CA1 region determined by online microdialysis–dansyl chloride derivatization–high-performance liquid chromatography and fluorescence detection. *Biomedical Chromatography*, 28(9), pp.1254–1262.
66. Gottås, A. et al., 2014. Role of 6-monoacetylmorphine in the acute release of striatal dopamine induced by

- intravenous heroin. *International Journal of Neuropsychopharmacology*, 17(9), pp.1357–1365.
67. Qu, K. et al., 2014. An LC–MS method for simultaneous determination of five iridoids from Zhi-zi-chi Decoction in rat brain microdialysates and tissue homogenates: Towards an in depth study for its antidepressive activity. *Journal of Chromatography B*, 965, pp.206–215.
  68. Amat, J. et al., 2014. Control over a stressor involves the posterior dorsal striatum and the act/outcome circuit. *European Journal of Neuroscience*, 40(2), pp.2352–2358.
  69. Netzahualcoyotzi, C. & Tapia, R., 2014. Energy Substrates Protect Hippocampus Against Endogenous Glutamate-Mediated Neurodegeneration in Awake Rats. *Neurochemical Research*, 39(7), pp.1346–1354.
  70. Beggiato, S. et al., 2014. Endogenous kynurenic acid regulates extracellular GABA levels in the rat prefrontal cortex. *Neuropharmacology*, 82, pp.11–18.
  71. Park, H.S. et al., 2014. Proof of Mechanism Study of a Novel Serotonin Transporter Blocker, DA-8031, Using [<sup>11</sup>C]DASB Positron Emission Tomography and In Vivo Microdialysis. *Urology*, 84(1), p.245.e1-245.e7.
  72. Gibbs, R.B., Nelson, D. & Hammond, R., 2014. Role of GPR30 in mediating estradiol effects on acetylcholine release in the hippocampus. *Hormones and Behavior*, 66(2), pp.339–345.
  73. Hou, J. et al., 2014. An In Vivo Microdialysis Study of FLZ Penetration through the Blood-Brain Barrier in Normal and 6-Hydroxydopamine Induced Parkinson's Disease Model Rats. *BioMed Research International*, 2014, p.e850493.
  74. Keeler, G.D., Durdik, J.M. & Stenken, J.A., 2014. Comparison of microdialysis sampling perfusion fluid components on the foreign body reaction in rat subcutaneous tissue. *European Journal of Pharmaceutical Sciences*, 57, pp.60–67.
  75. Crick, E.W. et al., 2014. Correlation of 3-mercaptopropionic acid induced seizures and changes in striatal neurotransmitters monitored by microdialysis. *European Journal of Pharmaceutical Sciences*, 57, pp.25–33.
  76. Westerhout, J. et al., 2014. Prediction of methotrexate CNS distribution in different species – Influence of disease conditions. *European Journal of Pharmaceutical Sciences*, 57, pp.11–24.
  77. Maki, A.E. et al., 2014. Fibrinogen  $\alpha$ -chain-derived peptide is upregulated in hippocampus of rats exposed to acute morphine injection and spontaneous alternation testing. *Pharmacology Research & Perspectives*, 2(3), p.n/a-n/a.
  78. Rip, J. et al., 2014. Glutathione PEGylated liposomes: pharmacokinetics and delivery of cargo across the blood–brain barrier in rats. *Journal of Drug Targeting*, 22(5), pp.460–467.
  79. Gualix, J. et al., 2014. Presence of diadenosine polyphosphates in microdialysis samples from rat cerebellum in vivo: effect of mild hyperammonemia on their receptors. *Purinergic Signalling*, 10(2), pp.349–356.
  80. Sotomayor-Zárate, R. et al., 2014. Improving Amphetamine Therapeutic Selectivity: N,N-dimethyl-MTA has Dopaminergic Effects and does not Produce Aortic Contraction. *Basic & Clinical Pharmacology & Toxicology*, 114(5), pp.395–399.
  81. de Oliveira, A.R., Reimer, A.E. & Brandão, M.L., 2014. Mineralocorticoid receptors in the ventral tegmental area regulate dopamine efflux in the basolateral amygdala during the expression of conditioned fear. *Psychoneuroendocrinology*, 43, pp.114–125.
  82. Oshinsky, M.L. et al., 2014. Noninvasive vagus nerve stimulation as treatment for trigeminal allodynia. *PAIN*, 155(5), pp.1037–1042.
  83. Tseng, L.-S. et al., 2014. Umbilical Cord Blood-Derived Stem Cells Improve Heat Tolerance and Hypothalamic Damage in Heat Stressed Mice. *BioMed Research International*, 2014, p.e685683.
  84. Aryal, B. et al., 2014. Alteration of Striatal Tetrahydrobiopterin in Iron-Induced Unilateral Model of Parkinson's Disease. *The Korean Journal of Physiology & Pharmacology*, 18(2), pp.129–134.

85. Arriaga-Avila, V. et al., 2014. Lactation Reduces Stress-Caused Dopaminergic Activity and Enhances GABAergic Activity in the Rat Medial Prefrontal Cortex. *Journal of Molecular Neuroscience*, 52(4), pp.515–524.
86. Birngruber, T. et al., 2014. Long-Term Implanted cOFM Probe Causes Minimal Tissue Reaction in the Brain. *PLOS ONE*, 9(3), p.e90221.
87. Zhang, R. et al., 2014. The Effects of LPM570065, a Novel Triple Reuptake Inhibitor, on Extracellular Serotonin, Dopamine and Norepinephrine Levels in Rats. *PLOS ONE*, 9(3), p.e91775.
88. Fang, W. et al., 2014. Platelet activating factor induces transient blood-brain barrier opening to facilitate edaravone penetration into the brain. *Journal of Neurochemistry*, 128(5), pp.662–671.
89. C, S. et al., 2014. Ethane-beta-Sultam Modifies the Activation of the Innate Immune System Induced by Intermittent Ethanol Administration in Female Adolescent Rats. *Journal of Alcoholism & Drug Dependence*. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5488100/> [Accessed May 29, 2017].
90. Ji, G. & Neugebauer, V., 2014. CB1 augments mGluR5 function in medial prefrontal cortical neurons to inhibit amygdala hyperactivity in an arthritis pain model. *European Journal of Neuroscience*, 39(3), pp.455–466.
91. Porras, G. et al., 2014. L-dopa-induced dyskinesia: beyond an excessive dopamine tone in the striatum. *Scientific Reports*, 4, p.3730.
92. Dominguez-Meijide, A. et al., 2014. Effect of chronic treatment with angiotensin type 1 receptor antagonists on striatal dopamine levels in normal rats and in a rat model of Parkinson's disease treated with L-DOPA. *Neuropharmacology*, 76, Part A, pp.156–168.
93. Wang, Y., Chen, X., et al., 2014. Additional noradrenergic depletion aggravates forelimb akinesia and abnormal subthalamic nucleus activity in a rat model of Parkinson's disease. *Life Sciences*, 119(1–2), pp.18–27.
94. Beggiato, S. et al., 2014. CHF5074 and LY450139 sub-acute treatments differently affect cortical extracellular glutamate levels in pre-plaque Tg2576 mice. *Neuroscience*, 266, pp.13–22.
95. Carcoba, L.M. et al., 2014. Cholinergic Transmission during Nicotine Withdrawal Is Influenced by Age and Pre-Exposure to Nicotine: Implications for Teenage Smoking. *Developmental Neuroscience*, 36(3–4), pp.347–355.
96. Chen, X. et al., 2014. Effect of transporter inhibition on the distribution of cefadroxil in rat brain. *Fluids and Barriers of the CNS*, 11, p.25.
97. Sierra-Paredes, G. et al., 2014. Effects of eslicarbazepine acetate on acute and chronic latrunculin A-induced seizures and extracellular amino acid levels in the mouse hippocampus. *BMC Neuroscience*, 15, p.134.
98. Wang, Y., Wang, H.S., et al., 2014. L-DOPA-induced dyskinesia in a rat model of Parkinson's disease is associated with the fluctuational release of norepinephrine in the sensorimotor striatum. *Journal of Neuroscience Research*, 92(12), pp.1733–1745.
99. Bonhomme, D. et al., 2014. Retinoic acid modulates intrahippocampal levels of corticosterone in middle-aged mice: consequences on hippocampal plasticity and contextual memory. *Frontiers in Aging Neuroscience*, 6. Available at: <http://journal.frontiersin.org/article/10.3389/fnagi.2014.00006/full> [Accessed May 28, 2017].
100. Miranda, M.F. et al., 2014. Role of adenosine in the antiepileptic effects of deep brain stimulation. *Frontiers in Cellular Neuroscience*, 8. Available at: <http://journal.frontiersin.org/article/10.3389/fncel.2014.00312/full> [Accessed May 28, 2017].
101. Tian, Y.-F. et al., 2013. Melatonin Improves Outcomes of Heatstroke in Mice by Reducing Brain

- Inflammation and Oxidative Damage and Multiple Organ Dysfunction. *Mediators of Inflammation*, 2013, p.e349280.
102. Faiman, M.D. et al., 2013. S-(N, N-diethylcarbamoyl)glutathione (carbamathione), a disulfiram metabolite and its effect on nucleus accumbens and prefrontal cortex dopamine, GABA, and glutamate: A microdialysis study. *Neuropharmacology*, 75, pp.95–105.
  103. Hansen, M.B., Olsen, N.V. & Hyldegaard, O., 2013. Combined administration of hyperbaric oxygen and hydroxocobalamin improves cerebral metabolism after acute cyanide poisoning in rats. *Journal of Applied Physiology*, 115(9), pp.1254–1261.
  104. Liu, H.-G. et al., 2013. A Rat Model of Hemidystonia Induced by 3-Nitropropionic Acid. *PLOS ONE*, 8(10), p.e79199.
  105. Beggiato, S. et al., 2013. GET73 increases rat extracellular hippocampal CA1 GABA levels through a possible involvement of local mGlu5 receptor. *Synapse*, 67(10), pp.678–691.
  106. Rosén, A. et al., 2013. Antinociceptive effects of sensory stimulation involve dynorphin B supraspinally in rats. *Acupuncture and Related Therapies*, 1(4), pp.35–41.
  107. Alfaro-Rodriguez, A. et al., 2013. Histamine H3 receptor activation prevents dopamine D1 receptor-mediated inhibition of dopamine release in the rat striatum: A microdialysis study. *Neuroscience Letters*, 552, pp.5–9.
  108. Faro, L.R.F. et al., 2013. Role of glutamate receptors and nitric oxide on the effects of glufosinate ammonium, an organophosphate pesticide, on in vivo dopamine release in rat striatum. *Toxicology*, 311(3), pp.154–161.
  109. Kim, J.-E., Ryu, H.J. & Kang, T.-C., 2013. Status Epilepticus Induces Vasogenic Edema via Tumor Necrosis Factor- $\alpha$ / Endothelin-1-Mediated Two Different Pathways. *PLOS ONE*, 8(9), p.e74458.
  110. Fernández-Pastor, B., Ortega, J.E. & Meana, J.J., 2013. Involvement of serotonin 5-HT<sub>3</sub> receptors in the modulation of noradrenergic transmission by serotonin reuptake inhibitors: a microdialysis study in rat brain. *Psychopharmacology*, 229(2), pp.331–344.
  111. Sadiq, M.W. et al., 2013. Oxymorphone active uptake at the blood–brain barrier and population modeling of its pharmacokinetic–pharmacodynamic relationship. *Journal of Pharmaceutical Sciences*, 102(9), pp.3320–3331.
  112. Tanda, G. et al., 2013. Relations between stimulation of mesolimbic dopamine and place conditioning in rats produced by cocaine or drugs that are tolerant to dopamine transporter conformational change. *Psychopharmacology*, 229(2), pp.307–321.
  113. Hansen, H.H. et al., 2013. Tesofensine induces appetite suppression and weight loss with reversal of low forebrain dopamine levels in the diet-induced obese rat. *Pharmacology Biochemistry and Behavior*, 110, pp.265–271.
  114. Sotomayor-Zárate, R. et al., 2013. Long-term loss of dopamine release mediated by CRF-1 receptors in the rat lateral septum after repeated cocaine administration. *Behavioural Brain Research*, 250, pp.206–210.
  115. Hwabejire, J.O. et al., 2013. Pharmacologic modulation of cerebral metabolic derangement and excitotoxicity in a porcine model of traumatic brain injury and hemorrhagic shock. *Surgery*, 154(2), pp.234–243.
  116. Miguéns, M. et al., 2013. Genetic differences in the modulation of accumbal glutamate and  $\gamma$ -amino butyric acid levels after cocaine-induced reinstatement. *Addiction Biology*, 18(4), pp.623–632.
  117. Grossman, R. et al., 2013. Microdialysis measurement of intratumoral temozolomide concentration after cediranib, a pan-VEGF receptor tyrosine kinase inhibitor, in a U87 glioma model. *Cancer Chemotherapy and Pharmacology*, 72(1), pp.93–100.

118. Ortega, J.E. et al., 2013. Additive effect of rimonabant and citalopram on extracellular serotonin levels monitored with in vivo microdialysis in rat brain. *European Journal of Pharmacology*, 709(1–3), pp.13–19.
119. Uguen, M. et al., 2013. Preclinical evaluation of the abuse potential of Pitolisant, a histamine H3 receptor inverse agonist/antagonist compared with Modafinil. *British Journal of Pharmacology*, 169(3), pp.632–644.
120. Vasicek, T.W. et al., 2013. In Vivo Microdialysis Sampling of Cytokines from Rat Hippocampus: Comparison of Cannula Implantation Procedures. *ACS Chemical Neuroscience*, 4(5), pp.737–746.
121. Chang, C.-H. et al., 2013. Tetramethylpyrazine decreases hypothalamic glutamate, hydroxyl radicals and prostaglandin-E2 and has antipyretic effects. *Inflammation Research*, 62(5), pp.527–535.
122. de Oliveira, A.R. et al., 2013. Conditioned fear response is modulated by a combined action of the hypothalamic–pituitary–adrenal axis and dopamine activity in the basolateral amygdala. *European Neuropsychopharmacology*, 23(5), pp.379–389.
123. González-Usano, A. et al., 2013. Hyperammonemia alters the modulation by different neurosteroids of the glutamate–nitric oxide–cyclic GMP pathway through NMDA- GABAA- or sigma receptors in cerebellum in vivo. *Journal of Neurochemistry*, 125(1), pp.133–143.
124. Wei, B. et al., 2013. UFLC–MS/MS method for simultaneous determination of six lignans of Schisandra chinensis (Turcz.) Baill. in normal and insomniac rats brain microdialysates and homogenate samples: towards an in-depth study for its sedative-hypnotic activity. *Journal of Mass Spectrometry*, 48(4), pp.448–458.
125. Harsing Jr., L.G. & Matyus, P., 2013. Mechanisms of glycine release, which build up synaptic and extrasynaptic glycine levels: The role of synaptic and non-synaptic glycine transporters. *Brain Research Bulletin*, 93, pp.110–119.
126. Mumford, H. et al., 2013. Human plasma-derived BuChE as a stoichiometric bioscavenger for treatment of nerve agent poisoning. *Chemico-Biological Interactions*, 203(1), pp.160–166.
127. Lin, L. et al., 2013. Increased melatonin may play dual roles in the striata of a 6-hydroxydopamine model of Parkinson’s disease. *Life Sciences*, 92(4–5), pp.311–316.
128. Nandi, P. et al., 2013. Development and optimization of an integrated PDMS based-microdialysis microchip electrophoresis device with on-chip derivatization for continuous monitoring of primary amines. *ELECTROPHORESIS*, 34(6), pp.895–902.
129. Campos, A.C. et al., 2013. Involvement of serotonin-mediated neurotransmission in the dorsal periaqueductal gray matter on cannabidiol chronic effects in panic-like responses in rats. *Psychopharmacology*, 226(1), pp.13–24.
130. Polissidis, A. et al., 2013. The cannabinoid CB1 receptor biphasically modulates motor activity and regulates dopamine and glutamate release region dependently. *International Journal of Neuropsychopharmacology*, 16(2), pp.393–403.
131. Uchida, S. et al., 2013. The missing link between long-term stimulation of nicotinic receptors and the increases of acetylcholine release and vasodilation in the cerebral cortex of aged rats. *The Journal of Physiological Sciences*, 63(2), pp.95–101.
132. Vaya, J., 2013. Exogenous markers for the characterization of human diseases associated with oxidative stress. *Biochimie*, 95(3), pp.578–584.
133. Lin, W. et al., 2013. Seizure-induced 5-HT release and chronic impairment of serotonergic function in rats. *Neuroscience Letters*, 534, pp.1–6.
134. Mansouri, M.T. et al., 2013. Behavioral deficits induced by lead exposure are accompanied by serotonergic and cholinergic alterations in the prefrontal cortex. *Neurochemistry International*, 62(3), pp.232–239.
135. Rushaidhi, M. et al., 2013. Participation of hippocampal agmatine in spatial learning: An in vivo microdialysis



- study. *Neuropharmacology*, 65, pp.200–205.
136. Aluf, Y. et al., 2013. Selective inhibition of monoamine oxidase A or B reduces striatal oxidative stress in rats with partial depletion of the nigro-striatal dopaminergic pathway. *Neuropharmacology*, 65, pp.48–57.
  137. Lin, L. et al., 2013. In vivo study on the monoamine neurotransmitters and their metabolites change in the striatum of Parkinsonian rats by liquid chromatography with an acetylene black nanoparticles modified electrode. *Journal of Pharmaceutical and Biomedical Analysis*, 72, pp.74–79.
  138. Casanova, J.P., Velis, G.P. & Fuentealba, J.A., 2013. Amphetamine locomotor sensitization is accompanied with an enhanced high K<sup>+</sup>-stimulated Dopamine release in the rat medial prefrontal cortex. *Behavioural Brain Research*, 237, pp.313–317.
  139. Vazquez-DeRose, J. et al., 2013. Retrodialysis of N/OFQ into the nucleus accumbens shell blocks cocaine-induced increases in extracellular dopamine and locomotor activity. *European Journal of Pharmacology*, 699(1–3), pp.200–206.
  140. McNay, E.C., Sandusky, L.A. & Pearson-Leary, J., 2013. Hippocampal Insulin Microinjection and In vivo Microdialysis During Spatial Memory Testing. *JOVE (Journal of Visualized Experiments)*, (71), pp.e4451–e4451.
  141. Qu, X. et al., 2013. Hippocampal Glutamate Level and Glutamate Aspartate Transporter (GLAST) are Up-Regulated in Senior Rat Associated with Isoflurane-Induced Spatial Learning/Memory Impairment. *Neurochemical Research*, 38(1), pp.59–73.
  142. Portelli, J. & Smolders, I., 2013. Intracerebral Microdialysis in the Study of Limbic Seizure Mechanisms and Antiepileptic Drug Action Using Freely Moving Rats. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 321–337. Available at: [http://dx.doi.org/10.1007/978-1-62703-173-8\\_16](http://dx.doi.org/10.1007/978-1-62703-173-8_16) [Accessed May 29, 2017].
  143. Colivicchi, M. et al., 2013. Monitoring Extracellular Amino Acid Neurotransmitters and hROS by In Vivo Microdialysis in Rats: A Practical Approach. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 225–247. Available at: [http://dx.doi.org/10.1007/978-1-62703-173-8\\_11](http://dx.doi.org/10.1007/978-1-62703-173-8_11) [Accessed May 29, 2017].
  144. Yamamoto, T., 2013. Implications of enhanced kynurenic acid and extracellular tryptophan during fatigue. *Proceedings of The Physiological Society*, Proc 37th IUPS. Available at: <http://www.physoc.org/proceedings/abstract/Proc%2037th%20IUPS%20PCA269> [Accessed May 29, 2017].
  145. Zielke, H.R., Zielke, C. & Baab, P., 2013. In Vivo Microdialysis for Measurement of Oxidative Metabolism in the Living Brain. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 89–102. Available at: [http://dx.doi.org/10.1007/978-1-62703-173-8\\_5](http://dx.doi.org/10.1007/978-1-62703-173-8_5) [Accessed May 28, 2017].
  146. Di Giovanni, G. et al., 2013. In Vivo Microdialysis to Study Striatal Dopaminergic Neurodegeneration. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 23–42. Available at: [http://dx.doi.org/10.1007/978-1-62703-173-8\\_2](http://dx.doi.org/10.1007/978-1-62703-173-8_2) [Accessed May 28, 2017].
  147. Chen, C. et al., 2013. Microdialysis and Advances for Sampling Synaptic and Extrasynaptic Pools. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 63–88. Available at: [http://dx.doi.org/10.1007/978-1-62703-173-8\\_4](http://dx.doi.org/10.1007/978-1-62703-173-8_4) [Accessed May 28, 2017].
  148. Yokobori, S. et al., 2013. Preoperative-Induced Mild Hypothermia Attenuates Neuronal Damage in a Rat Subdural Hematoma Model. In *Brain Edema XV*. Springer, Vienna, pp. 77–81. Available at: [https://link.springer.com/chapter/10.1007/978-3-7091-1434-6\\_13](https://link.springer.com/chapter/10.1007/978-3-7091-1434-6_13) [Accessed May 29, 2017].
  149. Sotomayor-Zárate, R. et al., 2012. 4-Methylthioamphetamine Increases Dopamine in the Rat Striatum and has Rewarding Effects In Vivo. *Basic & Clinical Pharmacology & Toxicology*, 111(6), pp.371–379.
  150. Wang, B., You, Z.-B. & Wise, R.A., 2012. Heroin Self-Administration Experience Establishes Control of Ventral

- Tegmental Glutamate Release by Stress and Environmental Stimuli. *Neuropsychopharmacology*, 37(13), pp.2863–2869.
151. Yokobori, S. et al., 2012. Neuroprotective effect of preoperatively induced mild hypothermia as determined by biomarkers and histopathological estimation in a rat subdural hematoma decompression model. *Journal of Neurosurgery*, 118(2), pp.370–380.
152. Cudjoe, E. et al., 2012. In vivo solid-phase microextraction for tissue bioanalysis. *Bioanalysis*, 4(21), pp.2605–2619.
153. Liu, H. et al., 2012. Stimulation of the anterior nucleus of the thalamus induces changes in amino acids in the hippocampi of epileptic rats. *Brain Research*, 1477, pp.37–44.
154. Zheng, Q. et al., 2012. Quantitative analysis of olanzapine in rat brain microdialysates by HPLC–MS/MS coupled with column-switching technique. *Journal of Chromatography B*, 905, pp.127–132.
155. Westerhout, J. et al., 2012. Physiologically Based Pharmacokinetic Modeling to Investigate Regional Brain Distribution Kinetics in Rats. *The AAPS Journal*, 14(3), pp.543–553.
156. Blanié, A. et al., 2012. The Frontal Lobe and Thalamus Have Different Sensitivities to Hypoxia-Hypotension after Traumatic Brain Injury: A Microdialysis Study in Rats. *Journal of Neurotrauma*, 29(18), pp.2782–2790.
157. Morales-Villagrán, A. et al., 2012. A Capillary Fraction Collector Coupled to a Fluorescence Reader: A Novel Device to Continuously Quantify Glutamate During Microdialysis. *Neurochemical Research*, 37(7), pp.1457–1464.
158. Allende-Castro, C. et al., 2012. Further Studies on the Hypothesis of PARP-1 Inhibition as a Strategy for Lessening the Long-Term Effects Produced by Perinatal Asphyxia: Effects of Nicotinamide and Theophylline on PARP-1 Activity in Brain and Peripheral Tissue. *Neurotoxicity Research*, 22(1), pp.79–90.
159. Portelli, J. et al., 2012. Inactivation of the Constitutively Active Ghrelin Receptor Attenuates Limbic Seizure Activity in Rodents. *Neurotherapeutics*, 9(3), pp.658–672.
160. Cabrera-Pastor, A. et al., 2012. Differential effects of chronic hyperammonemia on modulation of the glutamate–nitric oxide–cGMP pathway by metabotropic glutamate receptor 5 and low and high affinity AMPA receptors in cerebellum in vivo. *Neurochemistry International*, 61(1), pp.63–71.
161. Carnevale, G. et al., 2012. Influence of Parmigiano Reggiano diet on Male Sexual Behavior in Rats: Behavioral and Neurochemical Study. *Journal of Pharmacy and Nutrition Sciences*, 2(1). Available at: <http://lifescienceglobal.com/pms/index.php/jpans/article/view/196> [Accessed May 29, 2017].
162. Ortega, J.E. et al., 2012. Regulation of central noradrenergic activity by 5-HT<sub>3</sub> receptors located in the locus coeruleus of the rat. *Neuropharmacology*, 62(8), pp.2472–2479.
163. Sergey K., S. et al., 2012. Effects of Peripherally Acting Opioid Ligands on Central Opioid Receptors and  $\beta$ -Endorphin Release in Stressed Rats. *Journal of Behavioral and Brain Science*, 2012. Available at: <http://www.scirp.org/journal/PaperInformation.aspx?PaperID=19544> [Accessed May 29, 2017].
164. Guzmán-Ramos, K. et al., 2012. Post-acquisition release of glutamate and norepinephrine in the amygdala is involved in taste-aversion memory consolidation. *Learning & Memory*, 19(6), pp.231–238.
165. Yang, Z.-J. et al., 2012. Attenuation of neonatal ischemic brain damage using a 20-HETE synthesis inhibitor. *Journal of Neurochemistry*, 121(1), pp.168–179.
166. Higuera-Matas, A. et al., 2012. Sex-specific disturbances of the glutamate/GABA balance in the hippocampus of adult rats subjected to adolescent cannabinoid exposure. *Neuropharmacology*, 62(5–6), pp.1975–1984.
167. Erdő, F. et al., 2012. Verification of brain penetration of the unbound fraction of a novel HER2/EGFR dual kinase inhibitor (TAK-285) by microdialysis in rats. *Brain Research Bulletin*, 87(4–5), pp.413–419.
168. Salazar, P. & Tapia, R., 2012. Allopregnanolone Potentiates the Glutamate-Mediated Seizures Induced by 4-

- Aminopyridine in Rat Hippocampus in vivo. *Neurochemical Research*, 37(3), pp.596–603.
169. Harsing, L. et al., 2012. Interactions between glycine transporter type 1 (GlyT-1) and some inhibitor molecules — Glycine transporter type 1 and its inhibitors (Review). *Acta Physiologica Hungarica*, 99(1), pp.1–17.
  170. Li, J. et al., 2012. Measuring multiple neurochemicals and related metabolites in blood and brain of the rhesus monkey by using dual microdialysis sampling and capillary hydrophilic interaction chromatography–mass spectrometry. *Analytical and Bioanalytical Chemistry*, 402(8), pp.2545–2554.
  171. Mørk, A. et al., 2012. Pharmacological Effects of Lu AA21004: A Novel Multimodal Compound for the Treatment of Major Depressive Disorder. *Journal of Pharmacology and Experimental Therapeutics*, 340(3), pp.666–675.
  172. Amitai, N. et al., 2012. Repeated phencyclidine administration alters glutamate release and decreases GABA markers in the prefrontal cortex of rats. *Neuropharmacology*, 62(3), pp.1422–1431.
  173. Vaka, S.R.K. et al., 2012. Delivery of Brain-Derived Neurotrophic Factor via Nose-to-Brain Pathway. *Pharmaceutical Research*, 29(2), pp.441–447.
  174. Marshall, T.M. et al., 2012. Activation of descending pain-facilitatory pathways from the rostral ventromedial medulla by cholecystokinin elicits release of prostaglandin-E2 in the spinal cord. *PAIN*, 153(1), pp.86–94.
  175. Melani, A. et al., 2012. Ecto-ATPase inhibition: ATP and adenosine release under physiological and ischemic in vivo conditions in the rat striatum. *Experimental Neurology*, 233(1), pp.193–204.
  176. Jin, Z.-L. et al., 2012. The extracts of Fructus Akebiae, a preparation containing 90% of the active ingredient hederagenin: Serotonin, norepinephrine and dopamine reuptake inhibitor. *Pharmacology Biochemistry and Behavior*, 100(3), pp.431–439.
  177. Sehba, F. & Bederson, J., 2012. Assessment of Global Ischemia. In J. Chen et al., eds. *Animal Models of Acute Neurological Injuries II*. Springer Protocols Handbooks. Humana Press, pp. 373–385. Available at: [http://dx.doi.org/10.1007/978-1-61779-576-3\\_25](http://dx.doi.org/10.1007/978-1-61779-576-3_25) [Accessed May 17, 2017].
  178. Böhlke, M. et al., 2012. Iron-Responsive Olfactory Uptake of Manganese Improves Motor Function Deficits Associated with Iron Deficiency. Available at: <https://dash.harvard.edu/handle/1/10058897> [Accessed May 29, 2017].
  179. Faro, L.R.F. et al., 2012. Role of ionotropic glutamatergic receptors and nitric oxide in the effects of flutriafol, a triazole fungicide, on the *in vivo* striatal dopamine release. *The Journal of Toxicological Sciences*, 37(6), pp.1135–1142.
  180. Roehl, A.B. et al., 2012. The effects of levosimendan on brain metabolism during initial recovery from global transient ischaemia/hypoxia. *BMC Neurology*, 12, p.81.
  181. Strong, P.V. et al., 2011. 5-hydroxytryptamine 2C receptors in the dorsal striatum mediate stress-induced interference with negatively reinforced instrumental escape behavior. *Neuroscience*, 197, pp.132–144.
  182. Aourz, N. et al., 2011. Rat hippocampal somatostatin sst3 and sst4 receptors mediate anticonvulsive effects in vivo: Indications of functional interactions with sst2 receptors. *Neuropharmacology*, 61(8), pp.1327–1333.
  183. Tian, J.-W. et al., 2011. Preclinical pharmacology of TP1, a novel potent triple reuptake inhibitor with antidepressant properties. *Neuroscience*, 196, pp.124–130.
  184. Cooley, J.C. & Lunte, C.E., 2011. Detection of malondialdehyde in vivo using microdialysis sampling with CE-fluorescence. *ELECTROPHORESIS*, 32(21), pp.2994–2999.
  185. Soustiel, J.F. et al., 2011. Improvement of Cerebral Metabolism Mediated by Ro5-4864 is Associated with Relief of Intracranial Pressure and Mitochondrial Protective Effect in Experimental Brain Injury.

*Pharmaceutical Research*, 28(11), pp.2945–2953.

186. Gibbs, R.B. et al., 2011. Galanthamine plus estradiol treatment enhances cognitive performance in aged ovariectomized rats. *Hormones and Behavior*, 60(5), pp.607–616.
187. Luca, F. et al., 2011. GET73 modulates rat hippocampal glutamate transmission: evidence for a functional interaction with mGluR5. *Pharmacological Reports*, 63(6), pp.1359–1371.
188. Zhou, X. et al., 2011. Determination of the penetration of 9-fluoropropyl-(+)-dihydrotrabenazine across the blood–brain barrier in rats by microdialysis combined with liquid chromatography–tandem mass spectrometry. *Journal of Chromatography B*, 879(28), pp.3041–3046.
189. Engler, H. et al., 2011. Acute amygdaloid response to systemic inflammation. *Brain, Behavior, and Immunity*, 25(7), pp.1384–1392.
190. Potschka, H. et al., 2011. Impact of seizure activity on free extracellular phenytoin concentrations in amygdala-kindled rats. *Neuropharmacology*, 61(5–6), pp.909–917.
191. Cauli, O. et al., 2011. Differential modulation of the glutamate-nitric oxide-cyclic GMP pathway by distinct neurosteroids in cerebellum in vivo. *Neuroscience*, 190, pp.27–36.
192. Sadiq, M.W. et al., 2011. Diphenhydramine active uptake at the blood–brain barrier and its interaction with oxycodone in vitro and in vivo. *Journal of Pharmaceutical Sciences*, 100(9), pp.3912–3923.
193. Ostock, C.Y. et al., 2011. Role of the primary motor cortex in L-DOPA-induced dyskinesia and its modulation by 5-HT<sub>1A</sub> receptor stimulation. *Neuropharmacology*, 61(4), pp.753–760.
194. Carnevale, G. et al., 2011. Influence of Griffonia simplicifolia on male sexual behavior in rats: Behavioral and neurochemical study. *Phytomedicine*, 18(11), pp.947–952.
195. Vaka, S.R.K. et al., 2011. Upregulation of endogenous neurotrophin levels in the brain by intranasal administration of carnosic acid. *Journal of Pharmaceutical Sciences*, 100(8), pp.3139–3145.
196. Emmanouilidou, E. et al., 2011. Assessment of  $\alpha$ -Synuclein Secretion in Mouse and Human Brain Parenchyma. *PLOS ONE*, 6(7), p.e22225.
197. Kaul, S., Faiman, M.D. & Lunte, C.E., 2011. Determination of GABA, glutamate, dopamine and carbamathione in brain microdialysis samples by micellar electrokinetic chromatography and laser-induced fluorescence (MEKC-LIF). *Analytical Methods*, 3(7), pp.1514–1520.
198. Aluf, Y. et al., 2011. Alterations in striatal oxidative stress level produced by pharmacological manipulation of dopamine as shown by a novel synthetic marker molecule. *Neuropharmacology*, 61(1–2), pp.87–94.
199. Zhang, Y.-J. et al., 2011. Pharmacokinetics of phenolic compounds of Danshen extract in rat blood and brain by microdialysis sampling. *Journal of Ethnopharmacology*, 136(1), pp.129–136.
200. Rong, P.-J. & Ma, S.-X., 2011. Electroacupuncture Zusanli (ST36) on Release of Nitric Oxide in the Gracile Nucleus and Improvement of Sensory Neuropathies in Zucker Diabetic Fatty Rats. *Evidence-Based Complementary and Alternative Medicine*, 2011, p.enep103.
201. Villégier, A.-S., Belluzzi, J.D. & Leslie, F.M., 2011. Serotonergic mechanism underlying tranlycypromine enhancement of nicotine self-administration. *Synapse*, 65(6), pp.479–489.
202. Zhang, X. et al., 2011. Pre-Equilibrium Solid-Phase Microextraction of Free Analyte in Complex Samples: Correction for Mass Transfer Variation from Protein Binding and Matrix Tortuosity. *Analytical Chemistry*, 83(9), pp.3365–3370.
203. Fabricius, K. et al., 2011. Socially isolated rats exhibit changes in dopamine homeostasis pertinent to schizophrenia. *International Journal of Developmental Neuroscience*, 29(3), pp.347–350.
204. Baumann, M.H. et al., 2011. Serotonin (5-HT) precursor loading with 5-hydroxy-L-tryptophan (5-HTP) reduces locomotor activation produced by (+)-amphetamine in the rat. *Drug and Alcohol Dependence*,

- 114(2–3), pp.147–152.
205. Boix, J. et al., 2011. Metabotropic glutamate receptor 5 modulates the nitric oxide-cGMP pathway in cerebellum in vivo through activation of AMPA receptors. *Neurochemistry International*, 58(5), pp.599–604.
206. Yeniceli, D. et al., 2011. A simple and sensitive LC–ESI-MS (ion trap) method for the determination of bupropion and its major metabolite, hydroxybupropion in rat plasma and brain microdialysates. *Talanta*, 84(1), pp.19–26.
207. Uchida, S. et al., 2011. Sustained subcutaneous infusion of nicotine enhances cholinergic vasodilation in the cerebral cortex induced by stimulation of the nucleus basalis of Meynert in rats. *European Journal of Pharmacology*, 654(3), pp.235–240.
208. Kao, C.-H. et al., 2011. Central interleukin-10 attenuated lipopolysaccharide-induced changes in core temperature and hypothalamic glutamate, hydroxyl radicals and prostaglandin-E2. *European Journal of Pharmacology*, 654(2), pp.187–193.
209. Lin, L. et al., 2011. New integrated in vivo microdialysis-electrochemical device for determination of the neurotransmitter dopamine in rat striatum of freely moving rats. *Microchimica Acta*, 172(1–2), pp.217–223.
210. Rasmussen, B.A. et al., 2011.  $\beta$ -Lactam antibiotic produces a sustained reduction in extracellular glutamate in the nucleus accumbens of rats. *Amino Acids*, 40(2), pp.761–764.
211. Hammond, R., Nelson, D. & Gibbs, R.B., 2011. GPR30 co-localizes with cholinergic neurons in the basal forebrain and enhances potassium-stimulated acetylcholine release in the hippocampus. *Psychoneuroendocrinology*, 36(2), pp.182–192.
212. Zielińska, M. et al., 2011. Hyperammonemia increases the expression and activity of the glutamine/arginine transporter  $\gamma$ -LAT2 in rat cerebral cortex: Implications for the nitric oxide/cGMP pathway. *Neurochemistry International*, 58(2), pp.190–195.
213. Li, Y. et al., 2011. Severe Postnatal Iron Deficiency Alters Emotional Behavior and Dopamine Levels in the Prefrontal Cortex of Young Male Rats. *The Journal of Nutrition*, 141(12), pp.2133–2138.
214. Wang, X.-F. et al., 2011. Agmatine modulates neuroadaptations of glutamate transmission in the nucleus accumbens of repeated morphine-treated rats. *European Journal of Pharmacology*, 650(1), pp.200–205.
215. Pereira, F.C. et al., 2011. Buprenorphine Modulates Methamphetamine-Induced Dopamine Dynamics in the Rat Caudate Nucleus. *Neurotoxicity Research*, 19(1), pp.94–101.
216. Hovelsø, N., Sager, T.N. & Mørk, A., 2011. Combination of escitalopram and a 5-HT1A receptor antagonist selectively decreases the extracellular levels of dopamine in the nucleus accumbens relative to striatum through 5-HT2C receptor stimulation; suggestive of antipsychotic potential. *Pharmacology Biochemistry and Behavior*, 97(3), pp.479–485.
217. de Oliveira, A.R. et al., 2011. Conditioned fear is modulated by D2 receptor pathway connecting the ventral tegmental area and basolateral amygdala. *Neurobiology of Learning and Memory*, 95(1), pp.37–45.
218. Vallée, N., Rissoe, J.-J. & Blatteau, J.-E., 2011. Effect of an hyperbaric nitrogen narcotic ambience on arginine and citrulline levels, the precursor and co-product of nitric oxide, in rat striatum. *Medical Gas Research*, 1, p.16.
219. Folkersma, H. et al., 2011. Increased cerebral (R)-[11C]PK11195 uptake and glutamate release in a rat model of traumatic brain injury: a longitudinal pilot study. *Journal of Neuroinflammation*, 8, p.67.
220. Carrozzo, M.M. et al., 2010. Quantitative analysis of acetylcholine in rat brain microdialysates by liquid chromatography coupled with electrospray ionization tandem mass spectrometry. *Journal of Neuroscience Methods*, 194(1), pp.87–93.
221. Nagy, K. et al., 2010. Alterations in Brain Extracellular Dopamine and Glycine Levels Following Combined

- Administration of the Glycine Transporter Type-1 Inhibitor Org-24461 and Risperidone. *Neurochemical Research*, 35(12), pp.2096–2106.
222. Oria, M. et al., 2010. Motor-evoked potentials in awake rats are a valid method of assessing hepatic encephalopathy and of studying its pathogenesis. *Hepatology*, 52(6), pp.2077–2085.
223. Clinckers, R. et al., 2010. Pharmacological and neurochemical characterization of the involvement of hippocampal adrenoreceptor subtypes in the modulation of acute limbic seizures. *Journal of Neurochemistry*, 115(6), pp.1595–1607.
224. Nunes, B.V.F. et al., 2010. Evaluation of the effects and mechanisms of action of glufosinate, an organophosphate insecticide, on striatal dopamine release by using in vivo microdialysis in freely moving rats. *Archives of Toxicology*, 84(10), pp.777–785.
225. Francl, J.M., Kaur, G. & Glass, J.D., 2010. Roles of light and serotonin in the regulation of gastrin-releasing peptide and arginine vasopressin output in the hamster SCN circadian clock. *European Journal of Neuroscience*, 32(7), pp.1170–1179.
226. Montezinho, L.P. et al., 2010. The effects of acute treatment with escitalopram on the different stages of contextual fear conditioning are reversed by atomoxetine. *Psychopharmacology*, 212(2), pp.131–143.
227. Sotomayor-Zárate, R. et al., 2010. Activation of GABA-B receptors induced by systemic amphetamine abolishes dopamine release in the rat lateral septum. *Journal of Neurochemistry*, 114(6), pp.1678–1686.
228. Kiran Vaka, S.R. & Narasimha Murthy, S., 2010. Enhancement of nose-brain delivery of therapeutic agents for treating neurodegenerative diseases using peppermint oil. *Die Pharmazie - An International Journal of Pharmaceutical Sciences*, 65(9), pp.690–692.
229. Lin, L., Gao, H., et al., 2010. LC-ED with an Acetylene Black–Dihexadecyl Hydrogen Phosphate Composite Film-Modified Electrode for in Vivo Analysis of Thiols in Rat Striatal Microdialysate. *Chromatographia*, 72(5–6), pp.447–452.
230. Lin, L., Song, C., et al., 2010. Electrochemical determination of xanthine and hypoxanthine in rat striatum with an acetylene black-dihexadecyl hydrogen phosphate composite film modified electrode by HPLC coupled with in vivo microdialysis. *Microchimica Acta*, 170(1–2), pp.47–52.
231. Suto, N. et al., 2010. Extracellular fluctuations of dopamine and glutamate in the nucleus accumbens core and shell associated with lever-pressing during cocaine self-administration, extinction, and yoked cocaine administration. *Psychopharmacology*, 211(3), pp.267–275.
232. Kuter, K. et al., 2010. Increased Reactive Oxygen Species Production in the Brain After Repeated Low-Dose Pesticide Paraquat Exposure in Rats. A Comparison with Peripheral Tissues. *Neurochemical Research*, 35(8), pp.1121–1130.
233. Beyer, C.E. et al., 2010. Depression-like phenotype following chronic CB1 receptor antagonism. *Neurobiology of Disease*, 39(2), pp.148–155.
234. Guzmán-Ramos, K. et al., 2010. Off-line concomitant release of dopamine and glutamate involvement in taste memory consolidation. *Journal of Neurochemistry*, 114(1), pp.226–236.
235. Kehr, J. et al., 2010. The selective 5-HT1A receptor antagonist NAD-299 increases acetylcholine release but not extracellular glutamate levels in the frontal cortex and hippocampus of awake rat. *European Neuropsychopharmacology*, 20(7), pp.487–500.
236. Boix, J., Cauli, O. & Felipo, V., 2010. Developmental exposure to polychlorinated biphenyls 52, 138 or 180 affects differentially learning or motor coordination in adult rats. mechanisms involved. *Neuroscience*, 167(4), pp.994–1003.
237. Andersen, M.L. et al., 2010. Dopamine transporter-related effects of modafinil in rhesus monkeys. *Psychopharmacology*, 210(3), pp.439–448.

238. Kurling-Kailanto, S., Kankaanpää, A., Hautaniemi, J., et al., 2010. Blockade of androgen or estrogen receptors reduces nandrolone's ability to modulate acute reward-related neurochemical effects of amphetamine in rat brain. *Pharmacology Biochemistry and Behavior*, 95(4), pp.422–427.
239. Vallee, N., Rostain, J.-C. & Risso, J.-J., 2010. A Pressurized Nitrogen Counterbalance to Cortical Glutamatergic Pathway Stimulation. *Neurochemical Research*, 35(5), pp.718–726.
240. Lecanu, L. et al., 2010. Dimethyl-Carbamic Acid 2,3-Bis-Dimethylcarbamoyloxy-6-(4-Ethyl-Piperazine- 1-Carbonyl)-Phenyl Ester: A Novel Multi-Target Therapeutic Approach to Neuroprotection. *Medicinal Chemistry*, 6(3), pp.123–140.
241. Stevens, J. et al., 2010. Online solid phase extraction with liquid chromatography–tandem mass spectrometry to analyze remoxipride in small plasma-, brain homogenate-, and brain microdialysate samples. *Journal of Chromatography B*, 878(13–14), pp.969–975.
242. Nandi, P., Desai, D.P. & Lunte, S.M., 2010. Development of a PDMS-based microchip electrophoresis device for continuous online in vivo monitoring of microdialysis samples. *ELECTROPHORESIS*, 31(8), pp.1414–1422.
243. Kurling-Kailanto, S., Kankaanpää, A. & Seppälä, T., 2010. Subchronic nandrolone administration reduces cocaine-induced dopamine and 5-hydroxytryptamine outflow in the rat nucleus accumbens. *Psychopharmacology*, 209(3), pp.271–281.
244. Huang, K.-F. et al., 2010. Interleukin-1 receptor antagonist inhibits the release of glutamate, hydroxyl radicals, and prostaglandin E2 in the hypothalamus during pyrogen-induced fever in rabbits. *European Journal of Pharmacology*, 629(1–3), pp.125–131.
245. Kempainen, H. et al., 2010. GABA and Glutamate Overflow in the VTA and Ventral Pallidum of Alcohol-Preferring AA and Alcohol-Avoiding ANA Rats after Ethanol. *Alcohol and Alcoholism*, 45(2), pp.111–118.
246. Glass, J.D. et al., 2010. On the intrinsic regulation of neuropeptide Y release in the mammalian suprachiasmatic nucleus circadian clock. *European Journal of Neuroscience*, 31(6), pp.1117–1126.
247. Gao, C. et al., 2010. Pharmacokinetic interaction between puerarin and edaravone, and effect of borneol on the brain distribution kinetics of puerarin in rats. *Journal of Pharmacy and Pharmacology*, 62(3), pp.360–367.
248. Lü, N. et al., 2010. Nociceptin/Orphanin FQ in PAG modulates the release of amino acids, serotonin and norepinephrine in the rostral ventromedial medulla and spinal cord in rats. *PAIN®*, 148(3), pp.414–425.
249. Amat, J. et al., 2010. Behavioral control over shock blocks behavioral and neurochemical effects of later social defeat. *Neuroscience*, 165(4), pp.1031–1038.
250. Christianson, J.P. et al., 2010. 5-Hydroxytryptamine 2C Receptors in the Basolateral Amygdala Are Involved in the Expression of Anxiety After Uncontrollable Traumatic Stress. *Biological Psychiatry*, 67(4), pp.339–345.
251. de Oliveira, I.M. et al., 2010. Effects of the neonicotinoids thiametoxam and clothianidin on in vivo dopamine release in rat striatum. *Toxicology Letters*, 192(3), pp.294–297.
252. McKee, A.G. et al., 2010. AAV-mediated chronic over-expression of SNAP-25 in adult rat dorsal hippocampus impairs memory-associated synaptic plasticity. *Journal of Neurochemistry*, 112(4), pp.991–1004.
253. Yang, Z. et al., 2010. Hyperbaric oxygenation alleviates MCAO-induced brain injury and reduces hydroxyl radical formation and glutamate release. *European Journal of Applied Physiology*, 108(3), pp.513–522.
254. Watanabe, M. et al., 2010. Susceptibility to stress in young rats after 2-week zinc deprivation. *Neurochemistry International*, 56(3), pp.410–416.
255. Hamani, C. et al., 2010. Antidepressant-Like Effects of Medial Prefrontal Cortex Deep Brain Stimulation in Rats. *Biological Psychiatry*, 67(2), pp.117–124.

256. Dong, Y. et al., 2010. Route of Nicotine Administration Influences In Vivo Dopamine Neuron Activity: Habituation, Needle Injection, and Cannula Infusion. *Journal of Molecular Neuroscience*, 40(1–2), pp.164–171.
257. Aluf, Y. et al., 2010. Specific oxidative stress profile associated with partial striatal dopaminergic depletion by 6-hydroxydopamine as assessed by a novel multifunctional marker molecule. *Free Radical Research*, 44(6), pp.635–644.
258. Yang, T.-H., Shih, M.-F., et al., 2010. Attenuation of circulatory shock and cerebral ischemia injury in heat stroke by combination treatment with dexamethasone and hydroxyethyl starch. *Experimental & Translational Stroke Medicine*, 2, p.19.
259. Darbin, O., Risso, J.J. & Rostain, J.C., 2010. Dopaminergic control of striatal 5-HT level at normobaric condition and at pressure. Available at: [archive.rubicon-foundation.org/xmlui/handle/123456789/9520](http://archive.rubicon-foundation.org/xmlui/handle/123456789/9520) [Accessed May 29, 2017].
260. Yang, T.-H., Ho, W.-Y., et al., 2010. Effects of Combination Treatment with Dexamethasone and Mannitol on Neuronal Damage and Survival in Experimental Heat Stroke. *Biological and Pharmaceutical Bulletin*, 33(9), pp.1522–1528.
261. Chauveau, F. et al., 2010. Rapid stress-induced corticosterone rise in the hippocampus reverses serial memory retrieval pattern. *Hippocampus*, 20(1), pp.196–207.
262. Adamson, T.W. et al., 2010. Role of the Perifornical Hypothalamic Monoamine Neurotransmitter Systems in Anorectic Effects of Endotoxin. *Neuroendocrinology*, 91(1), pp.48–55.
263. Young, E.J. & Williams, C.L., 2010. Valence dependent asymmetric release of norepinephrine in the basolateral amygdala. *Behavioral Neuroscience*, 124(5), pp.633–644.
264. Shahlaie, K. et al., 2009. Neuroprotective Effects of Selective N-Type VGCC Blockade on Stretch-Injury-Induced Calcium Dynamics in Cortical Neurons. *Journal of Neurotrauma*, 27(1), pp.175–187.
265. Chenel, M. et al., 2004. Simultaneous central nervous system distribution and pharmacokinetic–pharmacodynamic modelling of the electroencephalogram effect of norfloxacin administered at a convulsant dose in rats. *British Journal of Pharmacology*, 142(2), pp.323–330.
266. Edwards, J.E., Brouwer, K.R. & McNamara, P.J., 2002. GF120918, a P-Glycoprotein Modulator, Increases the Concentration of Unbound Amprenavir in the Central Nervous System in Rats. *Antimicrobial Agents and Chemotherapy*, 46(7), pp.2284–2286.
267. Boehnke, S.E. & Rasmusson, D.D., 2001. Time course and effective spread of lidocaine and tetrodotoxin delivered via microdialysis: an electrophysiological study in cerebral cortex. *Journal of Neuroscience Methods*, 105(2), pp.133–141.