

CMA Citations 2012

1. Sotomayor-Zárate, R. et al., 2012. 4-Methylthioamphetamine Increases Dopamine in the Rat Striatum and has Rewarding Effects In Vivo. *Basic & Clinical Pharmacology & Toxicology*, 111(6), pp.371–379.
2. Wang, B., You, Z.-B. & Wise, R.A., 2012. Heroin Self-Administration Experience Establishes Control of Ventral Tegmental Glutamate Release by Stress and Environmental Stimuli. *Neuropsychopharmacology*, 37(13), pp.2863–2869.
3. Li, Z., Caulfield, T., et al., 2012. Pharmacokinetics of bendamustine in the central nervous system: chemoinformatic screening followed by validation in a murine model. *MedChemComm*, 3(12), pp.1526–1530.
4. Yokobori, S. et al., 2012. Neuroprotective effect of preoperatively induced mild hypothermia as determined by biomarkers and histopathological estimation in a rat subdural hematoma decompression model. *Journal of Neurosurgery*, 118(2), pp.370–380.
5. Natividad, L.A. et al., 2012. Adolescent rats are resistant to adaptations in excitatory and inhibitory mechanisms that modulate mesolimbic dopamine during nicotine withdrawal. *Journal of Neurochemistry*, 123(4), pp.578–588.
6. Dencker, D. et al., 2012. An allosteric enhancer of M4 muscarinic acetylcholine receptor function inhibits behavioral and neurochemical effects of cocaine. *Psychopharmacology*, 224(2), pp.277–287.
7. Fossa, A.A. et al., 2012. Improved preclinical cardiovascular therapeutic indices with long-term inhibition of norepinephrine reuptake using reboxetine. *Toxicology and Applied Pharmacology*, 264(3), pp.343–350.
8. Cudjoe, E. et al., 2012. In vivo solid-phase microextraction for tissue bioanalysis. *Bioanalysis*, 4(21), pp.2605–2619.
9. Holly, E.N. et al., 2012. Sex differences in behavioral and neural cross-sensitization and escalated cocaine taking as a result of episodic social defeat stress in rats. *Psychopharmacology*, 224(1), pp.179–188.
10. Tre, E.S. et al., 2012. Optimization of perfusate pH to improve microdialysis recovery of lipophilic compounds. *Journal of Pharmacological and Toxicological Methods*, 66(3), pp.276–280.
11. Liu, H. et al., 2012. Stimulation of the anterior nucleus of the thalamus induces changes in amino acids in the hippocampi of epileptic rats. *Brain Research*, 1477, pp.37–44.
12. Tourino, C. et al., 2012. The orphan receptor GPR3 modulates the early phases of cocaine reinforcement. *British Journal of Pharmacology*, 167(4), pp.892–904.
13. Prathipati, P. et al., 2012. Adaptation of Renal Microdialysis for Chronic Interstitial Collection of Angiotensin II and ATP. *International Journal of Biology*, 4(4), p.127.
14. Ossanai, L.T. et al., 2012. Effects of a toxin isolated from Tityus bahiensis scorpion venom on the hippocampus of rats. *Life Sciences*, 91(7–8), pp.230–236.
15. Zheng, Q. et al., 2012. Quantitative analysis of olanzapine in rat brain microdialysates by HPLC–MS/MS coupled with column-switching technique. *Journal of Chromatography B*, 905, pp.127–132.
16. Desai, P.R. et al., 2012. Dermal Microdialysis Technique to Evaluate the Trafficking of Surface-Modified Lipid Nanoparticles upon Topical Application. *Pharmaceutical Research*, 29(9), pp.2587–2600.

17. Chu, Y. et al., 2012. Pharmacokinetic study of unbound forsythiaside in rat blood and bile by microdialysis coupled with HPLC method. *European Journal of Drug Metabolism and Pharmacokinetics*, 37(3), pp.173–177.
18. Westerhout, J. et al., 2012. Physiologically Based Pharmacokinetic Modeling to Investigate Regional Brain Distribution Kinetics in Rats. *The AAPS Journal*, 14(3), pp.543–553.
19. Raittinen, L.P. et al., 2012. Sympathetic innervation does not contribute to glycerol release in ischemic flaps. *Scandinavian Journal of Clinical and Laboratory Investigation*, 72(5), pp.420–426.
20. Högberg, N., Carlsson, P.-O., Hillered, L., Stenbäck, A., et al., 2012. Intraluminal intestinal microdialysis detects markers of hypoxia and cell damage in experimental necrotizing enterocolitis. *Journal of Pediatric Surgery*, 47(9), pp.1646–1651.
21. Blanié, A. et al., 2012. The Frontal Lobe and Thalamus Have Different Sensitivities to Hypoxia-Hypotension after Traumatic Brain Injury: A Microdialysis Study in Rats. *Journal of Neurotrauma*, 29(18), pp.2782–2790.
22. Wang, Y. et al., 2012. Green tea epigallocatechin-3-gallate (EGCG) promotes neural progenitor cell proliferation and sonic hedgehog pathway activation during adult hippocampal neurogenesis. *Molecular Nutrition & Food Research*, 56(8), pp.1292–1303.
23. Sørensen, G. et al., 2012. Neuropeptide Y Y5 receptor antagonism attenuates cocaine-induced effects in mice. *Psychopharmacology*, 222(4), pp.565–577.
24. Dietrich, M.O. et al., 2012. AgRP neurons regulate development of dopamine neuronal plasticity and nonfood-associated behaviors. *Nature Neuroscience*, 15(8), pp.1108–1110.
25. Srirangam, R., Hippalgaonkar, K., Avula, B., et al., 2012. Evaluation of the Intravenous and Topical Routes for Ocular Delivery of Hesperidin and Hesperetin. *Journal of Ocular Pharmacology and Therapeutics*, 28(6), pp.618–627.
26. Morales-Villagrán, A. et al., 2012. A Capillary Fraction Collector Coupled to a Fluorescence Reader: A Novel Device to Continuously Quantify Glutamate During Microdialysis. *Neurochemical Research*, 37(7), pp.1457–1464.
27. Allende-Castro, C. et al., 2012. Further Studies on the Hypothesis of PARP-1 Inhibition as a Strategy for Lessening the Long-Term Effects Produced by Perinatal Asphyxia: Effects of Nicotinamide and Theophylline on PARP-1 Activity in Brain and Peripheral Tissue. *Neurotoxicity Research*, 22(1), pp.79–90.
28. Portelli, J. et al., 2012. Inactivation of the Constitutively Active Ghrelin Receptor Attenuates Limbic Seizure Activity in Rodents. *Neurotherapeutics*, 9(3), pp.658–672.
29. Fieger, S.M. & Wong, B.J., 2012. No direct role for A1/A2 adenosine receptor activation to reflex cutaneous vasodilatation during whole-body heat stress in humans. *Acta Physiologica*, 205(3), pp.403–410.
30. Inselsbacher, E. & Näsholm, T., 2012a. The below-ground perspective of forest plants: soil provides mainly organic nitrogen for plants and mycorrhizal fungi. *New Phytologist*, 195(2), pp.329–334.
31. Grossman, R. et al., 2012. The impact of bevacizumab on temozolomide concentrations in intracranial U87 gliomas. *Cancer Chemotherapy and Pharmacology*, 70(1), pp.129–139.
32. Cabrera-Pastor, A. et al., 2012. Differential effects of chronic hyperammonemia on modulation of the glutamate–nitric oxide–cGMP pathway by metabotropic glutamate receptor 5 and low and high affinity AMPA receptors in cerebellum in vivo. *Neurochemistry International*, 61(1), pp.63–71.
33. Björnsson, B. et al., 2012. Remote or Conventional Ischemic Preconditioning –Local Liver Metabolism in Rats Studied with Microdialysis. *Journal of Surgical Research*, 176(1), pp.55–62.
34. López-Pérez, S.J. et al., 2012. Short- and long-term changes in extracellular glutamate and acetylcholine concentrations in the rat hippocampus following hypoxia. *Neurochemistry International*, 61(2), pp.258–265.

35. Carnevale, G. et al., 2012. Influence of Parmigiano Reggiano diet on Male Sexual Behavior in Rats: Behavioral and Neurochemical Study. *Journal of Pharmacy and Nutrition Sciences*, 2(1). Available at: <http://lifescienceglobal.com/pms/index.php/jpans/article/view/196>.
36. Wong, B.J. & Fieger, S.M., 2012. Transient receptor potential vanilloid type 1 channels contribute to reflex cutaneous vasodilation in humans. *Journal of Applied Physiology*, 112(12), pp.2037–2042.
37. Savelyev, S.A. et al., 2012. Sleep homeostasis and depression: Studies with the rat clomipramine model of depression. *Neuroscience*, 212, pp.149–158.
38. Purins, K. et al., 2012. Brain Tissue Oxygenation and Cerebral Perfusion Pressure Thresholds of Ischemia in a Standardized Pig Brain Death Model. *Neurocritical Care*, 16(3), pp.462–469.
39. Cassano, T. et al., 2012. Glutamatergic alterations and mitochondrial impairment in a murine model of Alzheimer disease. *Neurobiology of Aging*, 33(6), p.1121.e1-1121.e12.
40. Ortega, J.E. et al., 2012. Regulation of central noradrenergic activity by 5-HT₃ receptors located in the locus coeruleus of the rat. *Neuropharmacology*, 62(8), pp.2472–2479.
41. Sergey K., S. et al., 2012. Effects of Peripherally Acting Opioid Ligands on Central Opioid Receptors and β -Endorphin Release in Stressed Rats. *Journal of Behavioral and Brain Science*, 2012. Available at: <http://www.scirp.org/journal/PaperInformation.aspx?PaperID=19544>.
42. Guzmán-Ramos, K., Osorio-Gómez, D., et al., 2012. Post-acquisition release of glutamate and norepinephrine in the amygdala is involved in taste-aversion memory consolidation. *Learning & Memory*, 19(6), pp.231–238.
43. McNamara, T., 2012. *ENOS and nNOS contribution to reflex cutaneous vasodilation during dynamic exercise in humans*. Thesis. Kansas State University. Available at: <http://krex.k-state.edu/dspace/handle/2097/13788>.
44. Inselsbacher, E. & Näsholm, T., 2012b. A novel method to measure the effect of temperature on diffusion of plant-available nitrogen in soil. *Plant and Soil*, 354(1–2), pp.251–257.
45. Zhou, W. et al., 2012. Cardioprotection of electroacupuncture against myocardial ischemia-reperfusion injury by modulation of cardiac norepinephrine release. *American Journal of Physiology - Heart and Circulatory Physiology*, 302(9), pp.H1818–H1825.
46. Wells, L. et al., 2012. In vivo dopaminergic and behavioral responses to acute cocaine are altered in adenosine A_{2A} receptor knockout mice. *Synapse*, 66(5), pp.383–390.
47. Ristić, D. & Ellrich, J., 2012. P_{2X7} receptor blockade reverses purinergic facilitation of neck muscle nociception in mice. *Cephalalgia*, 32(7), pp.544–553.
48. Yang, Z.-J. et al., 2012. Attenuation of neonatal ischemic brain damage using a 20-HETE synthesis inhibitor. *Journal of Neurochemistry*, 121(1), pp.168–179.
49. Fu, L.-W., Guo, Z.-L. & Longhurst, J.C., 2012. Ionotropic glutamate receptors in the external lateral parabrachial nucleus participate in processing cardiac sympathoexcitatory reflexes. *American Journal of Physiology - Heart and Circulatory Physiology*, 302(7), pp.H1444–H1453.
50. Yoshimoto, K. et al., 2012. Serotonin_{2C} receptors in the nucleus accumbens are involved in enhanced alcohol-drinking behavior. *European Journal of Neuroscience*, 35(8), pp.1368–1380.
51. Higuera-Matas, A. et al., 2012. Sex-specific disturbances of the glutamate/GABA balance in the hippocampus of adult rats subjected to adolescent cannabinoid exposure. *Neuropharmacology*, 62(5–6), pp.1975–1984.
52. Erdő, F. et al., 2012. Verification of brain penetration of the unbound fraction of a novel HER2/EGFR dual kinase inhibitor (TAK-285) by microdialysis in rats. *Brain Research Bulletin*, 87(4–5), pp.413–419.
53. Salazar, P. & Tapia, R., 2012. Allopregnanolone Potentiates the Glutamate-Mediated Seizures Induced by 4-

- Aminopyridine in Rat Hippocampus in vivo. *Neurochemical Research*, 37(3), pp.596–603.
54. Siddoju, S. et al., 2012. Evaluation of acyclovir cream and gel formulations for transdermal iontophoretic delivery. *Therapeutic Delivery*, 3(3), pp.327–338.
 55. Harsing, L. et al., 2012. Interactions between glycine transporter type 1 (GlyT-1) and some inhibitor molecules — Glycine transporter type 1 and its inhibitors (Review). *Acta Physiologica Hungarica*, 99(1), pp.1–17.
 56. Waldenström, A. et al., 2012. Ischaemic preconditioning reduces myocardial calcium overload in coronary-occluded pig hearts shown by continuous in vivo assessment using microdialysis. *Clinical Physiology and Functional Imaging*, 32(2), pp.133–138.
 57. Li, J. et al., 2012. Measuring multiple neurochemicals and related metabolites in blood and brain of the rhesus monkey by using dual microdialysis sampling and capillary hydrophilic interaction chromatography–mass spectrometry. *Analytical and Bioanalytical Chemistry*, 402(8), pp.2545–2554.
 58. Wenker, I.C. et al., 2012. Nitric oxide activates hypoglossal motoneurons by cGMP-dependent inhibition of TASK channels and cGMP-independent activation of HCN channels. *Journal of Neurophysiology*, 107(5), pp.1489–1499.
 59. Mørk, A. et al., 2012. Pharmacological Effects of Lu AA21004: A Novel Multimodal Compound for the Treatment of Major Depressive Disorder. *Journal of Pharmacology and Experimental Therapeutics*, 340(3), pp.666–675.
 60. Abrahamsson, P. et al., 2012. Surface microdialysis sampling: a new approach described in a liver ischaemia model. *Clinical Physiology and Functional Imaging*, 32(2), pp.99–105.
 61. Panin, F. et al., 2012. Coupled intracerebral microdialysis and electrophysiology for the assessment of dopamine neuron function in vivo. *Journal of Pharmacological and Toxicological Methods*, 65(2), pp.83–92.
 62. Amitai, N. et al., 2012. Repeated phencyclidine administration alters glutamate release and decreases GABA markers in the prefrontal cortex of rats. *Neuropharmacology*, 62(3), pp.1422–1431.
 63. Mejía-Toiber, J. et al., 2012. In vivo GABA release and kinetics of transgene loss in a GABAergic cell line after long-term transplantation into the rat brain. *Neuroscience*, 203, pp.244–254.
 64. Ferreira, J.G. et al., 2012. Regulation of fat intake in the absence of flavour signalling. *The Journal of Physiology*, 590(4), pp.953–972.
 65. Vaka, S.R.K. et al., 2012. Delivery of Brain-Derived Neurotrophic Factor via Nose-to-Brain Pathway. *Pharmaceutical Research*, 29(2), pp.441–447.
 66. Chaitoff, K.A. et al., 2012. Effects of inducible nitric oxide synthase blockade within the periaqueductal gray on cardiovascular responses during mechanical, heat, and cold nociception. *Neurological Sciences*, 33(1), pp.69–78.
 67. Högberg, N., Carlsson, P.-O., Hillered, L., Meurling, S., et al., 2012. Intestinal ischemia measured by intraluminal microdialysis. *Scandinavian Journal of Clinical and Laboratory Investigation*, 72(1), pp.59–66.
 68. Li, Z., Kamon, T., et al., 2012. Pharmacokinetics of Agelastatin A in the central nervous system. *MedChemComm*, 3(2), pp.233–237.
 69. Fonouni, H. et al., 2012. Using microdialysis for early detection of vascular thrombosis after kidney transplantation in an experimental porcine model. *Nephrology Dialysis Transplantation*, 27(2), pp.541–547.
 70. Zhang, L. et al., 2012. Withdrawal from Chronic Nicotine Exposure Alters Dopamine Signaling Dynamics in the Nucleus Accumbens. *Biological Psychiatry*, 71(3), pp.184–191.
 71. Azeredo, F.J. et al., 2012. Comparison of Fluconazole Renal Penetration Levels in Healthy and Candida

- albicans-Infected Wistar Rats. *Antimicrobial Agents and Chemotherapy*, 56(11), pp.5852–5857.
72. Combest, A.J. et al., 2012. Genetically Engineered Cancer Models, But Not Xenografts, Faithfully Predict Anticancer Drug Exposure in Melanoma Tumors. *The Oncologist*, 17(10), pp.1303–1316.
 73. Guzmán-Ramos, K., Moreno-Castilla, P., et al., 2012. Restoration of dopamine release deficits during object recognition memory acquisition attenuates cognitive impairment in a triple transgenic mice model of Alzheimer's disease. *Learning & Memory*, 19(10), pp.453–460.
 74. Su, C.-K., Lin, Y.-L. & Sun, Y.-C., 2012. Simultaneous in vivo monitoring of multiple brain metals using an online microdialysis-in-loop solid phase extraction-inductively coupled plasma mass spectrometry system. *Journal of Analytical Atomic Spectrometry*, 27(1), pp.56–62.
 75. Marshall, T.M. et al., 2012. Activation of descending pain-facilitatory pathways from the rostral ventromedial medulla by cholecystokinin elicits release of prostaglandin-E2 in the spinal cord. *PAIN*, 153(1), pp.86–94.
 76. Melani, A. et al., 2012. Ecto-ATPase inhibition: ATP and adenosine release under physiological and ischemic in vivo conditions in the rat striatum. *Experimental Neurology*, 233(1), pp.193–204.
 77. Jin, Z.-L. et al., 2012. The extracts of Fructus Akebiae, a preparation containing 90% of the active ingredient hederagenin: Serotonin, norepinephrine and dopamine reuptake inhibitor. *Pharmacology Biochemistry and Behavior*, 100(3), pp.431–439.
 78. Nirogi, R. et al., 2012. Approach to reduce the non-specific binding in microdialysis. *Journal of Neuroscience Methods*, 209(2), pp.379–387.
 79. Leal, A.K. et al., 2012. A role for nitric oxide within the nucleus tractus solitarii in the development of muscle mechanoreflex dysfunction in hypertension. *Experimental Physiology*, 97(12), pp.1292–1304.
 80. Sehba, F. & Bederson, J., 2012. Assessment of Global Ischemia. In J. Chen et al., eds. *Animal Models of Acute Neurological Injuries II*. Springer Protocols Handbooks. Humana Press, pp. 373–385. Available at: http://dx.doi.org/10.1007/978-1-61779-576-3_25.
 81. Vidal-Torres, A. et al., 2012. Evaluation of Formalin-Induced Pain Behavior and Glutamate Release in the Spinal Dorsal Horn Using In Vivo Microdialysis in Conscious Rats. *Journal of Pharmacological Sciences*, 120(2), pp.129–132.
 82. Cass, W.A. et al., 2012. Evoked dopamine overflow is augmented in the striatum of calcitriol treated rats. *Neurochemistry International*, 60(2), pp.186–191.
 83. Srirangam, R., Hippalgaonkar, K. & Majumdar, S., 2012. Intravitreal kinetics of hesperidin, hesperetin, and hesperidin G: Effect of dose and physicochemical properties. *Journal of Pharmaceutical Sciences*, 101(4), pp.1631–1638.
 84. Böhlke, M. et al., 2012. Iron-Responsive Olfactory Uptake of Manganese Improves Motor Function Deficits Associated with Iron Deficiency. Available at: <https://dash.harvard.edu/handle/1/10058897>.
 85. Blind, P.-J. et al., 2012. Microdialysis in Early Detection of Temporary Pancreatic Ischemia in a Porcine Model. *European Surgical Research*, 49(3–4), pp.113–120.
 86. Oria, M. et al., 2012. Ornithine phenylacetate prevents disturbances of motor-evoked potentials induced by intestinal blood in rats with portacaval anastomosis. *Journal of Hepatology*, 56(1), pp.109–114.
 87. Aryal, B. et al., 2012. Pharmacokinetics of venlafaxine and its major metabolite o-desmethylvenlafaxine in freely moving mice using automated dosing/sampling system. *Indian Journal of Pharmacology*, 44(1), pp.20–25.
 88. Hilgier, W. et al., 2012. Repeated exposure of adult rats to Aroclor 1254 induces neuronal injury and impairs the neurochemical manifestations of the NMDA receptor-mediated intracellular signaling in the hippocampus. *NeuroToxicology*, 33(1), pp.16–22.

89. Rampersaud, N. et al., 2012. Retracted: Exendin-4 reverts behavioural and neurochemical dysfunction in a pre-motor rodent model of Parkinson's disease with noradrenergic deficit. *British Journal of Pharmacology*, 167(7), pp.1467–1479.
90. Faro, L.R.F. et al., 2012. Role of ionotropic glutamatergic receptors and nitric oxide in the effects of flutriafol, a triazole fungicide, on the *in vivo* striatal dopamine release. *The Journal of Toxicological Sciences*, 37(6), pp.1135–1142.
91. Vaseghi, M. et al., 2012. Sympathetic innervation of the anterior left ventricular wall by the right and left stellate ganglia. *Heart Rhythm*, 9(8), pp.1303–1309.
92. Roehl, A.B. et al., 2012. The effects of levosimendan on brain metabolism during initial recovery from global transient ischaemia/hypoxia. *BMC Neurology*, 12, p.81.
93. Alessandri, B. et al., 2012. The Neuroprotective Effect of Lactate Is Not Due to Improved Glutamate Uptake after Controlled Cortical Impact in Rats. *Journal of Neurotrauma*, 29(12), pp.2181–2191.