

CMA Citations 2013

1. Tian, Y.-F. et al., 2013. Melatonin Improves Outcomes of Heatstroke in Mice by Reducing Brain Inflammation and Oxidative Damage and Multiple Organ Dysfunction. *Mediators of Inflammation*, 2013, p.e349280.
2. Faiman, M.D. et al., 2013. S-(N, N-diethylcarbamoyl)glutathione (carbamathione), a disulfiram metabolite and its effect on nucleus accumbens and prefrontal cortex dopamine, GABA, and glutamate: A microdialysis study. *Neuropharmacology*, 75, pp.95–105.
3. Li, S.-S. et al., 2013. Evaluation of Paeonol Skin-Target Delivery from Its Microsponge Formulation: In Vitro Skin Permeation and In Vivo Microdialysis. *PLOS ONE*, 8(11), p.e79881.
4. Voleti, B. et al., 2013a. Scopolamine Rapidly Increases Mammalian Target of Rapamycin Complex 1 Signaling, Synaptogenesis, and Antidepressant Behavioral Responses. *Biological Psychiatry*, 74(10), pp.742–749.
5. Voleti, B. et al., 2013b. Scopolamine rapidly increases mTORC1 signaling, synaptogenesis, and antidepressant behavioral responses. *Biological psychiatry*, 74(10). Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3773272/>.
6. Hansen, M.B., Olsen, N.V. & Hyldegaard, O., 2013. Combined administration of hyperbaric oxygen and hydroxocobalamin improves cerebral metabolism after acute cyanide poisoning in rats. *Journal of Applied Physiology*, 115(9), pp.1254–1261.
7. Chan, G.N.Y. et al., 2013. In vivo induction of P-glycoprotein expression at the mouse blood–brain barrier: an intracerebral microdialysis study. *Journal of Neurochemistry*, 127(3), pp.342–352.
8. Nieto, A. et al., 2013. Ocular silicon distribution and clearance following intravitreal injection of porous silicon microparticles. *Experimental Eye Research*, 116, pp.161–168.
9. Lejeune, S. et al., 2013. The dopamine D1 receptor agonist SKF 38393 improves temporal order memory performance in maternally deprived rats. *Neurobiology of Learning and Memory*, 106, pp.268–273.
10. Liu, H.-G. et al., 2013. A Rat Model of Hemidystonia Induced by 3-Nitropropionic Acid. *PLOS ONE*, 8(10), p.e79199.
11. Walker, M.D. et al., 2013. Measuring dopaminergic function in the 6-OHDA-lesioned rat: a comparison of PET and microdialysis. *EJNMMI Research*, 3(1), p.69.
12. Beggiano, S. et al., 2013. GET73 increases rat extracellular hippocampal CA1 GABA levels through a possible involvement of local mGlu5 receptor. *Synapse*, 67(10), pp.678–691.
13. Rosén, A. et al., 2013. Antinociceptive effects of sensory stimulation involve dynorphin B supraspinally in rats. *Acupuncture and Related Therapies*, 1(4), pp.35–41.
14. Alfaro-Rodriguez, A. et al., 2013. Histamine H3 receptor activation prevents dopamine D1 receptor-mediated inhibition of dopamine release in the rat striatum: A microdialysis study. *Neuroscience Letters*, 552, pp.5–9.
15. Faro, L.R.F. et al., 2013. Role of glutamate receptors and nitric oxide on the effects of glufosinate ammonium, an organophosphate pesticide, on in vivo dopamine release in rat striatum. *Toxicology*, 311(3), pp.154–161.

16. Kim, J.-E., Ryu, H.J. & Kang, T.-C., 2013. Status Epilepticus Induces Vasogenic Edema via Tumor Necrosis Factor- α / Endothelin-1-Mediated Two Different Pathways. *PLOS ONE*, 8(9), p.e74458.
17. Fernández-Pastor, B., Ortega, J.E. & Meana, J.J., 2013. Involvement of serotonin 5-HT₃ receptors in the modulation of noradrenergic transmission by serotonin reuptake inhibitors: a microdialysis study in rat brain. *Psychopharmacology*, 229(2), pp.331–344.
18. Sadiq, M.W. et al., 2013. Oxymorphone active uptake at the blood–brain barrier and population modeling of its pharmacokinetic–pharmacodynamic relationship. *Journal of Pharmaceutical Sciences*, 102(9), pp.3320–3331.
19. Tanda, G. et al., 2013. Relations between stimulation of mesolimbic dopamine and place conditioning in rats produced by cocaine or drugs that are tolerant to dopamine transporter conformational change. *Psychopharmacology*, 229(2), pp.307–321.
20. Leal, A.K., Mitchell, J.H. & Smith, S.A., 2013. Treatment of muscle mechanoreflex dysfunction in hypertension: effects of L-arginine dialysis in the nucleus tractus solitarii. *Experimental Physiology*, 98(9), pp.1337–1348.
21. Thrivikraman, K.V. et al., 2013. In vivo dialysis setup with a loop injection valve facilitates retrodialysis studies. *Journal of Pharmacological and Toxicological Methods*, 68(2), pp.217–224.
22. Song, J. et al., 2013a. Preparation and evaluation of sinomenine hydrochloride in situ gel for uveitis treatment. *International Immunopharmacology*, 17(1), pp.99–107.
23. Hansen, H.H. et al., 2013. Tesofensine induces appetite suppression and weight loss with reversal of low forebrain dopamine levels in the diet-induced obese rat. *Pharmacology Biochemistry and Behavior*, 110, pp.265–271.
24. Courderot-Masuyer, C. et al., 2013. Evaluation of the Effects of Corticosteroids on Histamine Release by *ex Vivo* Cutaneous Microdialysis. *Journal of Cosmetics, Dermatological Sciences and Applications*, 03(03), p.228.
25. Sotomayor-Zárate, R. et al., 2013. Long-term loss of dopamine release mediated by CRF-1 receptors in the rat lateral septum after repeated cocaine administration. *Behavioural Brain Research*, 250, pp.206–210.
26. Hwabejire, J.O. et al., 2013. Pharmacologic modulation of cerebral metabolic derangement and excitotoxicity in a porcine model of traumatic brain injury and hemorrhagic shock. *Surgery*, 154(2), pp.234–243.
27. Doucet, E.L. et al., 2013. Sustained Impairment of α 2A-Adrenergic Autoreceptor Signaling Mediates Neurochemical and Behavioral Sensitization to Amphetamine. *Biological Psychiatry*, 74(2), pp.90–98.
28. Miguéns, M. et al., 2013. Genetic differences in the modulation of accumbal glutamate and γ -amino butyric acid levels after cocaine-induced reinstatement. *Addiction Biology*, 18(4), pp.623–632.
29. Grossman, R. et al., 2013. Microdialysis measurement of intratumoral temozolomide concentration after cediranib, a pan-VEGF receptor tyrosine kinase inhibitor, in a U87 glioma model. *Cancer Chemotherapy and Pharmacology*, 72(1), pp.93–100.
30. Axelsson, B. et al., 2013. Milrinone and levosimendan during porcine myocardial ischemia – no effects on calcium overload and metabolism. *Acta Anaesthesiologica Scandinavica*, 57(6), pp.719–728.
31. Nirogi, R. et al., 2013. LC–MS/MS method for the quantification of almotriptan in dialysates: Application to rat brain and blood microdialysis study. *Journal of Pharmaceutical and Biomedical Analysis*, 81–82, pp.160–167.
32. Auclair, A.L. et al., 2013. Levomilnacipran (F2695), a norepinephrine-preferring SNRI: Profile in vitro and in models of depression and anxiety. *Neuropharmacology*, 70, pp.338–347.
33. Khalki, H. et al., 2013. A tobacco extract containing alkaloids induces distinct effects compared to pure

- nicotine on dopamine release in the rat. *Neuroscience Letters*, 544, pp.85–88.
34. Ho, C.-C. et al., 2013. Quantum dots induced monocyte chemotactic protein-1 expression via MyD88-dependent Toll-like receptor signaling pathways in macrophages. *Toxicology*, 308, pp.1–9.
 35. Ortega, J.E. et al., 2013. Additive effect of rimonabant and citalopram on extracellular serotonin levels monitored with in vivo microdialysis in rat brain. *European Journal of Pharmacology*, 709(1–3), pp.13–19.
 36. Uguen, M. et al., 2013. Preclinical evaluation of the abuse potential of Pitolisant, a histamine H3 receptor inverse agonist/antagonist compared with Modafinil. *British Journal of Pharmacology*, 169(3), pp.632–644.
 37. Vasicek, T.W. et al., 2013. In Vivo Microdialysis Sampling of Cytokines from Rat Hippocampus: Comparison of Cannula Implantation Procedures. *ACS Chemical Neuroscience*, 4(5), pp.737–746.
 38. Liu, Z. et al., 2013. Plasma pharmacochemistry combined with microdialysis to screen potential bioactive components and their metabolites in Anemarrhena asphodeloides saponin extract using ultrahigh-performance liquid chromatography/quadrupole-time-of-flight mass spectrometry. *Journal of Separation Science*, 36(9–10), pp.1659–1666.
 39. Chang, C.-H. et al., 2013. Tetramethylpyrazine decreases hypothalamic glutamate, hydroxyl radicals and prostaglandin-E2 and has antipyretic effects. *Inflammation Research*, 62(5), pp.527–535.
 40. de Oliveira, A.R. et al., 2013. Conditioned fear response is modulated by a combined action of the hypothalamic–pituitary–adrenal axis and dopamine activity in the basolateral amygdala. *European Neuropsychopharmacology*, 23(5), pp.379–389.
 41. Leifler, K.S. et al., 2013. Inflammation Induced by MMP-9 Enhances Tumor Regression of Experimental Breast Cancer. *The Journal of Immunology*, 190(8), pp.4420–4430.
 42. Wong, B.J., 2013. Sensory nerves and nitric oxide contribute to reflex cutaneous vasodilation in humans. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 304(8), pp.R651–R656.
 43. González-Usano, A. et al., 2013. Hyperammonemia alters the modulation by different neurosteroids of the glutamate–nitric oxide–cyclic GMP pathway through NMDA- GABAA- or sigma receptors in cerebellum in vivo. *Journal of Neurochemistry*, 125(1), pp.133–143.
 44. Wei, B. et al., 2013. UFLC–MS/MS method for simultaneous determination of six lignans of Schisandra chinensis (Turcz.) Baill. in normal and insomniac rats brain microdialysates and homogenate samples: towards an in-depth study for its sedative-hypnotic activity. *Journal of Mass Spectrometry*, 48(4), pp.448–458.
 45. Harsing Jr., L.G. & Matyus, P., 2013. Mechanisms of glycine release, which build up synaptic and extrasynaptic glycine levels: The role of synaptic and non-synaptic glycine transporters. *Brain Research Bulletin*, 93, pp.110–119.
 46. Mumford, H. et al., 2013. Human plasma-derived BuChE as a stoichiometric bioscavenger for treatment of nerve agent poisoning. *Chemico-Biological Interactions*, 203(1), pp.160–166.
 47. Yu, Y. et al., 2013. Size-tunable Pt nanoparticles assembled on functionalized ordered mesoporous carbon for the simultaneous and on-line detection of glucose and L-lactate in brain microdialysate. *Biosensors and Bioelectronics*, 41, pp.511–518.
 48. Lin, L. et al., 2013. Increased melatonin may play dual roles in the striata of a 6-hydroxydopamine model of Parkinson's disease. *Life Sciences*, 92(4–5), pp.311–316.
 49. Song, J. et al., 2013b. Natural borneol enhances geniposide ophthalmic absorption in rabbits. *International Journal of Pharmaceutics*, 445(1–2), pp.163–170.
 50. Nandi, P. et al., 2013. Development and optimization of an integrated PDMS based-microdialysis microchip electrophoresis device with on-chip derivatization for continuous monitoring of primary amines.

ELECTROPHORESIS, 34(6), pp.895–902.

51. Chen, H. et al., 2013. Different Intravitreal Properties of Three Triamcinolone Formulations and Their Possible Impact on Retina Practice. ***Investigative Ophthalmology & Visual Science***, 54(3), pp.2178–2185.
52. Manta, S. et al., 2013. Electrophysiological and neurochemical effects of long-term vagus nerve stimulation on the rat monoaminergic systems. ***International Journal of Neuropsychopharmacology***, 16(2), pp.459–470.
53. Campos, A.C. et al., 2013. Involvement of serotonin-mediated neurotransmission in the dorsal periaqueductal gray matter on cannabidiol chronic effects in panic-like responses in rats. ***Psychopharmacology***, 226(1), pp.13–24.
54. Polissidis, A. et al., 2013. The cannabinoid CB1 receptor biphasically modulates motor activity and regulates dopamine and glutamate release region dependently. ***International Journal of Neuropsychopharmacology***, 16(2), pp.393–403.
55. Uchida, S. et al., 2013. The missing link between long-term stimulation of nicotinic receptors and the increases of acetylcholine release and vasodilation in the cerebral cortex of aged rats. ***The Journal of Physiological Sciences***, 63(2), pp.95–101.
56. Araújo, B.V. de et al., 2013. Validation of an efficient LC-microdialysis method for gemifloxacin quantitation in lung, kidney and liver of rats. ***Journal of Chromatography B***, 919–920, pp.62–66.
57. Vaya, J., 2013. Exogenous markers for the characterization of human diseases associated with oxidative stress. ***Biochimie***, 95(3), pp.578–584.
58. Lin, W. et al., 2013. Seizure-induced 5-HT release and chronic impairment of serotonergic function in rats. ***Neuroscience Letters***, 534, pp.1–6.
59. Grace, K.P., Hughes, S.W. & Horner, R.L., 2013. Identification of the Mechanism Mediating Genioglossus Muscle Suppression in REM Sleep. ***American Journal of Respiratory and Critical Care Medicine***, 187(3), pp.311–319.
60. Förster, Y. et al., 2013. Monitoring of the first stages of bone healing with microdialysis. ***Acta Orthopaedica***, 84(1), pp.76–81.
61. Chooluck, K. et al., 2013. Plasma and dermal pharmacokinetics of terpinen-4-ol in rats following intravenous administration. ***Die Pharmazie - An International Journal of Pharmaceutical Sciences***, 68(2), pp.135–140.
62. Littrell, O.M. et al., 2013. A synthetic five amino acid propeptide increases dopamine neuron differentiation and neurochemical function. ***Neuropeptides***, 47(1), pp.43–49.
63. Mansouri, M.T. et al., 2013. Behavioral deficits induced by lead exposure are accompanied by serotonergic and cholinergic alterations in the prefrontal cortex. ***Neurochemistry International***, 62(3), pp.232–239.
64. Rushaidhi, M. et al., 2013. Participation of hippocampal agmatine in spatial learning: An in vivo microdialysis study. ***Neuropharmacology***, 65, pp.200–205.
65. Aluf, Y. et al., 2013. Selective inhibition of monoamine oxidase A or B reduces striatal oxidative stress in rats with partial depletion of the nigro-striatal dopaminergic pathway. ***Neuropharmacology***, 65, pp.48–57.
66. Lin, L. et al., 2013. In vivo study on the monoamine neurotransmitters and their metabolites change in the striatum of Parkinsonian rats by liquid chromatography with an acetylene black nanoparticles modified electrode. ***Journal of Pharmaceutical and Biomedical Analysis***, 72, pp.74–79.
67. Casanova, J.P., Velis, G.P. & Fuentealba, J.A., 2013. Amphetamine locomotor sensitization is accompanied with an enhanced high K⁺-stimulated Dopamine release in the rat medial prefrontal cortex. ***Behavioural Brain Research***, 237, pp.313–317.
68. Vazquez-DeRose, J. et al., 2013. Retrodialysis of N/OFQ into the nucleus accumbens shell blocks cocaine-

- induced increases in extracellular dopamine and locomotor activity. *European Journal of Pharmacology*, 699(1–3), pp.200–206.
69. McNay, E.C., Sandusky, L.A. & Pearson-Leary, J., 2013. Hippocampal Insulin Microinjection and In vivo Microdialysis During Spatial Memory Testing. *JOVE (Journal of Visualized Experiments)*, (71), pp.e4451–e4451.
 70. Fonouni, H. et al., 2013. Evaluating the effects of extended cold ischemia on interstitial metabolite in grafts in kidney transplantation using microdialysis. *Langenbeck's Archives of Surgery*, 398(1), pp.87–97.
 71. Qu, X. et al., 2013. Hippocampal Glutamate Level and Glutamate Aspartate Transporter (GLAST) are Up-Regulated in Senior Rat Associated with Isoflurane-Induced Spatial Learning/Memory Impairment. *Neurochemical Research*, 38(1), pp.59–73.
 72. Portelli, J. & Smolders, I., 2013. Intracerebral Microdialysis in the Study of Limbic Seizure Mechanisms and Antiepileptic Drug Action Using Freely Moving Rats. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 321–337. Available at: http://dx.doi.org/10.1007/978-1-62703-173-8_16.
 73. Colivicchi, M. et al., 2013. Monitoring Extracellular Amino Acid Neurotransmitters and hROS by In Vivo Microdialysis in Rats: A Practical Approach. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 225–247. Available at: http://dx.doi.org/10.1007/978-1-62703-173-8_11.
 74. Culot, M. et al., 2013. A Simple Method for Assessing Free Brain/Free Plasma Ratios Using an In Vitro Model of the Blood Brain Barrier. *PLOS ONE*, 8(12), p.e80634.
 75. Moraska, A.F. et al., 2013. Changes in Blood Flow and Cellular Metabolism at a Myofascial Trigger Point With Trigger Point Release (Ischemic Compression): A Proof-of-Principle Pilot Study. *Archives of Physical Medicine and Rehabilitation*, 94(1), pp.196–200.
 76. Lelkes, Z., Porkka-Heiskanen, T. & Stenberg, D., 2013. Cholinergic basal forebrain structures are involved in the mediation of the arousal effect of noradrenaline. *Journal of Sleep Research*, 22(6), pp.721–726.
 77. Kono, K. et al., 2013. Effect of Carrageenan-Induced Acute Peripheral Inflammation on the Electrolyte Disposition to Cerebrospinal Fluid in Rats. *Biological and Pharmaceutical Bulletin*, 36(11), pp.1829–1834.
 78. May, M. et al., 2013. Enhanced Human Tissue Microdialysis Using Hydroxypropyl- β -Cyclodextrin as Molecular Carrier. *PLOS ONE*, 8(4), p.e60628.
 79. Zhao, L. et al., 2013. Glycogen synthase kinase-3 reduces acetylcholine level in striatum via disturbing cellular distribution of choline acetyltransferase in cholinergic interneurons in rats. *Neuroscience*, 255, pp.203–211.
 80. Llansola, M. et al., 2013. Impaired release of corticosterone from adrenals contributes to impairment of circadian rhythms of activity in hyperammonemic rats. *Archives of Biochemistry and Biophysics*, 536(2), pp.164–170.
 81. Yamamoto, T., 2013. Implications of enhanced kynurenic acid and extracellular tryptophan during fatigue. *Proceedings of The Physiological Society*, Proc 37th IUPS. Available at: <http://www.physoc.org/proceedings/abstract/Proc%2037th%20IUPS%20PCA269>.
 82. Zielke, H.R., Zielke, C. & Baab, P., 2013. In Vivo Microdialysis for Measurement of Oxidative Metabolism in the Living Brain. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 89–102. Available at: http://dx.doi.org/10.1007/978-1-62703-173-8_5.
 83. Di Giovanni, G. et al., 2013. In Vivo Microdialysis to Study Striatal Dopaminergic Neurodegeneration. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 23–42. Available at: http://dx.doi.org/10.1007/978-1-62703-173-8_2.
 84. Schmerberg, C.M. & Li, L., 2013. Mass Spectrometric Detection of Neuropeptides Using Affinity-Enhanced

- Microdialysis with Antibody-Coated Magnetic Nanoparticles. *Analytical Chemistry*, 85(2), pp.915–922.
85. Colding, P.D. et al., 2013. Metabolic effects of three different inotropic strategies in the newborn piglet myocardium. *Acta Anaesthesiologica Scandinavica*, 57(4), pp.443–451.
 86. Greco, S. et al., 2013. Microdialysate analysis of monoamine neurotransmitters—A versatile and sensitive LC–MS/MS method. *Analytica Chimica Acta*, 771, pp.65–72.
 87. Chen, C. et al., 2013. Microdialysis and Advances for Sampling Synaptic and Extrasynaptic Pools. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 63–88. Available at: http://dx.doi.org/10.1007/978-1-62703-173-8_4 .
 88. Patel, M.R., Mandava, N.K. & Mitra, A.K., 2013. Microdialysis in Ocular Drug Development. In M. Müller, ed. *Microdialysis in Drug Development*. AAPS Advances in the Pharmaceutical Sciences Series. Springer New York, pp. 197–222. Available at: http://link.springer.com/chapter/10.1007/978-1-4614-4815-0_11 .
 89. Schuster, F. et al., 2013. Minimally invasive monitoring of skeletal muscle hypermetabolism induced by the phosphodiesterase-III-inhibitor milrinone and sodium fluoride. *Journal of Pharmacy and Pharmacology*, 65(4), pp.547–551.
 90. Li, Z. et al., 2013. Pomalidomide Shows Significant Therapeutic Activity against CNS Lymphoma with a Major Impact on the Tumor Microenvironment in Murine Models. *PLOS ONE*, 8(8), p.e71754.
 91. Larentzakis, A. et al., 2013. Porcine model of hemorrhagic shock with microdialysis monitoring. *Journal of Surgical Research*, 179(1), pp.e177–e182.
 92. Yokobori, S. et al., 2013. Preoperative-Induced Mild Hypothermia Attenuates Neuronal Damage in a Rat Subdural Hematoma Model. In *Brain Edema XV*. Springer, Vienna, pp. 77–81. Available at: https://link.springer.com/chapter/10.1007/978-3-7091-1434-6_13.
 93. Kostin, A. et al., 2013. Sleep-wake and diurnal modulation of nitric oxide in the perifornical-lateral hypothalamic area: Real-time detection in freely behaving rats. *Neuroscience*, 254, pp.275–284.