

CMA Citations 2017

1. Kong, W.M. et al., 2017. Evaluation of pharmacokinetics and blood-brain barrier permeability of mitragynine using in vivo microdialysis technique. *Journal of Pharmaceutical and Biomedical Analysis*, 143, pp.43–47.
2. Gustafsson, S. et al., 2017. Combined PET and microdialysis for in vivo estimation of drug blood-brain barrier transport and brain unbound concentrations. *NeuroImage*, 155, pp.177–186.
3. Dall, C. et al., 2017. Muscarinic receptor M4 positive allosteric modulators attenuate central effects of cocaine. *Drug and Alcohol Dependence*, 176, pp.154–161.
4. Griffin, A.E. et al., 2017. Development of microdialysis methodology for interstitial insulin measurement in rodents. *Journal of Pharmacological and Toxicological Methods*, 86, pp.67–75.
5. Zhang, X., Wang, L., et al., 2017. Online microdialysis-ultra performance liquid chromatography–mass spectrometry method for comparative pharmacokinetic investigation on iridoids from *Gardenia jasminoides* Ellis in rats with different progressions of type 2 diabetic complications. *Journal of Pharmaceutical and Biomedical Analysis*, 140, pp.146–154.
6. Zheng, L. et al., 2017. A new combined method of stable isotope-labeling derivatization-ultrasound-assisted dispersive liquid–liquid microextraction for the determination of neurotransmitters in rat brain microdialysates by ultra high performance liquid chromatography tandem mass spectrometry. *Journal of Chromatography B*, 1054, pp.64–72.
7. Paasonen, J. et al., 2017. Dose-response effect of acute phencyclidine on functional connectivity and dopamine levels, and their association with schizophrenia-like symptom classes in rat. *Neuropharmacology*, 119, pp.15–25.
8. Devroye, C. et al., 2017. Opposite control of mesocortical and mesoaccumbal dopamine pathways by serotonin2B receptor blockade: Involvement of medial prefrontal cortex serotonin1A receptors. *Neuropharmacology*, 119, pp.91–99.
9. Leitner, S. et al., 2017. Short-term soil mineral and organic nitrogen fluxes during moderate and severe drying–rewetting events. *Applied Soil Ecology*, 114, pp.28–33.
10. Kealy, J. et al., 2017. Real-time changes in hippocampal energy demands during a spatial working memory task. *Behavioural Brain Research*, 326, pp.59–68.
11. Alves, I.A. et al., 2017. Influence of Experimental Cryptococcal Meningitis in Wistar Rats on Voriconazole Brain Penetration Assessed by Microdialysis. *Antimicrobial Agents and Chemotherapy*, p.AAC.00321-17.
12. Jin, W.-S. et al., 2017. Peritoneal dialysis reduces amyloid-beta plasma levels in humans and attenuates Alzheimer-associated phenotypes in an APP/PS1 mouse model. *Acta Neuropathologica*, pp.1–14.
13. Francisco, M.A. et al., 2017. Ten days of repeated local forearm heating does not affect cutaneous vascular function. *Journal of Applied Physiology*, p.jap.00966.2016.
14. Vink, R.G. et al., 2017. Diet-induced weight loss decreases adipose tissue oxygen tension with parallel changes in adipose tissue phenotype and insulin sensitivity in overweight humans. *International Journal of Obesity*, 41(5), pp.722–728.
15. Klucher, J., 2017. Enzyme kinetics studies to guide mathematical modeling of microdialysis sampling to

- predict in situ biochemistry. **Chemistry & Biochemistry Undergraduate Honors Theses**. Available at: <http://scholarworks.uark.edu/chbcuht/22>.
16. Chen, X. et al., 2017. Influence of peptide transporter 2 (PEPT2) on the distribution of cefadroxil in mouse brain: A microdialysis study. **Biochemical Pharmacology**, 131, pp.89–97.
 17. Cao, F.-R. et al., 2017. Plasma and brain pharmacokinetics of ganoderic acid A in rats determined by a developed UFLC–MS/MS method. **Journal of Chromatography B**, 1052, pp.19–26.
 18. Torres, B.G.S. et al., 2017. Population Pharmacokinetic Modeling as a Tool to Characterize the Decrease in Ciprofloxacin free Interstitial Levels Caused by Pseudomonas aeruginosa Biofilm Lung Infection in Wistar Rats. **Antimicrobial Agents and Chemotherapy**, p.AAC.02553-16.
 19. Fujii, N., McNeely, B.D., Nishiyasu, T., et al., 2017. Prostacyclin does not affect sweating but induces skin vasodilatation to a greater extent in older versus younger women: roles of NO and KCa channels. **Experimental Physiology**, 102(5), pp.578–586.
 20. Kurosawa, T. et al., 2017. Involvement of Proton-Coupled Organic Cation Antiporter in Varenicline Transport at Blood-Brain Barrier of Rats and in Human Brain Capillary Endothelial Cells. **Journal of Pharmaceutical Sciences**, 0(0). Available at: [http://jpharmsci.org/article/S0022-3549\(17\)30267-8/abstract](http://jpharmsci.org/article/S0022-3549(17)30267-8/abstract).
 21. Wenner, M.M. et al., 2017. ETB Receptor Contribution to Vascular Dysfunction in Postmenopausal Women. **American Journal of Physiology - Regulatory, Integrative and Comparative Physiology**, p.ajpregu.00410.2016.
 22. Bank, J.H.H. et al., 2017. Gene expression analysis and microdialysis suggest hypothalamic triiodothyronine (T3) gates daily torpor in Djungarian hamsters (Phodopus sungorus). **Journal of Comparative Physiology B**, pp.1–12.
 23. Miller, S. et al., 2017. Therapeutic Uses Of Compounds Having Affinity To The Serotonin Transporter, Serotonin Receptors And Noradrenalin Transporter. Available at: <http://www.freepatentsonline.com/y2017/0087138.html>.
 24. Wang, W. et al., 2017. Effect of Efflux Transporter Inhibition on the Distribution of Fluconazole in the Rat Brain. **Neurochemical Research**, pp.1–8.
 25. Mørk, A. et al., 2017. Effects of the 5-HT6 receptor antagonist idalopirdine on extracellular levels of monoamines, glutamate and acetylcholine in the rat medial prefrontal cortex. **European Journal of Pharmacology**, 799, pp.1–6.
 26. Takeda, A. et al., 2017. Characteristic of Extracellular Zn²⁺ Influx in the Middle-Aged Dentate Gyrus and Its Involvement in Attenuation of LTP. **Molecular Neurobiology**, pp.1–11.
 27. Thors, L. et al., 2017. RSDL decontamination of human skin contaminated with the nerve agent VX. **Toxicology Letters**, 269, pp.47–54.
 28. Huang, H.-C. et al., 2017. Components of Goutengsan in Rat Plasma by Microdialysis Sampling and Its Protection on Aβ_{25–35}-Induced PC12 Cells Injury. **Evidence-Based Complementary and Alternative Medicine**, 2017, p.e7593027.
 29. Ganeteg, U. et al., 2017. Amino acid transporter mutants of Arabidopsis provides evidence that a non-mycorrhizal plant acquires organic nitrogen from agricultural soil. **Plant, Cell & Environment**, 40(3), pp.413–423.
 30. Ramírez-Jarquín, U.N. et al., 2017. Chronic infusion of SOD1G93A astrocyte-secreted factors induces spinal motoneuron degeneration and neuromuscular dysfunction in healthy rats. **Journal of Cellular Physiology**, p.n/a-n/a.
 31. Tang, Z. et al., 2017. Liver, blood microdialysate and plasma pharmacokinetics of matrine following transdermal or intravenous administration. **Die Pharmazie - An International Journal of Pharmaceutical Sciences**, 72(3), pp.167–170.

32. Su, C.-K., Tseng, P.-J., et al., 2017. Sequential enzymatic derivatization coupled with online microdialysis sampling for simultaneous profiling of mouse tumor extracellular hydrogen peroxide, lactate, and glucose. *Analytica Chimica Acta*, 956, pp.24–31.
33. Arikan, F. et al., 2017. Malignant infarction of the middle cerebral artery in a porcine model. A pilot study. *PLOS ONE*, 12(2), p.e0172637.
34. Fujii, N., McNeely, B.D. & Kenny, G.P., 2017. Nitric oxide synthase and cyclooxygenase modulate β -adrenergic cutaneous vasodilatation and sweating in young men. *The Journal of Physiology*, 595(4), pp.1173–1184.
35. Su, C.-K., Chen, Y.-T. & Sun, Y.-C., 2017. Using on-line solid phase extraction for in vivo speciation of diffusible ferrous and ferric iron in living rat brain extracellular fluid. *Analytica Chimica Acta*, 953, pp.87–94.
36. Bernardi, P.M., Barreto, F. & Dalla Costa, T., 2017. Application of a LC–MS/MS method for evaluating lung penetration of tobramycin in rats by microdialysis. *Journal of Pharmaceutical and Biomedical Analysis*, 134, pp.340–345.
37. Zhang, C. et al., 2017. Reduced GABAergic transmission in the ventrobasal thalamus contributes to thermal hyperalgesia in chronic inflammatory pain. *Scientific Reports*, 7. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5288727/> .
38. Jørgensen, L.M. et al., 2017. Cerebral 5-HT release correlates with [11C]Cimbi36 PET measures of 5-HT_{2A} receptor occupancy in the pig brain. *Journal of Cerebral Blood Flow & Metabolism*, 37(2), pp.425–434.
39. Fujii, N., Louie, J.C., McNeely, B.D., Zhang, S.Y., et al., 2017. Nicotinic receptor activation augments muscarinic receptor-mediated eccrine sweating but not cutaneous vasodilatation in young males. *Experimental Physiology*, 102(2), pp.245–254.
40. Haqani, B. et al., 2017. The mechanisms underlying the muscle metaboreflex modulation of sweating and cutaneous blood flow in passively heated humans. *Physiological Reports*, 5(3), p.e13123.
41. Yoshimoto, K. et al., 2017. Enhanced alcohol-drinking behavior associated with active ghrelinergic and serotonergic neurons in the lateral hypothalamus and amygdala. *Pharmacology Biochemistry and Behavior*, 153, pp.1–11.
42. Lee, K.J. et al., 2017. Striatal Glutamate and GABA after High Frequency Subthalamic Stimulation in Parkinsonian Rat. *Journal of Korean Neurosurgical Society*, 60(2), pp.138–145.
43. Prathipati, P., Jackson, D. & Jackson, K., 2017. Evaluating the significance of hypoglycemia in promoting insulin induced hypertension by using a glucose clamp model. *International Journal of Medicine*, 5(1), pp.22–27.
44. Kim, K., 2017. *Mechanisms of cutaneous microvascular endothelial dysfunction in young black Americans*. Thesis. Available at: <https://repositories.lib.utexas.edu/handle/2152/46170>.
45. Kim, M. et al., 2017. Changes in dopamine, serotonin and their metabolites in brain microdialysates from rats following exposure to new psychoactive drugs. *Forensic Toxicology*, 35(1), pp.66–76.
46. Czarnecka, A. et al., 2017. Intracerebral Administration of S-Adenosylhomocysteine or S-Adenosylmethionine Attenuates the Increases in the Cortical Extracellular Levels of Dimethylarginines Without Affecting cGMP Level in Rats with Acute Liver Failure. *Neurotoxicity Research*, 31(1), pp.99–108.
47. Brink, W.J. van den et al., 2017. Revealing the Neuroendocrine Response After Remoxipride Treatment Using Multi-Biomarker Discovery and Quantifying It by PK/PD Modeling. *The AAPS Journal*, 19(1), pp.274–285.
48. Jin, W. et al., 2017. Acupuncture reduces relapse to cocaine-seeking behavior via activation of GABA neurons in the ventral tegmental area. *Addiction Biology*, p.n/a-n/a.
49. Das, C., Wang, G. & Nguyen, C., 2017. A Low-Cost, Accurate, and High-Precision Fluid Dispensing System for

- Microscale Application. *SLAS TECHNOLOGY: Translating Life Sciences Innovation*, 22(2), pp.144–152.
50. Fong, S.Y.K. et al., 2017. A novel microdialysis-dissolution/permeation system for testing oral dosage forms: A proof-of-concept study. *European Journal of Pharmaceutical Sciences*, 96, pp.154–163.
 51. Demand, D., Schack-Kirchner, H. & Lang, F., 2017. Assessment of diffusive phosphate supply in soils by microdialysis. *Journal of Plant Nutrition and Soil Science*, 180(2), pp.220–230.
 52. Post, E.H. et al., 2017. Changes in kidney perfusion and renal cortex metabolism in septic shock: an experimental study. *Journal of Surgical Research*, 207, pp.145–154.
 53. Ramírez-Jarquín, U.N. & Tapia, R., 2017. Chronic GABAergic blockade in the spinal cord in vivo induces motor alterations and neurodegeneration. *Neuropharmacology*, 117, pp.85–92.
 54. Sriramula, S. et al., 2017. Determining the Enzymatic Activity of Angiotensin-Converting Enzyme 2 (ACE2) in Brain Tissue and Cerebrospinal Fluid Using a Quenched Fluorescent Substrate. In R. M. Touyz & E. L. Schiffrin, eds. *Hypertension. Methods in Molecular Biology*. Springer New York, pp. 117–126. Available at: http://dx.doi.org/10.1007/978-1-4939-6625-7_9.
 55. Moreno-Castilla, P. et al., 2017. Hippocampal release of dopamine and norepinephrine encodes novel contextual information. *Hippocampus*, 27(5), pp.547–557.
 56. Rapanelli, M. et al., 2017. Histamine H3R receptor activation in the dorsal striatum triggers stereotypies in a mouse model of tic disorders. *Translational Psychiatry*, 7(1), p.e1013.
 57. Opekar, F. & Tůma, P., 2017. Hydrodynamic sample injection into short electrophoretic capillary in systems with a flow-gating interface. *Journal of Chromatography A*, 1480, pp.93–98.
 58. Dupuis, A. et al., 2017. Increasing spinal 5-HT_{2A} receptor responsiveness mediates anti-allodynic effect and potentiates fluoxetine efficacy in neuropathic rats. Evidence for GABA release. *Pharmacological Research*, 118, pp.93–103.
 59. Pham, T.H. et al., 2017. Ketamine treatment involves medial prefrontal cortex serotonin to induce a rapid antidepressant-like activity in BALB/cJ mice. *Neuropharmacology*, 112, Part A, pp.198–209.
 60. Van Wanseele, Y. et al., 2017. LC-method development for the quantification of neuromedin-like peptides. Emphasis on column choice and mobile phase composition. *Journal of Pharmaceutical and Biomedical Analysis*, 137, pp.104–112.
 61. Yang, B. et al., 2017. Lung microdialysis study of florfenicol in pigs after single intramuscular administration. *Journal of Veterinary Pharmacology and Therapeutics*, p.n/a-n/a.
 62. Fujii, N., Louie, J.C., McNeely, B.D., Amano, T., et al., 2017. Mechanisms of nicotine-induced cutaneous vasodilation and sweating in young adults: roles for K_{Ca}, K_{ATP}, and K_V channels, nitric oxide, and prostanoids. *Applied Physiology, Nutrition, and Metabolism*, 42(5), pp.470–478.
 63. Das, C., Wang, G., Sun, Q., et al., 2017. Multiplexed and fully automated detection of metabolic biomarkers using microdialysis probe. *Sensors and Actuators B: Chemical*, 238, pp.633–640.
 64. Shadgan, B. et al., 2017. Optical monitoring of spinal cord hemodynamics, a feasibility study. In p. 100720T–100720T–9. Available at: <http://dx.doi.org/10.1117/12.2248776>.
 65. Nygren, U. et al., 2017. Rapid breakthrough of 131I in an in vitro human epidermis model. *Toxicology in Vitro*, 42, pp.287–291.
 66. Zhang, X., Liu, S., et al., 2017. Simultaneous quantification method for comparative pharmacokinetics studies of two major metabolites from geniposide and genipin by online microdialysis-UPLC–MS/MS. *Journal of Chromatography B*, 1041–1042, pp.11–18.
 67. Joosen, M.J.A. et al., 2017. The impact of skin decontamination on the time window for effective treatment of percutaneous VX exposure. *Chemico-Biological Interactions*, 267, pp.48–56.

68. Callan, S.P. et al., 2017. Toluene's effects on activity and extracellular dopamine in the mouse are altered by GABAA antagonism. ***Neuroscience Letters***, 647, pp.67–71.