

CMA Citations

1. Kong, W.M. et al., 2017. Evaluation of pharmacokinetics and blood-brain barrier permeability of mitragynine using in vivo microdialysis technique. *Journal of Pharmaceutical and Biomedical Analysis*, 143, pp.43–47.
2. Gustafsson, S. et al., 2017. Combined PET and microdialysis for in vivo estimation of drug blood-brain barrier transport and brain unbound concentrations. *NeuroImage*, 155, pp.177–186.
3. Dall, C. et al., 2017. Muscarinic receptor M4 positive allosteric modulators attenuate central effects of cocaine. *Drug and Alcohol Dependence*, 176, pp.154–161.
4. Griffin, A.E. et al., 2017. Development of microdialysis methodology for interstitial insulin measurement in rodents. *Journal of Pharmacological and Toxicological Methods*, 86, pp.67–75.
5. Zhang, X., Wang, L., et al., 2017. Online microdialysis-ultra performance liquid chromatography–mass spectrometry method for comparative pharmacokinetic investigation on iridoids from *Gardenia jasminoides* Ellis in rats with different progressions of type 2 diabetic complications. *Journal of Pharmaceutical and Biomedical Analysis*, 140, pp.146–154.
6. Zheng, L. et al., 2017. A new combined method of stable isotope-labeling derivatization-ultrasound-assisted dispersive liquid–liquid microextraction for the determination of neurotransmitters in rat brain microdialysates by ultra high performance liquid chromatography tandem mass spectrometry. *Journal of Chromatography B*, 1054, pp.64–72.
7. Paasonen, J. et al., 2017. Dose-response effect of acute phencyclidine on functional connectivity and dopamine levels, and their association with schizophrenia-like symptom classes in rat. *Neuropharmacology*, 119, pp.15–25.
8. Devroye, C. et al., 2017. Opposite control of mesocortical and mesoaccumbal dopamine pathways by serotonin_{2B} receptor blockade: Involvement of medial prefrontal cortex serotonin_{1A} receptors. *Neuropharmacology*, 119, pp.91–99.
9. Leitner, S. et al., 2017. Short-term soil mineral and organic nitrogen fluxes during moderate and severe drying–rewetting events. *Applied Soil Ecology*, 114, pp.28–33.
10. Kealy, J. et al., 2017. Real-time changes in hippocampal energy demands during a spatial working memory task. *Behavioural Brain Research*, 326, pp.59–68.
11. Alves, I.A. et al., 2017. Influence of Experimental Cryptococcal Meningitis in Wistar Rats on Voriconazole Brain Penetration Assessed by Microdialysis. *Antimicrobial Agents and Chemotherapy*, p.AAC.00321-17.
12. Jin, W.-S. et al., 2017. Peritoneal dialysis reduces amyloid-beta plasma levels in humans and attenuates Alzheimer-associated phenotypes in an APP/PS1 mouse model. *Acta Neuropathologica*, pp.1–14.
13. Francisco, M.A. et al., 2017. Ten days of repeated local forearm heating does not affect cutaneous vascular function. *Journal of Applied Physiology*, p.jap.00966.2016.
14. Vink, R.G. et al., 2017. Diet-induced weight loss decreases adipose tissue oxygen tension with parallel changes in adipose tissue phenotype and insulin sensitivity in overweight humans. *International Journal of Obesity*, 41(5), pp.722–728.
15. Klucher, J., 2017. Enzyme kinetics studies to guide mathematical modeling of microdialysis sampling to

- predict in situ biochemistry. **Chemistry & Biochemistry Undergraduate Honors Theses**. Available at: <http://scholarworks.uark.edu/chbcuht/22>.
16. Chen, X. et al., 2017. Influence of peptide transporter 2 (PEPT2) on the distribution of cefadroxil in mouse brain: A microdialysis study. **Biochemical Pharmacology**, 131, pp.89–97.
 17. Cao, F.-R. et al., 2017. Plasma and brain pharmacokinetics of ganoderic acid A in rats determined by a developed UFLC–MS/MS method. **Journal of Chromatography B**, 1052, pp.19–26.
 18. Torres, B.G.S. et al., 2017. Population Pharmacokinetic Modeling as a Tool to Characterize the Decrease in Ciprofloxacin free Interstitial Levels Caused by Pseudomonas aeruginosa Biofilm Lung Infection in Wistar Rats. **Antimicrobial Agents and Chemotherapy**, p.AAC.02553-16.
 19. Fujii, N., McNeely, B.D., Nishiyasu, T., et al., 2017. Prostacyclin does not affect sweating but induces skin vasodilatation to a greater extent in older versus younger women: roles of NO and KCa channels. **Experimental Physiology**, 102(5), pp.578–586.
 20. Kurosawa, T. et al., 2017. Involvement of Proton-Coupled Organic Cation Antiporter in Varenicline Transport at Blood-Brain Barrier of Rats and in Human Brain Capillary Endothelial Cells. **Journal of Pharmaceutical Sciences**, 0(0). Available at: [http://jpharmsci.org/article/S0022-3549\(17\)30267-8/abstract](http://jpharmsci.org/article/S0022-3549(17)30267-8/abstract).
 21. Wenner, M.M. et al., 2017. ETB Receptor Contribution to Vascular Dysfunction in Postmenopausal Women. **American Journal of Physiology - Regulatory, Integrative and Comparative Physiology**, p.ajpregu.00410.2016.
 22. Bank, J.H.H. et al., 2017. Gene expression analysis and microdialysis suggest hypothalamic triiodothyronine (T3) gates daily torpor in Djungarian hamsters (Phodopus sungorus). **Journal of Comparative Physiology B**, pp.1–12.
 23. Miller, S. et al., 2017. Therapeutic Uses Of Compounds Having Affinity To The Serotonin Transporter, Serotonin Receptors And Noradrenalin Transporter. Available at: <http://www.freepatentsonline.com/y2017/0087138.html>.
 24. Wang, W. et al., 2017. Effect of Efflux Transporter Inhibition on the Distribution of Fluconazole in the Rat Brain. **Neurochemical Research**, pp.1–8.
 25. Mørk, A. et al., 2017. Effects of the 5-HT6 receptor antagonist idalopirdine on extracellular levels of monoamines, glutamate and acetylcholine in the rat medial prefrontal cortex. **European Journal of Pharmacology**, 799, pp.1–6.
 26. Takeda, A. et al., 2017. Characteristic of Extracellular Zn²⁺ Influx in the Middle-Aged Dentate Gyrus and Its Involvement in Attenuation of LTP. **Molecular Neurobiology**, pp.1–11.
 27. Thors, L. et al., 2017. RSDL decontamination of human skin contaminated with the nerve agent VX. **Toxicology Letters**, 269, pp.47–54.
 28. Huang, H.-C. et al., 2017. Components of Goutengsan in Rat Plasma by Microdialysis Sampling and Its Protection on Aβ_{25–35}-Induced PC12 Cells Injury. **Evidence-Based Complementary and Alternative Medicine**, 2017, p.e7593027.
 29. Ganeteg, U. et al., 2017. Amino acid transporter mutants of Arabidopsis provides evidence that a non-mycorrhizal plant acquires organic nitrogen from agricultural soil. **Plant, Cell & Environment**, 40(3), pp.413–423.
 30. Ramírez-Jarquín, U.N. et al., 2017. Chronic infusion of SOD1G93A astrocyte-secreted factors induces spinal motoneuron degeneration and neuromuscular dysfunction in healthy rats. **Journal of Cellular Physiology**, p.n/a-n/a.
 31. Tang, Z. et al., 2017. Liver, blood microdialysate and plasma pharmacokinetics of matrine following transdermal or intravenous administration. **Die Pharmazie - An International Journal of Pharmaceutical Sciences**, 72(3), pp.167–170.

32. Su, C.-K., Tseng, P.-J., et al., 2017. Sequential enzymatic derivatization coupled with online microdialysis sampling for simultaneous profiling of mouse tumor extracellular hydrogen peroxide, lactate, and glucose. *Analytica Chimica Acta*, 956, pp.24–31.
33. Arikan, F. et al., 2017. Malignant infarction of the middle cerebral artery in a porcine model. A pilot study. *PLOS ONE*, 12(2), p.e0172637.
34. Fujii, N., McNeely, B.D. & Kenny, G.P., 2017. Nitric oxide synthase and cyclooxygenase modulate β -adrenergic cutaneous vasodilatation and sweating in young men. *The Journal of Physiology*, 595(4), pp.1173–1184.
35. Su, C.-K., Chen, Y.-T. & Sun, Y.-C., 2017. Using on-line solid phase extraction for in vivo speciation of diffusible ferrous and ferric iron in living rat brain extracellular fluid. *Analytica Chimica Acta*, 953, pp.87–94.
36. Bernardi, P.M., Barreto, F. & Dalla Costa, T., 2017. Application of a LC–MS/MS method for evaluating lung penetration of tobramycin in rats by microdialysis. *Journal of Pharmaceutical and Biomedical Analysis*, 134, pp.340–345.
37. Zhang, C. et al., 2017. Reduced GABAergic transmission in the ventrobasal thalamus contributes to thermal hyperalgesia in chronic inflammatory pain. *Scientific Reports*, 7. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5288727/>.
38. Jørgensen, L.M. et al., 2017. Cerebral 5-HT release correlates with [11C]Cimbi36 PET measures of 5-HT_{2A} receptor occupancy in the pig brain. *Journal of Cerebral Blood Flow & Metabolism*, 37(2), pp.425–434.
39. Fujii, N., Louie, J.C., McNeely, B.D., Zhang, S.Y., et al., 2017. Nicotinic receptor activation augments muscarinic receptor-mediated eccrine sweating but not cutaneous vasodilatation in young males. *Experimental Physiology*, 102(2), pp.245–254.
40. Haqani, B. et al., 2017. The mechanisms underlying the muscle metaboreflex modulation of sweating and cutaneous blood flow in passively heated humans. *Physiological Reports*, 5(3), p.e13123.
41. Yoshimoto, K. et al., 2017. Enhanced alcohol-drinking behavior associated with active ghrelinergic and serotonergic neurons in the lateral hypothalamus and amygdala. *Pharmacology Biochemistry and Behavior*, 153, pp.1–11.
42. Lee, K.J. et al., 2017. Striatal Glutamate and GABA after High Frequency Subthalamic Stimulation in Parkinsonian Rat. *Journal of Korean Neurosurgical Society*, 60(2), pp.138–145.
43. Prathipati, P., Jackson, D. & Jackson, K., 2017. Evaluating the significance of hypoglycemia in promoting insulin induced hypertension by using a glucose clamp model. *International Journal of Medicine*, 5(1), pp.22–27.
44. Kim, K., 2017. *Mechanisms of cutaneous microvascular endothelial dysfunction in young black Americans*. Thesis. Available at: <https://repositories.lib.utexas.edu/handle/2152/46170>.
45. Kim, M. et al., 2017. Changes in dopamine, serotonin and their metabolites in brain microdialysates from rats following exposure to new psychoactive drugs. *Forensic Toxicology*, 35(1), pp.66–76.
46. Czarnecka, A. et al., 2017. Intracerebral Administration of S-Adenosylhomocysteine or S-Adenosylmethionine Attenuates the Increases in the Cortical Extracellular Levels of Dimethylarginines Without Affecting cGMP Level in Rats with Acute Liver Failure. *Neurotoxicity Research*, 31(1), pp.99–108.
47. Brink, W.J. van den et al., 2017. Revealing the Neuroendocrine Response After Remoxipride Treatment Using Multi-Biomarker Discovery and Quantifying It by PK/PD Modeling. *The AAPS Journal*, 19(1), pp.274–285.
48. Jin, W. et al., 2017. Acupuncture reduces relapse to cocaine-seeking behavior via activation of GABA neurons in the ventral tegmental area. *Addiction Biology*, p.n/a-n/a.
49. Das, C., Wang, G. & Nguyen, C., 2017. A Low-Cost, Accurate, and High-Precision Fluid Dispensing System for

- Microscale Application. *SLAS TECHNOLOGY: Translating Life Sciences Innovation*, 22(2), pp.144–152.
50. Fong, S.Y.K. et al., 2017. A novel microdialysis-dissolution/permeation system for testing oral dosage forms: A proof-of-concept study. *European Journal of Pharmaceutical Sciences*, 96, pp.154–163.
 51. Demand, D., Schack-Kirchner, H. & Lang, F., 2017. Assessment of diffusive phosphate supply in soils by microdialysis. *Journal of Plant Nutrition and Soil Science*, 180(2), pp.220–230.
 52. Post, E.H. et al., 2017. Changes in kidney perfusion and renal cortex metabolism in septic shock: an experimental study. *Journal of Surgical Research*, 207, pp.145–154.
 53. Ramírez-Jarquín, U.N. & Tapia, R., 2017. Chronic GABAergic blockade in the spinal cord in vivo induces motor alterations and neurodegeneration. *Neuropharmacology*, 117, pp.85–92.
 54. Sriramula, S. et al., 2017. Determining the Enzymatic Activity of Angiotensin-Converting Enzyme 2 (ACE2) in Brain Tissue and Cerebrospinal Fluid Using a Quenched Fluorescent Substrate. In R. M. Touyz & E. L. Schiffrin, eds. *Hypertension. Methods in Molecular Biology*. Springer New York, pp. 117–126. Available at: http://dx.doi.org/10.1007/978-1-4939-6625-7_9.
 55. Moreno-Castilla, P. et al., 2017. Hippocampal release of dopamine and norepinephrine encodes novel contextual information. *Hippocampus*, 27(5), pp.547–557.
 56. Rapanelli, M. et al., 2017. Histamine H3R receptor activation in the dorsal striatum triggers stereotypies in a mouse model of tic disorders. *Translational Psychiatry*, 7(1), p.e1013.
 57. Opekar, F. & Tůma, P., 2017. Hydrodynamic sample injection into short electrophoretic capillary in systems with a flow-gating interface. *Journal of Chromatography A*, 1480, pp.93–98.
 58. Dupuis, A. et al., 2017. Increasing spinal 5-HT_{2A} receptor responsiveness mediates anti-allodynic effect and potentiates fluoxetine efficacy in neuropathic rats. Evidence for GABA release. *Pharmacological Research*, 118, pp.93–103.
 59. Pham, T.H. et al., 2017. Ketamine treatment involves medial prefrontal cortex serotonin to induce a rapid antidepressant-like activity in BALB/cJ mice. *Neuropharmacology*, 112, Part A, pp.198–209.
 60. Van Wanseele, Y. et al., 2017. LC-method development for the quantification of neuromedin-like peptides. Emphasis on column choice and mobile phase composition. *Journal of Pharmaceutical and Biomedical Analysis*, 137, pp.104–112.
 61. Yang, B. et al., 2017. Lung microdialysis study of florfenicol in pigs after single intramuscular administration. *Journal of Veterinary Pharmacology and Therapeutics*, p.n/a-n/a.
 62. Fujii, N., Louie, J.C., McNeely, B.D., Amano, T., et al., 2017. Mechanisms of nicotine-induced cutaneous vasodilation and sweating in young adults: roles for K_{Ca}, K_{ATP}, and K_V channels, nitric oxide, and prostanoids. *Applied Physiology, Nutrition, and Metabolism*, 42(5), pp.470–478.
 63. Das, C., Wang, G., Sun, Q., et al., 2017. Multiplexed and fully automated detection of metabolic biomarkers using microdialysis probe. *Sensors and Actuators B: Chemical*, 238, pp.633–640.
 64. Shadgan, B. et al., 2017. Optical monitoring of spinal cord hemodynamics, a feasibility study. In p. 100720T–100720T–9. Available at: <http://dx.doi.org/10.1117/12.2248776>.
 65. Nygren, U. et al., 2017. Rapid breakthrough of 131I in an in vitro human epidermis model. *Toxicology in Vitro*, 42, pp.287–291.
 66. Zhang, X., Liu, S., et al., 2017. Simultaneous quantification method for comparative pharmacokinetics studies of two major metabolites from geniposide and genipin by online microdialysis-UPLC–MS/MS. *Journal of Chromatography B*, 1041–1042, pp.11–18.
 67. Joosen, M.J.A. et al., 2017. The impact of skin decontamination on the time window for effective treatment of percutaneous VX exposure. *Chemico-Biological Interactions*, 267, pp.48–56.

68. Callan, S.P. et al., 2017. Toluene's effects on activity and extracellular dopamine in the mouse are altered by GABAA antagonism. *Neuroscience Letters*, 647, pp.67–71.
69. Prévôt, T.D. et al., 2016. Roles of Hippocampal Somatostatin Receptor Subtypes in Stress Response and Emotionality. *Neuropsychopharmacology*. Available at: <https://www.nature.com/npp/journal/vaop/ncurrent/full/npp2016281a.html>.
70. Rappeneau, V. et al., 2016. Disruption of the Glutamate–Glutamine Cycle Involving Astrocytes in an Animal Model of Depression for Males and Females. *Frontiers in Behavioral Neuroscience*, 10. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5147055/>.
71. Wang, X.-F. et al., 2016. Agmatine Prevents Adaptation of the Hippocampal Glutamate System in Chronic Morphine-Treated Rats. *Neuroscience Bulletin*, 32(6), pp.523–530.
72. Bisht, R. et al., 2016. Ex vivo investigation of ocular tissue distribution following intravitreal administration of connexin43 mimetic peptide using the microdialysis technique and LC-MS/MS. *Drug Delivery and Translational Research*, 6(6), pp.763–770.
73. Su, F. et al., 2016. The Harmful Effects of Hypertonic Sodium Lactate Administration in Hyperdynamic Septic Shock. *Shock: Injury, Inflammation, and Sepsis: Laboratory and Clinical Approaches*, 46(6), pp.663–671.
74. Rocha, J.N. & Rocha, J.N., 2016. Extracellular adenosine 5'-triphosphate concentrations changes in rat spinal cord associated with the activation of urinary bladder afferents. A microdialysis study. *Einstein (São Paulo)*, 14(4), pp.541–546.
75. Cao, F., Zhang, L. & Tian, Y., 2016. A novel N-doped carbon nanotube fiber for selective and reliable electrochemical determination of ascorbic acid in rat brain microdialysates. *Journal of Electroanalytical Chemistry*, 781, pp.278–283.
76. Zhao, X.-E. et al., 2016. Sensitive and accurate determination of neurotransmitters from in vivo rat brain microdialysate of Parkinson's disease using in situ ultrasound-assisted derivatization dispersive liquid–liquid microextraction by UHPLC-MS/MS. *RSC Advances*, 6(110), pp.108635–108644.
77. Bentzer, P. & Gründe, P.-O., 2016. Isolated Brain Trauma in Cats Triggers Rapid Onset of Hypovolemia. *Neurocritical Care*, pp.1–7.
78. O'Leary, A. et al., 2016. Antidepressants differentially affect striatal amphetamine-stimulated dopamine and serotonin release in rats with high and low novelty-oriented behaviour. *Pharmacological Research*, 113, Part B, pp.739–746.
79. Marciniak, E. et al., 2016. Hypothalamic-pituitary GnRH/LH axis activity is affected by salsolinol in sheep during lactation: Effects of intracerebroventricular infusions of salsolinol and its antagonizing analogue. *Theriogenology*, 86(8), pp.1931–1938.
80. Bundgaard, C. et al., 2016. Selegiline induces a wake promoting effect in rats which is related to formation of its active metabolites. *Pharmacology Biochemistry and Behavior*, 150–151, pp.147–152.
81. Breuer, T. et al., 2016. Kinetics of ventilation-induced changes in diaphragmatic metabolism by bilateral phrenic pacing in a piglet model. *Scientific Reports*, 6. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5069624/>.
82. La Favor, J.D. & Burnett, A.L., 2016. A microdialysis method to measure in vivo hydrogen peroxide and superoxide in various rodent tissues. *Methods*, 109, pp.131–140.
83. Møller, L.L.V. et al., 2016. Decreased spontaneous activity in AMPK α 2 muscle specific kinase dead mice is not caused by changes in brain dopamine metabolism. *Physiology & Behavior*, 164, Part A, pp.300–305.
84. Wang, Y. et al., 2016. Effects of realgar on GSH synthesis in the mouse hippocampus: Involvement of system XAG⁻, system XC⁻, MRP-1 and Nrf2. *Toxicology and Applied Pharmacology*, 308, pp.91–101.
85. Prokai, L. et al., 2016. Mass spectrometric analysis of carisoprodol and meprobamate in rat brain

- microdialysates. *Journal of Mass Spectrometry*, 51(10), pp.900–907.
86. Justo, L.A. et al., 2016. Effects and mechanism of action of isatin, a MAO inhibitor, on in vivo striatal dopamine release. *Neurochemistry International*, 99, pp.147–157.
 87. Kołosowska, K. et al., 2016. The role of IL-1 β and glutamate in the effects of lipopolysaccharide on the hippocampal electrical kindling of seizures. *Journal of Neuroimmunology*, 298, pp.146–152.
 88. Ramírez-Jarquín, U.N. & Tapia, R., 2016. Neuropathological characterization of spinal motor neuron degeneration processes induced by acute and chronic excitotoxic stimulus in vivo. *Neuroscience*, 331, pp.78–90.
 89. Besson, M. et al., 2016. Alterations in alpha5* nicotinic acetylcholine receptors result in midbrain- and hippocampus-dependent behavioural and neural impairments. *Psychopharmacology*, 233(18), pp.3297–3314.
 90. Herrera, A. et al., 2016. Aminochrome induces dopaminergic neuronal dysfunction: a new animal model for Parkinson's disease. *Cellular and Molecular Life Sciences*, 73(18), pp.3583–3597.
 91. Fujii, N., Louie, J.C., et al., 2016. K⁺ channel mechanisms underlying cholinergic cutaneous vasodilation and sweating in young humans: roles of K_{Ca}, K_{ATP}, and K_V channels? *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 311(3), pp.R600–R606.
 92. Rozov, S.V. et al., 2016. Altered Electroencephalographic Activity Associated with Changes in the Sleep-Wakefulness Cycle of C57BL/6J Mice in Response to a Photoperiod Shortening. *Frontiers in Behavioral Neuroscience*, 10. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC5005378/>.
 93. Martín-García, E. et al., 2016. Differential Control of Cocaine Self-Administration by GABAergic and Glutamatergic CB1 Cannabinoid Receptors. *Neuropsychopharmacology*, 41(9), pp.2192–2205.
 94. Yang, Y. et al., 2016. In situ eNOS/NO up-regulation—a simple and effective therapeutic strategy for diabetic skin ulcer. *Scientific Reports*, 6. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4958962/>.
 95. Alsulimani, H.H., Kim, J. & Sani, S.N., 2016. Microdialysis-directed Intra-tumor Pharmacokinetic Modeling of Methotrexate in Mice and Humans. *Journal of Pharmacy & Pharmaceutical Sciences*, 19(2), pp.239–251.
 96. Thyron, L., Portelli, J., et al., 2016. Disruption, but not overexpression of urate oxidase alters susceptibility to pentylentetrazole- and pilocarpine-induced seizures in mice. *Epilepsia*, 57(7), pp.e146–e150.
 97. Beggiano, S. et al., 2016. Functional role of striatal A2A, D2, and mGlu5 receptor interactions in regulating striatopallidal GABA neuronal transmission. *Journal of Neurochemistry*, 138(2), pp.254–264.
 98. Gottås, A. et al., 2016. Pharmacokinetics of heroin and its metabolites in vitreous humor and blood in a living pig model. *Forensic Toxicology*, 34(2), pp.277–285.
 99. Pigatto, M.C. et al., 2016. Population Pharmacokinetic Modeling of Etoposide Free Concentrations in Solid Tumor. *Pharmaceutical Research*, 33(7), pp.1657–1670.
 100. Iwata, M. et al., 2016. Psychological Stress Activates the Inflammasome via Release of Adenosine Triphosphate and Stimulation of the Purinergic Type 2X7 Receptor. *Biological Psychiatry*, 80(1), pp.12–22.
 101. Brandhonneur, N. et al., 2016. PBPK model of methotrexate in cerebrospinal fluid ventricles using a combined microdialysis and MRI acquisition. *European Journal of Pharmaceutics and Biopharmaceutics*, 104, pp.117–130.
 102. Christmas, K.M. et al., 2016. Sustained cutaneous vasoconstriction during and following cryotherapy treatment: Role of oxidative stress and Rho kinase. *Microvascular Research*, 106, pp.96–100.
 103. Xie, F. et al., 2016. Transdermal permeation of drugs with differing lipophilicity: Effect of penetration enhancer camphor. *International Journal of Pharmaceutics*, 507(1–2), pp.90–101.

104. Kim, M. et al., 2016. Silica stationary phase-based on-line sample enrichment coupled with LC-MS/MS for the quantification of dopamine, serotonin and their metabolites in rat brain microdialysates. *Analytica Chimica Acta*, 923, pp.55–65.
105. Fujii, N., Meade, R.D., et al., 2016. Cutaneous blood flow during intradermal NO administration in young and older adults: roles for calcium-activated potassium channels and cyclooxygenase? *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 310(11), pp.R1081–R1087.
106. Xiao, B.-X. et al., 2016. Pharmacokinetic profiles of the five isoflavonoids from Pueraria lobata roots in the CSF and plasma of rats. *Journal of Ethnopharmacology*, 184, pp.22–29.
107. Zhang, W. et al., 2016. Effect of Jian-Pi-Zhi-Dong Decoction on striatal glutamate and γ -aminobutyric acid levels detected using microdialysis in a rat model of Tourette syndrome. *Neuropsychiatric Disease and Treatment*, 12, pp.1233–1242.
108. Schober, A. et al., 2016. Microdialysis Assessment of Cerebral Perfusion during Cardiac Arrest, Extracorporeal Life Support and Cardiopulmonary Resuscitation in Rats – A Pilot Trial. *PLOS ONE*, 11(5), p.e0155303.
109. Schneider, A., 2016. An Approach to Collect Non-Standard Microdialysis Compounds. *Chemistry & Biochemistry Undergraduate Honors Theses*. Available at: <http://scholarworks.uark.edu/chbcuht/16>.
110. Buchanan, R.J. et al., 2016. In vivo measurements of limbic glutamate and GABA concentrations in epileptic patients during affective and cognitive tasks: A microdialysis study. *Hippocampus*, 26(5), pp.683–689.
111. Young, M., 2016. Microdialysis Studies Using Porcine Pancreatic Elastase to Guide Mathematical Modeling of Microdialysis Sampling for in vivo Measurements. *Biomedical Engineering Undergraduate Honors Theses*. Available at: <http://scholarworks.uark.edu/bmeguht/29>.
112. Larsen, M.S. et al., 2016. Pharmacokinetic/Pharmacodynamic Relationship of Gabapentin in a CFA-induced Inflammatory Hyperalgesia Rat Model. *Pharmaceutical Research*, 33(5), pp.1133–1143.
113. Smith, J.A. et al., 2016. Equivalency challenge: Evaluation of Lipodox[®] as the generic equivalent for Doxil[®] in a human ovarian cancer orthotopic mouse model. *Gynecologic Oncology*, 141(2), pp.357–363.
114. Hosmann, A. et al., 2016. Cerebral and Peripheral Metabolism to Predict Successful Reperfusion After Cardiac Arrest in Rats: A Microdialysis Study. *Neurocritical Care*, 24(2), pp.283–293.
115. Newman, L.A. & Gold, P.E., 2016. Attenuation in rats of impairments of memory by scopolamine, a muscarinic receptor antagonist, by mecamylamine, a nicotinic receptor antagonist. *Psychopharmacology*, 233(5), pp.925–932.
116. Emmanouilidou, E. et al., 2016. GABA transmission via ATP-dependent K⁺ channels regulates α -synuclein secretion in mouse striatum. *Brain*, 139(3), pp.871–890.
117. Vazquez-DeRose, J. et al., 2016. Hypocretin/orexin antagonism enhances sleep-related adenosine and GABA neurotransmission in rat basal forebrain. *Brain Structure and Function*, 221(2), pp.923–940.
118. Patik, J.C. et al., 2016. Impaired endothelium independent vasodilation in the cutaneous microvasculature of young obese adults. *Microvascular Research*, 104, pp.63–68.
119. Rottbøll, L.A.H. & Friis, C., 2016. Penetration of antimicrobials to pulmonary epithelial lining fluid and muscle and impact of drug physicochemical properties determined by microdialysis. *Journal of Pharmacological and Toxicological Methods*, 78, pp.58–65.
120. Thyron, L., Raedt, R., et al., 2016. Uric acid is released in the brain during seizure activity and increases severity of seizures in a mouse model for acute limbic seizures. *Experimental Neurology*, 277, pp.244–251.
121. Cavus, I. et al., 2016. 50 Hz hippocampal stimulation in refractory epilepsy: Higher level of basal glutamate predicts greater release of glutamate. *Epilepsia*, 57(2), pp.288–297.
122. Abrahamsson, P. et al., 2016. Outcome of microdialysis sampling on liver surface and parenchyma. *Journal*

- of Surgical Research*, 200(2), pp.480–487.
123. Baioni, N.E. 1993-, 2016. *Development Toward Fluorescence Imaging of Microdialysis Sampling Diffusion Profiles*. Thesis. Available at: <http://uarkive.uark.edu:8080/xmlui/handle/10826/1334>.
 124. Cremers, T.I.F.H. et al., 2016. Development of a Rat Plasma and Brain Extracellular Fluid Pharmacokinetic Model for Bupropion and Hydroxybupropion based on Microdialysis Sampling, and Application to Predict Human Brain Concentrations. *Drug Metabolism and Disposition*, p.dmd.115.068932.
 125. Lindqvist, A. et al., 2016. In vivo Functional Evaluation of Increased Brain Delivery of the Opioid Peptide DAMGO by Glutathione-PEGylated Liposomes. *Pharmaceutical Research*, 33(1), pp.177–185.
 126. Huang, Z. et al., 2016. AC105 Increases Extracellular Magnesium Delivery and Reduces Excitotoxic Glutamate Exposure within Injured Spinal Cords in Rats. *Journal of Neurotrauma*, 34(3), pp.685–694.
 127. Dominguez, G. et al., 2016. Alcohol withdrawal induces long-lasting spatial working memory impairments: relationship with changes in corticosterone response in the prefrontal cortex. *Addiction Biology*, p.n/a-n/a.
 128. Klaus, R. et al., 2016. An Exploratory Microdialysis Study to Assess the Ocular Pharmacokinetics of Ciprofloxacin Eye Drops in Rabbits. *Journal of Ocular Pharmacology and Therapeutics*, 32(6), pp.390–395.
 129. Wei, N. et al., 2016. Determination of dopamine, serotonin, biosynthesis precursors and metabolites in rat brain microdialysates by ultrasonic-assisted in situ derivatization–dispersive liquid–liquid microextraction coupled with UHPLC-MS/MS. *Talanta*, 161, pp.253–264.
 130. Hwa, L.S. et al., 2016. Dissociation of μ -opioid receptor and CRF-R1 antagonist effects on escalated ethanol consumption and mPFC serotonin in C57BL/6J mice. *Addiction Biology*, 21(1), pp.111–124.
 131. Fragale, J.E.C. et al., 2016. Dysfunction in amygdala–prefrontal plasticity and extinction-resistant avoidance: A model for anxiety disorder vulnerability. *Experimental Neurology*, 275, Part 1, pp.59–68.
 132. Hernández, G. et al., 2016. Effects of dexmedetomidine and esmolol on systemic hemodynamics and exogenous lactate clearance in early experimental septic shock. *Critical Care*, 20, p.234.
 133. Kasper, J.M. et al., 2016. Gamma-Aminobutyric Acidergic Projections From the Dorsal Raphe to the Nucleus Accumbens Are Regulated by Neuromedin U. *Biological Psychiatry*, 80(11), pp.878–887.
 134. Hasselquist, N.J. et al., 2016. Greater carbon allocation to mycorrhizal fungi reduces tree nitrogen uptake in a boreal forest. *Ecology*, 97(4), pp.1012–1022.
 135. Battisti, U.M. et al., 2016. “Heart-cut” bidimensional achiral-chiral liquid chromatography applied to the evaluation of stereoselective metabolism, in vivo biological activity and brain response to chiral drug candidates targeting the central nervous system. *Journal of Chromatography A*, 1443, pp.152–161.
 136. He, Y. et al., 2016. In situ derivatization-ultrasound-assisted dispersive liquid–liquid microextraction for the determination of neurotransmitters in Parkinson’s rat brain microdialysates by ultra high performance liquid chromatography-tandem mass spectrometry. *Journal of Chromatography A*, 1458, pp.70–81.
 137. Jiang, S. et al., 2016. Investigation of signaling molecules and metabolites found in crustacean hemolymph via in vivo microdialysis using a multifaceted mass spectrometric platform. *ELECTROPHORESIS*, 37(7–8), pp.1031–1038.
 138. Thors, L. et al., 2016. In vitro human skin penetration model for organophosphorus compounds with different physicochemical properties. *Toxicology in Vitro*, 32, pp.198–204.
 139. Ortega, J., Meana, J.J. & Callado, L., 2016. In Vivo Brain Microdialysis of Monoamines. In R. Luján & F. Ciruela, eds. *Receptor and Ion Channel Detection in the Brain*. Neuromethods. Springer New York, pp. 415–434. Available at: http://dx.doi.org/10.1007/978-1-4939-3064-7_25.
 140. Yan, X. et al., 2016. LC–MS/MS assay of ropinirole in rat biological matrices: elimination of lysoglycerophosphocholines-based matrix effect. *Bioanalysis*, 8(17), pp.1823–1835.

141. Miguelez, C. et al., 2016. L-DOPA elicits non-vesicular releases of serotonin and dopamine in hemiparkinsonian rats in vivo. *European Neuropsychopharmacology*, 26(8), pp.1297–1309.
142. Yokobori, S. et al., 2016. Microdialysis as Clinical Evaluation of Therapeutic Hypothermia in Rat Subdural Hematoma Model. In F. H. Kobeissy et al., eds. *Injury Models of the Central Nervous System*. Methods in Molecular Biology. Springer New York, pp. 413–431. Available at: http://dx.doi.org/10.1007/978-1-4939-3816-2_23.
143. Llidó, A. et al., 2016. Neonatal finasteride administration decreases dopamine release in nucleus accumbens after alcohol and food presentation in adult male rats. *Behavioural Brain Research*, 309, pp.44–50.
144. Fang, Z. et al., 2016. Pluronic P85-coated poly(butylcyanoacrylate) nanoparticles overcome phenytoin resistance in P-glycoprotein overexpressing rats with lithium-pilocarpine-induced chronic temporal lobe epilepsy. *Biomaterials*, 97, pp.110–121.
145. Zhang, S. et al., 2016. Protective effect of melatonin on soluble A β 1–42-induced memory impairment, astrogliosis, and synaptic dysfunction via the Musashi1/Notch1/Hes1 signaling pathway in the rat hippocampus. *Alzheimer's Research & Therapy*, 8, p.40.
146. Qi, D. et al., 2016. Quantification of Dopamine in Brain Microdialysates with High-Performance Liquid Chromatography–Tandem Mass Spectrometry. *Analytical Sciences*, 32(4), pp.419–424.
147. Herrik, K.F. et al., 2016. The 5-HT₆ receptor antagonist idalopirdine potentiates the effects of acetylcholinesterase inhibition on neuronal network oscillations and extracellular acetylcholine levels in the rat dorsal hippocampus. *Neuropharmacology*, 107, pp.351–363.
148. Bergh, M.S.-S. et al., 2016. Validated methods for determination of neurotransmitters and metabolites in rodent brain tissue and extracellular fluid by reversed phase UHPLC–MS/MS. *Journal of Chromatography B*, 1028, pp.120–129.
149. Oyewole, O.A., 2015. Soil nitrogen fluxes and root uptake in the boreal forest. Available at: <http://pub.epsilon.slu.se/12866/>.
150. Wang, G. et al., 2015. Simultaneous Determination of Four Substances in Plasma and Dermal Microdialysates of Guinea Pig after Different Acupoints Administration of Fufang Baijiezi Gel. *Chinese Herbal Medicines*, 7(4), pp.365–370.
151. Brackin, R. et al., 2015. Nitrogen fluxes at the root-soil interface show a mismatch of nitrogen fertilizer supply and sugarcane root uptake capacity. *Scientific Reports*, 5. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4620560/>.
152. Wang, F. et al., 2015. Sensitive Determination of Amantadine in Microdialysis Samples from Rat Plasma by HPLC with Fluorescence Detection. *Journal of Liquid Chromatography & Related Technologies*, 38(17), pp.1622–1628.
153. Zhou, Y. et al., 2015. Reducing Adsorption To Improve Recovery and in Vivo Detection of Neuropeptides by Microdialysis with LC-MS. *Analytical Chemistry*, 87(19), pp.9802–9809.
154. Wei, J. et al., 2015. An LC/MS quantitative and microdialysis method for cyclovirobuxine D pharmacokinetics in rat plasma and brain: The pharmacokinetic comparison of three different drug delivery routes. *Journal of Chromatography B*, 1002, pp.185–193.
155. Sørensen, G. et al., 2015. The glucagon-like peptide 1 (GLP-1) receptor agonist exendin-4 reduces cocaine self-administration in mice. *Physiology & Behavior*, 149, pp.262–268.
156. Raudkivi, K. et al., 2015. Differences in extracellular glutamate levels in striatum of rats with high and low exploratory activity. *Pharmacological Reports*, 67(5), pp.858–865.
157. Wan, T. et al., 2015. Microemulsion based gel for topical dermal delivery of pseudolaric acid B: In vitro and in vivo evaluation. *International Journal of Pharmaceutics*, 493(1–2), pp.111–120.

158. Kim, T. et al., 2015. Disrupted sleep–wake regulation in type 1 equilibrative nucleoside transporter knockout mice. *Neuroscience*, 303, pp.211–219.
159. Li, P., Liu, Y.-F. & Yang, L., 2015. Advantages of dual hypothermic oxygenated machine perfusion over simple cold storage in the preservation of liver from porcine donors after cardiac death. *Clinical Transplantation*, 29(9), pp.820–828.
160. Monterrubio, C. et al., 2015. Combined Microdialysis-Tumor Homogenate Method for the Study of the Steady State Compartmental Distribution of a Hydrophobic Anticancer Drug in Patient-Derived Xenografts. *Pharmaceutical Research*, 32(9), pp.2889–2900.
161. Keeler, G.D., Durdik, J.M. & Stenken, J.A., 2015a. Effects of delayed delivery of dexamethasone-21-phosphate via subcutaneous microdialysis implants on macrophage activation in rats. *Acta Biomaterialia*, 23, pp.27–37.
162. Danysz, W. et al., 2015. Effects of sarizotan in animal models of ADHD: challenging pharmacokinetic–pharmacodynamic relationships. *Journal of Neural Transmission*, 122(9), pp.1221–1238.
163. Christmas, K.M., 2015. *Mechanisms of pronounced and sustained microvascular vasoconstriction during cryotherapy*. Thesis. Available at: <https://repositories.lib.utexas.edu/handle/2152/32327>.
164. Gottås, A. et al., 2015. Determination of dopamine concentrations in brain extracellular fluid using microdialysis with short sampling intervals, analyzed by ultra high performance liquid chromatography tandem mass spectrometry. *Journal of Pharmacological and Toxicological Methods*, 74, pp.75–79.
165. Levitt, E.L., Keen, J.T. & Wong, B.J., 2015. Augmented reflex cutaneous vasodilatation following short-term dietary nitrate supplementation in humans. *Experimental Physiology*, 100(6), pp.708–718.
166. Fujii, N. et al., 2015. Cutaneous vascular and sweating responses to intradermal administration of ATP: a role for nitric oxide synthase and cyclooxygenase? *The Journal of Physiology*, 593(11), pp.2515–2525.
167. Wang, C. et al., 2015. Dopamine Responsiveness in the Nucl. Accumbens Shell and Parameters of the Heroin-Influenced Conditioned Place Preference in Rats. *Neurophysiology*, 47(3), pp.212–217.
168. Blazkova, I. et al., 2015. Doxorubicin interactions with bovine serum albumin revealed by microdialysis with on-line laser-induced fluorescence detection at subpicogram level. *ELECTROPHORESIS*, 36(11–12), pp.1282–1288.
169. Dekundy, A. et al., 2015. Effects of dopamine uptake inhibitor MRZ-9547 in animal models of Parkinson’s disease. *Journal of Neural Transmission*, 122(6), pp.809–818.
170. Nagel, J. et al., 2015. Brain concentrations of mGluR5 negative allosteric modulator MTEP in relation to receptor occupancy – Comparison to MPEP. *Pharmacological Reports*, 67(3), pp.624–630.
171. Portelli, J. et al., 2015. Des-acyl ghrelin attenuates pilocarpine-induced limbic seizures via the ghrelin receptor and not the orexin pathway. *Neuropeptides*, 51, pp.1–7.
172. Legrand, R. et al., 2015. Dopamine release in the lateral hypothalamus is stimulated by α -MSH in both the anticipatory and consummatory phases of feeding. *Psychoneuroendocrinology*, 56, pp.79–87.
173. Fonouni, H. et al., 2015. Is microdialysis useful for early detection of acute rejection after kidney transplantation? *International Journal of Surgery*, 18, pp.88–94.
174. Wiese, H. et al., 2015. Quantitative phosphoproteomics reveals the protein tyrosine kinase Pyk2 as a central effector of olfactory receptor signaling in prostate cancer cells. *Biochimica et Biophysica Acta (BBA) - Proteins and Proteomics*, 1854(6), pp.632–640.
175. Wei, J. et al., 2015. Alteration of glutamate/GABA balance during acute alcohol intoxication in rats: Effect of Xingnaojing injection. *Journal of Ethnopharmacology*, 166, pp.333–339.
176. Wang, Z., Zhang, L. & Tian, Y., 2015. A durable non-enzymatic electrochemical sensor for monitoring H₂O₂ in rat brain microdialysates based on one-step fabrication of hydrogels. *Analyst*, 140(11), pp.3788–3793.

177. Gu, F. et al., 2015. In vivo and continuous measurement of bisulfide in the hippocampus of rat's brain by an on-line integrated microdialysis/droplet-based microfluidic system. **Analyt**, 140(11), pp.3814–3819.
178. Deshmukh, G. et al., 2015. Use of Cassette Dosing to Enhance the Throughput of Rat Brain Microdialysis Studies. **Drug Metabolism and Disposition**, p.dmd.115.064204.
179. Altieri, S.C. et al., 2015. Perinatal vs Genetic Programming of Serotonin States Associated with Anxiety. **Neuropsychopharmacology**, 40(6), pp.1456–1470.
180. Ji, G., Li, Z. & Neugebauer, V., 2015. Reactive oxygen species (ROS) mediate visceral pain-related amygdala plasticity and behaviors. **Pain**, 156(5), pp.825–836.
181. Dahlberg, D. et al., 2015. Staphylococcal α -hemolysin is neurotoxic and causes lysis of brain cells in vivo and in vitro. **NeuroToxicology**, 48, pp.61–67.
182. Zhang, L.-H. et al., 2015. Simultaneous determination of multiple neurotransmitters and their metabolites in rat brain homogenates and microdialysates by LC-MS/MS. **Analytical Methods**, 7(9), pp.3929–3938.
183. Beaudin, S.A. et al., 2015. Oral Methylphenidate Alleviates the Fine Motor Dysfunction Caused by Chronic Postnatal Manganese Exposure in Adult Rats. **Toxicological Sciences**, 144(2), pp.318–327.
184. Zhang, Q. et al., 2015. Improved blood–brain barrier distribution: Effect of borneol on the brain pharmacokinetics of kaempferol in rats by in vivo microdialysis sampling. **Journal of Ethnopharmacology**, 162, pp.270–277.
185. Yau, J.L.W., Noble, J., et al., 2015. Diurnal and stress-induced intra-hippocampal corticosterone rise attenuated in 11 β -HSD1-deficient mice: a microdialysis study in young and aged mice. **European Journal of Neuroscience**, 41(6), pp.787–792.
186. Chao, A., Paon, A. & Remage-Healey, L., 2015. Dynamic variation in forebrain estradiol levels during song learning. **Developmental Neurobiology**, 75(3), pp.271–286.
187. Han, X. et al., 2015. Social stress and escalated drug self-administration in mice II. Cocaine and dopamine in the nucleus accumbens. **Psychopharmacology**, 232(6), pp.1003–1010.
188. Durk, M.R. et al., 2015. Vitamin D Receptor Activation Induces P-Glycoprotein and Increases Brain Efflux of Quinidine: An Intracerebral Microdialysis Study in Conscious Rats. **Pharmaceutical Research**, 32(3), pp.1128–1140.
189. Barrientos, R.M. et al., 2015. Greater glucocorticoid receptor activation in hippocampus of aged rats sensitizes microglia. **Neurobiology of Aging**, 36(3), pp.1483–1495.
190. Keen, J.T. et al., 2015. Short-term dietary nitrate supplementation augments cutaneous vasodilatation and reduces mean arterial pressure in healthy humans. **Microvascular Research**, 98, pp.48–53.
191. Zhang, J.-W. et al., 2015. Effects of tetrathiomolybdate and penicillamine on brain hydroxyl radical and free copper levels: A microdialysis study in vivo. **Biochemical and Biophysical Research Communications**, 458(1), pp.82–85.
192. Alonso-Alonso, S. et al., 2015. Partial seizures induced by latrunculin A microperfusion in the mouse hippocampus: Role of extracellular glutamate and NMDA receptors. **Molecular & Cellular Epilepsy**, 2(0). Available at: <http://smartscitech.com/index.php/MCE/article/view/608>.
193. Shimamoto, A. et al., 2015. Individual differences in anhedonic and accumbal dopamine responses to chronic social stress and their link to cocaine self-administration in female rats. **Psychopharmacology**, 232(4), pp.825–834.
194. Cui, X. et al., 2015. MK-801-induced behavioural sensitisation alters dopamine release and turnover in rat prefrontal cortex. **Psychopharmacology**, 232(3), pp.509–517.
195. Welt, T. et al., 2015. Acute Effects of Muscarinic M1 Receptor Modulation on A β PP Metabolism and Amyloid- β Levels in vivo: A Microdialysis Study. **Journal of Alzheimer's Disease**, 46(4),

- pp.971–982.
196. Sugita, T. et al., 2015. Breathing is affected by dopamine D2-like receptors in the basolateral amygdala. *Respiratory Physiology & Neurobiology*, 209, pp.23–27.
 197. Misini, B. et al., 2015. Continuous monitoring of highly reactive oxygen radicals during in vivo microdialysis. *Journal of Neuroscience Methods*, 251, pp.1–6.
 198. Wei, Y. et al., 2015. Effect of glycyrrhizic acid on rhein renal penetration: a microdialysis study in rats. *Xenobiotica*, 45(12), pp.1116–1121.
 199. Pigatto, M.C., Mossmann, D.L. & Dalla Costa, T., 2015. HPLC-UV method for quantifying etoposide in plasma and tumor interstitial fluid by microdialysis: application to pharmacokinetic studies. *Biomedical Chromatography*, 29(4), pp.529–536.
 200. Koch, H. et al., 2015. Impaired Cognition after Stimulation of P2Y1 Receptors in the Rat Medial Prefrontal Cortex. *Neuropsychopharmacology*, 40(2), pp.305–314.
 201. Yau, J.L.W., Wheelan, N., et al., 2015. Intrahippocampal glucocorticoids generated by 11 β -HSD1 affect memory in aged mice. *Neurobiology of Aging*, 36(1), pp.334–343.
 202. Keeler, G.D., Durdik, J.M. & Stenken, J.A., 2015b. Localized delivery of dexamethasone-21-phosphate via microdialysis implants in rat induces M(GC) macrophage polarization and alters CCL2 concentrations. *Acta Biomaterialia*, 12, pp.11–20.
 203. Zhang, Y. et al., 2015. Mouse Model of the OPRM1 (A118G) Polymorphism: Differential Heroin Self-Administration Behavior Compared with Wild-Type Mice. *Neuropsychopharmacology*, 40(5), pp.1091–1100.
 204. Pawlisch, B.A. & Remage-Healey, L., 2015. Neuroestrogen signaling in the songbird auditory cortex propagates into a sensorimotor network via an ‘interface’ nucleus. *Neuroscience*, 284, pp.522–535.
 205. Ferry, B. et al., 2015. Noradrenergic influences in the basolateral amygdala on inhibitory avoidance memory are mediated by an action on α 2-adrenoceptors. *Psychoneuroendocrinology*, 51, pp.68–79.
 206. Le, W. et al., 2015. Pitx3 deficiency produces decreased dopamine signaling and induces motor deficits in Pitx3(–/–) mice. *Neurobiology of Aging*, 36(12), pp.3314–3320.
 207. Kleberg, K. et al., 2015. Sensing of triacylglycerol in the gut: different mechanisms for fatty acids and 2-monoacylglycerol. *The Journal of Physiology*, 593(8), pp.2097–2109.
 208. Thompson, J.M., Ji, G. & Neugebauer, V., 2015. Small-conductance calcium-activated potassium (SK) channels in the amygdala mediate pain-inhibiting effects of clinically available riluzole in a rat model of arthritis pain. *Molecular Pain*, 11, p.51.
 209. Wang, Q. et al., 2014. Application of online microdialysis coupled with liquid chromatography-tandem mass spectrometry method in assessing neuroprotective effect of Rhizoma coptidis on diabetic rats. *Analytical Methods*, 7(1), pp.45–52.
 210. Gao, X. et al., 2014. Shu- Yu capsule, a Traditional Chinese Medicine formulation, attenuates premenstrual syndrome depression induced by chronic stress constraint. *Molecular Medicine Reports*, 10(6), pp.2942–2948.
 211. Freire-Cobo, C. et al., 2014. The Calcineurin Inhibitor Ascospicin Interferes with the Early Stage of the Epileptogenic Process Induced by Latrunculin A Microperfusion in Rat Hippocampus. *Journal of Neuroimmune Pharmacology*, 9(5), pp.654–667.
 212. Lietsche, J. et al., 2014. Self-built microdialysis probes with improved recoveries of ATP and neuropeptides. *Journal of Neuroscience Methods*, 237, pp.1–8.
 213. Luo, K. et al., 2014. Study of captopril pharmacokinetics in rabbit blood with microdialysis based on online generated Au nanoclusters and pepsin–captopril interaction in luminol chemiluminescence. *RSC Advances*,

- 4(106), pp.61465–61475.
214. Tang, Y.-B. et al., 2014. Simultaneous determination of the repertoire of classical neurotransmitters released from embryonal carcinoma stem cells using online microdialysis coupled with hydrophilic interaction chromatography–tandem mass spectrometry. *Analytica Chimica Acta*, 849, pp.70–79.
 215. O’Dell, L.E. et al., 2014. Enhanced nicotine self-administration and suppressed dopaminergic systems in a rat model of diabetes. *Addiction Biology*, 19(6), pp.1006–1019.
 216. Zhang, M., Fang, C. & Smagin, G., 2014. Derivatization for the simultaneous LC/MS quantification of multiple neurotransmitters in extracellular fluid from rat brain microdialysis. *Journal of Pharmaceutical and Biomedical Analysis*, 100, pp.357–364.
 217. Guercio, G.D. et al., 2014. d-serine prevents cognitive deficits induced by acute stress. *Neuropharmacology*, 86, pp.1–8.
 218. Trigub, M. et al., 2014. Biogenic Amine Neurotransmitter Response to Morphine in the Anterior Cingulate Cortex Predicts Propensity for Acquiring Self-Administration and the Intensity of the Withdrawal Syndrome. *Pharmacology & Pharmacy*, 05(11), p.1006.
 219. K. Hurtado, F. et al., 2014. Enhanced penetration of moxifloxacin into rat prostate tissue evidenced by microdialysis. *International Journal of Antimicrobial Agents*, 44(4), pp.327–333.
 220. Gough, B. et al., 2014. Propentophylline increases striatal dopamine release but dampens methamphetamine-induced dopamine dynamics: A microdialysis study. *Neurochemistry International*, 76, pp.109–113.
 221. Taylor, H. et al., 2014. Investigating local and long-range neuronal network dynamics by simultaneous optogenetics, reverse microdialysis and silicon probe recordings in vivo. *Journal of Neuroscience Methods*, 235, pp.83–91.
 222. John, J., Kodama, T. & Siegel, J.M., 2014. Caffeine promotes glutamate and histamine release in the posterior hypothalamus. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 307(6), pp.R704–R710.
 223. Dahlin, A.P. et al., 2014. Refined Microdialysis Method for Protein Biomarker Sampling in Acute Brain Injury in the Neurointensive Care Setting. *Analytical Chemistry*, 86(17), pp.8671–8679.
 224. Zhao, L. et al., 2014. Determination of cefuroxime lysine in rat brain microdialysates by ultra-fast liquid chromatography with UV and tandem mass spectrometry: application to an acute toxicokinetic study. *Biomedical Chromatography*, 28(9), pp.1199–1204.
 225. Huo, T. et al., 2014. Effect of realgar on extracellular amino acid neurotransmitters in hippocampal CA1 region determined by online microdialysis–dansyl chloride derivatization–high-performance liquid chromatography and fluorescence detection. *Biomedical Chromatography*, 28(9), pp.1254–1262.
 226. Morad, V., Abrahamsson, A. & Dabrosin, C., 2014. Estradiol Affects Extracellular Leptin:Adiponectin Ratio in Human Breast Tissue in Vivo. *The Journal of Clinical Endocrinology & Metabolism*, 99(9), pp.3460–3467.
 227. Liu, D. et al., 2014. Quantitative determination of unbound levofloxacin by simultaneous microdialysis in rat pancreas after intravenous and oral doses. *Journal of Pharmacy and Pharmacology*, 66(9), pp.1215–1221.
 228. Sørensen, M.A. et al., 2014. Regional disturbances in blood flow and metabolism in equine limb wound healing with formation of exuberant granulation tissue. *Wound Repair and Regeneration*, 22(5), pp.647–653.
 229. Rensel, M.A. et al., 2014. Region-Specific Neural Corticosterone Patterns Differ From Plasma in a Male Songbird. *Endocrinology*, 155(9), pp.3572–3581.
 230. Gottås, A. et al., 2014. Role of 6-monoacetylmorphine in the acute release of striatal dopamine induced by intravenous heroin. *International Journal of Neuropsychopharmacology*, 17(9), pp.1357–1365.

231. Qu, K. et al., 2014. An LC–MS method for simultaneous determination of five iridoids from Zhi-zi-chi Decoction in rat brain microdialysates and tissue homogenates: Towards an in depth study for its antidepressive activity. *Journal of Chromatography B*, 965, pp.206–215.
232. Kalkhof, S. et al., 2014. Proteomics and Metabolomics for In Situ Monitoring of Wound Healing. *BioMed Research International*, 2014, p.e934848.
233. Cass, W.A. et al., 2014. Calcitriol Promotes Augmented Dopamine Release in the Lesioned Striatum of 6-Hydroxydopamine Treated Rats. *Neurochemical Research*, 39(8), pp.1467–1476.
234. Laeger, T. et al., 2014. Leucine acts in the brain to suppress food intake but does not function as a physiological signal of low dietary protein. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 307(3), pp.R310–R320.
235. Lee, P.-L. et al., 2014. Development and validation of TOF-SIMS and CLSM imaging method for cytotoxicity study of ZnO nanoparticles in HaCaT cells. *Journal of Hazardous Materials*, 277, pp.3–12.
236. Amat, J. et al., 2014. Control over a stressor involves the posterior dorsal striatum and the act/outcome circuit. *European Journal of Neuroscience*, 40(2), pp.2352–2358.
237. Netzahualcoyotzi, C. & Tapia, R., 2014. Energy Substrates Protect Hippocampus Against Endogenous Glutamate-Mediated Neurodegeneration in Awake Rats. *Neurochemical Research*, 39(7), pp.1346–1354.
238. Beggiano, S. et al., 2014. Endogenous kynurenic acid regulates extracellular GABA levels in the rat prefrontal cortex. *Neuropharmacology*, 82, pp.11–18.
239. Li, J. et al., 2014. Pharmacokinetics and liver distribution study of unbound curdione and curcumol in rats by microdialysis coupled with rapid resolution liquid chromatography (RRLC) and tandem mass spectrometry. *Journal of Pharmaceutical and Biomedical Analysis*, 95, pp.146–150.
240. Park, H.S. et al., 2014. Proof of Mechanism Study of a Novel Serotonin Transporter Blocker, DA-8031, Using [¹¹C]DASB Positron Emission Tomography and In Vivo Microdialysis. *Urology*, 84(1), p.245.e1-245.e7.
241. Lanteri, C. et al., 2014. Repeated exposure to MDMA triggers long-term plasticity of noradrenergic and serotonergic neurons. *Molecular Psychiatry*, 19(7), pp.823–833.
242. Gibbs, R.B., Nelson, D. & Hammond, R., 2014. Role of GPR30 in mediating estradiol effects on acetylcholine release in the hippocampus. *Hormones and Behavior*, 66(2), pp.339–345.
243. Hou, J. et al., 2014a. An In Vivo Microdialysis Study of FLZ Penetration through the Blood-Brain Barrier in Normal and 6-Hydroxydopamine Induced Parkinson's Disease Model Rats. *BioMed Research International*, 2014, p.e850493.
244. Hou, J. et al., 2014b. An In Vivo Microdialysis Study of FLZ Penetration through the Blood-Brain Barrier in Normal and 6-Hydroxydopamine Induced Parkinson's Disease Model Rats. *BioMed Research International*, 2014, p.e850493.
245. Favor, J.D.L. et al., 2014. Sex Differences with Aging in Nutritive Skeletal Muscle Blood Flow: Impact of Exercise Training, Nitric Oxide, and Alpha-Adrenergic Mediated Mechanisms. *American Journal of Physiology - Heart and Circulatory Physiology*, p.ajpheart.00247.2014.
246. Keeler, G.D., Durdik, J.M. & Stenken, J.A., 2014. Comparison of microdialysis sampling perfusion fluid components on the foreign body reaction in rat subcutaneous tissue. *European Journal of Pharmaceutical Sciences*, 57, pp.60–67.
247. Crick, E.W. et al., 2014. Correlation of 3-mercaptopropionic acid induced seizures and changes in striatal neurotransmitters monitored by microdialysis. *European Journal of Pharmaceutical Sciences*, 57, pp.25–33.
248. Westerhout, J. et al., 2014a. Prediction of methotrexate CNS distribution in different species – Influence of disease conditions. *European Journal of Pharmaceutical Sciences*, 57, pp.11–24.
249. Westerhout, J. et al., 2014b. Prediction of methotrexate CNS distribution in different species – Influence of

- disease conditions. *European Journal of Pharmaceutical Sciences*, 57, pp.11–24.
250. Sørensen, G. et al., 2014. Addiction-Related Effects of DOV 216,303 and Cocaine: A Comparative Study in the Mouse. *Basic & Clinical Pharmacology & Toxicology*, 114(6), pp.451–459.
 251. Maki, A.E. et al., 2014. Fibrinogen α -chain-derived peptide is upregulated in hippocampus of rats exposed to acute morphine injection and spontaneous alternation testing. *Pharmacology Research & Perspectives*, 2(3), p.n/a-n/a.
 252. Rip, J. et al., 2014. Glutathione PEGylated liposomes: pharmacokinetics and delivery of cargo across the blood–brain barrier in rats. *Journal of Drug Targeting*, 22(5), pp.460–467.
 253. Gualix, J. et al., 2014. Presence of diadenosine polyphosphates in microdialysis samples from rat cerebellum in vivo: effect of mild hyperammonemia on their receptors. *Purinergic Signalling*, 10(2), pp.349–356.
 254. Hambrecht-Wiedbusch, V.S. et al., 2014. Benzodiazepine Site Agonists Differentially Alter Acetylcholine Release in Rat Amygdala. *Anesthesia and analgesia*, 118(6), pp.1293–1300.
 255. Sun, Y.-H. et al., 2014. The analgesia effect of duloxetine on post-operative pain via intrathecal or intraperitoneal administration. *Neuroscience Letters*, 568, pp.6–11.
 256. Haynie, J., 2014. Fluorescence Imaging of Microdialysis Sampling. *Chemical Engineering Undergraduate Honors Theses*. Available at: <http://scholarworks.uark.edu/cheguht/44>.
 257. Sørensen, O. et al., 2014. Impact of hyperthermia on pharmacokinetics of intraperitoneal mitomycin C in rats investigated by microdialysis. *Journal of Surgical Oncology*, 109(6), pp.521–526.
 258. Sotomayor-Zárate, R. et al., 2014. Improving Amphetamine Therapeutic Selectivity: N,N-dimethyl-MTA has Dopaminergic Effects and does not Produce Aortic Contraction. *Basic & Clinical Pharmacology & Toxicology*, 114(5), pp.395–399.
 259. de Oliveira, A.R., Reimer, A.E. & Brandão, M.L., 2014. Mineralocorticoid receptors in the ventral tegmental area regulate dopamine efflux in the basolateral amygdala during the expression of conditioned fear. *Psychoneuroendocrinology*, 43, pp.114–125.
 260. Oshinsky, M.L. et al., 2014. Noninvasive vagus nerve stimulation as treatment for trigeminal allodynia. *PAIN*[®], 155(5), pp.1037–1042.
 261. Tseng, L.-S. et al., 2014. Umbilical Cord Blood-Derived Stem Cells Improve Heat Tolerance and Hypothalamic Damage in Heat Stressed Mice. *BioMed Research International*, 2014, p.e685683.
 262. Aryal, B. et al., 2014. Alteration of Striatal Tetrahydrobiopterin in Iron-Induced Unilateral Model of Parkinson's Disease. *The Korean Journal of Physiology & Pharmacology*, 18(2), pp.129–134.
 263. Kim, T., He, L., et al., 2014. Carnitine Palmitoyltransferase 1b Deficiency Protects Mice from Diet-Induced Insulin Resistance. *Journal of diabetes & metabolism*, 5(4), p.361.
 264. Arriaga-Avila, V. et al., 2014. Lactation Reduces Stress-Caused Dopaminergic Activity and Enhances GABAergic Activity in the Rat Medial Prefrontal Cortex. *Journal of Molecular Neuroscience*, 52(4), pp.515–524.
 265. Liu, Z. et al., 2014. Mixed Polyethylene Glycol-Modified Breviscapine-Loaded Solid Lipid Nanoparticles for Improved Brain Bioavailability: Preparation, Characterization, and In Vivo Cerebral Microdialysis Evaluation in Adult Sprague Dawley Rats. *AAPS PharmSciTech*, 15(2), pp.483–496.
 266. Birngruber, T. et al., 2014. Long-Term Implanted cOFM Probe Causes Minimal Tissue Reaction in the Brain. *PLOS ONE*, 9(3), p.e90221.
 267. Zhang, R. et al., 2014. The Effects of LPM570065, a Novel Triple Reuptake Inhibitor, on Extracellular Serotonin, Dopamine and Norepinephrine Levels in Rats. *PLOS ONE*, 9(3), p.e91775.
 268. Buchanan, R.J. et al., 2014. Changes in GABA and glutamate concentrations during memory tasks in patients

- with Parkinson's disease undergoing DBS surgery. *Frontiers in Human Neuroscience*, 8. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3945932/>.
269. Bajpai, G., Simmen, R.C.M. & Stenken, J.A., 2014. In vivo microdialysis sampling of adipokines CCL2, IL-6, and leptin in the mammary fat pad of adult female rats. *Molecular BioSystems*, 10(4), pp.806–812.
270. Rottbøll, L.A.H. & Friis, C., 2014. Microdialysis as a Tool for Drug Quantification in the Bronchioles of Anaesthetized Pigs. *Basic & Clinical Pharmacology & Toxicology*, 114(3), pp.226–232.
271. Fang, W. et al., 2014. Platelet activating factor induces transient blood-brain barrier opening to facilitate edaravone penetration into the brain. *Journal of Neurochemistry*, 128(5), pp.662–671.
272. C, S. et al., 2014. Ethane-beta-Sultam Modifies the Activation of the Innate Immune System Induced by Intermittent Ethanol Administration in Female Adolescent Rats. *Journal of Alcoholism & Drug Dependence*. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4186488/>.
273. Beaumont, V. et al., 2014. The PDE1/5 Inhibitor SCH-51866 Does Not Modify Disease Progression in the R6/2 Mouse Model of Huntington's Disease. *PLoS Currents*, 6. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3923778/>.
274. Santa-Cruz, L.D. & Tapia, R., 2014. Role of Energy Metabolic Deficits and Oxidative Stress in Excitotoxic Spinal Motor Neuron Degeneration in Vivo. *ASN Neuro*, 6(2), p.AN20130046.
275. Naylor, L.H. et al., 2014. Acute hyperglycaemia does not alter nitric oxide-mediated microvascular function in the skin of adolescents with type 1 diabetes. *European Journal of Applied Physiology*, 114(2), pp.435–441.
276. Ji, G. & Neugebauer, V., 2014. CB1 augments mGluR5 function in medial prefrontal cortical neurons to inhibit amygdala hyperactivity in an arthritis pain model. *European Journal of Neuroscience*, 39(3), pp.455–466.
277. Oyewole, O.A., Inselsbacher, E. & Näsholm, T., 2014. Direct estimation of mass flow and diffusion of nitrogen compounds in solution and soil. *New Phytologist*, 201(3), pp.1056–1064.
278. Huang, S. et al., 2014. Dynamics of interstitial calcium in rat myocardial ischemia reperfusion injury in vivo. *Journal of Huazhong University of Science and Technology [Medical Sciences]*, 34(1), pp.37–41.
279. Chen, H. et al., 2014. Prefrontal Control of Cerebellum-Dependent Associative Motor Learning. *The Cerebellum*, 13(1), pp.64–78.
280. Stone, A.J., Yamauchi, K. & Kaufman, M.P., 2014. Purinergic 2X receptors play a role in evoking the exercise pressor reflex in rats with peripheral artery insufficiency. *American Journal of Physiology - Heart and Circulatory Physiology*, 306(3), pp.H396–H404.
281. Li, S.-S. et al., 2014. The percutaneous permeability and absorption of dexamethasone esters in diabetic rats: a preliminary study. *Drug Delivery*, 21(1), pp.17–25.
282. Griffin Iii, W.C. et al., 2014. Increased Extracellular Glutamate In the Nucleus Accumbens Promotes Excessive Ethanol Drinking in Ethanol Dependent Mice. *Neuropsychopharmacology*, 39(3), pp.707–717.
283. Porras, G. et al., 2014. L-dopa-induced dyskinesia: beyond an excessive dopamine tone in the striatum. *Scientific Reports*, 4, p.3730.
284. Ikeda, M. et al., 2014. In Vivo Detection of Fluctuating Brain Steroid Levels in Zebra Finches. *Cold Spring Harbor Protocols*, 2014(12), p.pdb.prot084616.
285. Hurtado, F.K. et al., 2014. Population Pharmacokinetic Modeling of the Unbound Levofloxacin Concentrations in Rat Plasma and Prostate Tissue Measured by Microdialysis. *Antimicrobial Agents and Chemotherapy*, 58(2), pp.678–686.

286. Fitz, N.F. et al., 2014. Improvement of Memory Deficits and Amyloid- β Clearance in Aged APP23 Mice Treated with a Combination of Anti-Amyloid- β Antibody and LXR Agonist. *Journal of Alzheimer's Disease*, 41(2), pp.535–549.
287. Dominguez-Meijide, A. et al., 2014. Effect of chronic treatment with angiotensin type 1 receptor antagonists on striatal dopamine levels in normal rats and in a rat model of Parkinson's disease treated with L-DOPA. *Neuropharmacology*, 76, Part A, pp.156–168.
288. Wang, Y., Chen, X., et al., 2014. Additional noradrenergic depletion aggravates forelimb akinesia and abnormal subthalamic nucleus activity in a rat model of Parkinson's disease. *Life Sciences*, 119(1–2), pp.18–27.
289. Ye, Y. et al., 2014. Adenosine triphosphate drives head and neck cancer pain through P2X2/3 heterotrimers. *Acta Neuropathologica Communications*, 2, p.62.
290. Su, C.-K., Hsia, S.-C. & Sun, Y.-C., 2014a. A high-throughput microdialysis–parallel solid phase extraction–inductively coupled plasma mass spectrometry hyphenated system for continuous monitoring of extracellular metal ions in living rat brain. *Journal of Chromatography A*, 1326, pp.73–79.
291. Shaw, R., Williams, A.P. & Jones, D.L., 2014. Assessing Soil Nitrogen Availability using Microdialysis-Derived Diffusive Flux Measurements. *Soil Science Society of America Journal*, 78(5), pp.1797–1803.
292. Hassel, B. et al., 2014. Brain infection with *Staphylococcus aureus* leads to high extracellular levels of glutamate, aspartate, γ -aminobutyric acid, and zinc. *Journal of Neuroscience Research*, 92(12), pp.1792–1800.
293. Kim, T., Moore, J.F., et al., 2014. Carnitine Palmitoyltransferase 1b Deficient Mice Develop Severe Insulin Resistance After Prolonged High Fat Diet Feeding. *Journal of diabetes & metabolism*, 5. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4286342/>.
294. Beggiano, S. et al., 2014. CHF5074 and LY450139 sub-acute treatments differently affect cortical extracellular glutamate levels in pre-plaque Tg2576 mice. *Neuroscience*, 266, pp.13–22.
295. Carcoba, L.M. et al., 2014. Cholinergic Transmission during Nicotine Withdrawal Is Influenced by Age and Pre-Exposure to Nicotine: Implications for Teenage Smoking. *Developmental Neuroscience*, 36(3–4), pp.347–355.
296. Lu, C.-M. et al., 2014. Development of a microdialysis system to monitor lamivudine in blood and liver for the pharmacokinetic application in herbal drug interaction and the gene expression in rats. *Journal of Pharmaceutical and Biomedical Analysis*, 96, pp.231–240.
297. Fuqua, J.L. et al., 2014. Dynamic changes in dopamine neuron function after DNSP-11 treatment: Effects in vivo and increased ERK 1/2 phosphorylation in vitro. *Peptides*, 54, pp.1–8.
298. Rapanelli, M. et al., 2014. Dysregulated intracellular signaling in the striatum in a pathophysiologically grounded model of Tourette syndrome. *European Neuropsychopharmacology*, 24(12), pp.1896–1906.
299. Matsudaira, S. et al., 2014. Early Onset of Ventilatory and Airway Response to Hypercapnia is Mediated by Medullary 5-HT_{1A} Receptors in Infant Rats. *The Showa University Journal of Medical Sciences*, 26(3), pp.211–217.
300. de Castro, W.V. et al., 2014. Effect of experimentally induced hypovolemia on ertapenem tissue distribution using microdialysis in rats. *European Journal of Pharmaceutical Sciences*, 51, pp.45–50.
301. Chen, X. et al., 2014. Effect of transporter inhibition on the distribution of cefadroxil in rat brain. *Fluids and Barriers of the CNS*, 11, p.25.
302. Sierra-Paredes, G. et al., 2014. Effects of eslicarbazepine acetate on acute and chronic latrunculin A-induced seizures and extracellular amino acid levels in the mouse hippocampus. *BMC Neuroscience*, 15, p.134.
303. McNamara, T.C. et al., 2014. Endothelial nitric oxide synthase mediates the nitric oxide component of reflex

- cutaneous vasodilatation during dynamic exercise in humans. *The Journal of Physiology*, 592(23), pp.5317–5326.
304. Taylor, B.K. et al., 2014. Inflammation enhances Y1 receptor signaling, neuropeptide Y-mediated inhibition of hyperalgesia, and substance P release from primary afferent neurons. *Neuroscience*, 256, pp.178–194.
305. Wölfer, J. et al., 2014. Interstitial amino acid concentrations in rodent brain tissue during chemical ischemia. *Journal of Neuroscience Research*, 92(8), pp.955–963.
306. Zoremba, N. et al., 2014. Interstitial lactate, lactate/pyruvate and glucose in rat muscle before, during and in the recovery from global hypoxia. *Acta Veterinaria Scandinavica*, 56, p.72.
307. Tan, Q., 2014. In Vivo Bioreactor: New Type of Implantable Medical Devices. In W. Burleson & S. Carrara, eds. *Security and Privacy for Implantable Medical Devices*. Springer New York, pp. 129–152. Available at: http://link.springer.com/chapter/10.1007/978-1-4614-1674-6_5 .
308. Wang, Y., Wang, H.S., et al., 2014. L-DOPA-induced dyskinesia in a rat model of Parkinson’s disease is associated with the fluctuational release of norepinephrine in the sensorimotor striatum. *Journal of Neuroscience Research*, 92(12), pp.1733–1745.
309. Dugan, C.E. & Kennedy, R.T., 2014. MEASUREMENT OF LIPOLYSIS PRODUCTS SECRETED BY 3T3-L1 ADIPOCYTES USING MICROFLUIDICS. *Methods in enzymology*, 538, pp.195–209.
310. Rozov, S.V. et al., 2014. Periodic properties of the histaminergic system of the mouse brain. *European Journal of Neuroscience*, 39(2), pp.218–228.
311. Li, R. et al., 2014. Presence of intratumoral platelets is associated with tumor vessel structure and metastasis. *BMC Cancer*, 14, p.167.
312. Bonhomme, D. et al., 2014. Retinoic acid modulates intrahippocampal levels of corticosterone in middle-aged mice: consequences on hippocampal plasticity and contextual memory. *Frontiers in Aging Neuroscience*, 6. Available at: <http://journal.frontiersin.org/article/10.3389/fnagi.2014.00006/full>.
313. Miranda, M.F. et al., 2014. Role of adenosine in the antiepileptic effects of deep brain stimulation. *Frontiers in Cellular Neuroscience*, 8. Available at: <http://journal.frontiersin.org/article/10.3389/fncel.2014.00312/full> [Accessed May 28, 2017].
314. Dominguez, G. et al., 2014. Stress induced a shift from dorsal hippocampus to prefrontal cortex dependent memory retrieval: role of regional corticosterone. *Frontiers in Behavioral Neuroscience*, 8. Available at: <http://journal.frontiersin.org/article/10.3389/fnbeh.2014.00166/full>.
315. Dohare, P. et al., 2014. The neuroprotective properties of the superoxide dismutase mimetic tempol correlate with its ability to reduce pathological glutamate release in a rodent model of stroke. *Free Radical Biology and Medicine*, 77, pp.168–182.
316. Su, C.-K., Hsia, S.-C. & Sun, Y.-C., 2014b. Three-dimensional printed sample load/inject valves enabling online monitoring of extracellular calcium and zinc ions in living rat brains. *Analytica Chimica Acta*, 838, pp.58–63.
317. de Andrade, C. et al., 2014. Validation of LC-MS/MS method applied to evaluation of free tissue concentrations of vildagliptin in diabetic rats by microdialysis. *Biomedical Chromatography*, 28(12), pp.1722–1727.
318. Tian, Y.-F. et al., 2013. Melatonin Improves Outcomes of Heatstroke in Mice by Reducing Brain Inflammation and Oxidative Damage and Multiple Organ Dysfunction. *Mediators of Inflammation*, 2013, p.e349280.
319. Faiman, M.D. et al., 2013. S-(N, N-diethylcarbamoyl)glutathione (carbamathione), a disulfiram metabolite and its effect on nucleus accumbens and prefrontal cortex dopamine, GABA, and glutamate: A microdialysis study. *Neuropharmacology*, 75, pp.95–105.

320. Li, S.-S. et al., 2013. Evaluation of Paeonol Skin-Target Delivery from Its Microsponge Formulation: In Vitro Skin Permeation and In Vivo Microdialysis. *PLOS ONE*, 8(11), p.e79881.
321. Voleti, B. et al., 2013a. Scopolamine Rapidly Increases Mammalian Target of Rapamycin Complex 1 Signaling, Synaptogenesis, and Antidepressant Behavioral Responses. *Biological Psychiatry*, 74(10), pp.742–749.
322. Voleti, B. et al., 2013b. Scopolamine rapidly increases mTORC1 signaling, synaptogenesis, and antidepressant behavioral responses. *Biological psychiatry*, 74(10). Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3773272/>.
323. Hansen, M.B., Olsen, N.V. & Hyldegaard, O., 2013. Combined administration of hyperbaric oxygen and hydroxocobalamin improves cerebral metabolism after acute cyanide poisoning in rats. *Journal of Applied Physiology*, 115(9), pp.1254–1261.
324. Chan, G.N.Y. et al., 2013. In vivo induction of P-glycoprotein expression at the mouse blood–brain barrier: an intracerebral microdialysis study. *Journal of Neurochemistry*, 127(3), pp.342–352.
325. Nieto, A. et al., 2013. Ocular silicon distribution and clearance following intravitreal injection of porous silicon microparticles. *Experimental Eye Research*, 116, pp.161–168.
326. Lejeune, S. et al., 2013. The dopamine D1 receptor agonist SKF 38393 improves temporal order memory performance in maternally deprived rats. *Neurobiology of Learning and Memory*, 106, pp.268–273.
327. Liu, H.-G. et al., 2013. A Rat Model of Hemidystonia Induced by 3-Nitropropionic Acid. *PLOS ONE*, 8(10), p.e79199.
328. Walker, M.D. et al., 2013. Measuring dopaminergic function in the 6-OHDA-lesioned rat: a comparison of PET and microdialysis. *EJNMMI Research*, 3(1), p.69.
329. Beggiato, S. et al., 2013. GET73 increases rat extracellular hippocampal CA1 GABA levels through a possible involvement of local mGlu5 receptor. *Synapse*, 67(10), pp.678–691.
330. Rosén, A. et al., 2013. Antinociceptive effects of sensory stimulation involve dynorphin B supraspinally in rats. *Acupuncture and Related Therapies*, 1(4), pp.35–41.
331. Alfaro-Rodriguez, A. et al., 2013. Histamine H3 receptor activation prevents dopamine D1 receptor-mediated inhibition of dopamine release in the rat striatum: A microdialysis study. *Neuroscience Letters*, 552, pp.5–9.
332. Faro, L.R.F. et al., 2013. Role of glutamate receptors and nitric oxide on the effects of glufosinate ammonium, an organophosphate pesticide, on in vivo dopamine release in rat striatum. *Toxicology*, 311(3), pp.154–161.
333. Kim, J.-E., Ryu, H.J. & Kang, T.-C., 2013. Status Epilepticus Induces Vasogenic Edema via Tumor Necrosis Factor- α / Endothelin-1-Mediated Two Different Pathways. *PLOS ONE*, 8(9), p.e74458.
334. Fernández-Pastor, B., Ortega, J.E. & Meana, J.J., 2013. Involvement of serotonin 5-HT₃ receptors in the modulation of noradrenergic transmission by serotonin reuptake inhibitors: a microdialysis study in rat brain. *Psychopharmacology*, 229(2), pp.331–344.
335. Sadiq, M.W. et al., 2013. Oxymorphone active uptake at the blood–brain barrier and population modeling of its pharmacokinetic–pharmacodynamic relationship. *Journal of Pharmaceutical Sciences*, 102(9), pp.3320–3331.
336. Tanda, G. et al., 2013. Relations between stimulation of mesolimbic dopamine and place conditioning in rats produced by cocaine or drugs that are tolerant to dopamine transporter conformational change. *Psychopharmacology*, 229(2), pp.307–321.
337. Leal, A.K., Mitchell, J.H. & Smith, S.A., 2013. Treatment of muscle mechanoreflex dysfunction in hypertension: effects of L-arginine dialysis in the nucleus tractus solitarii. *Experimental Physiology*, 98(9),

- pp.1337–1348.
338. Thrivikraman, K.V. et al., 2013. In vivo dialysis setup with a loop injection valve facilitates retrodialysis studies. *Journal of Pharmacological and Toxicological Methods*, 68(2), pp.217–224.
 339. Song, J. et al., 2013a. Preparation and evaluation of sinomenine hydrochloride in situ gel for uveitis treatment. *International Immunopharmacology*, 17(1), pp.99–107.
 340. Hansen, H.H. et al., 2013. Tesofensine induces appetite suppression and weight loss with reversal of low forebrain dopamine levels in the diet-induced obese rat. *Pharmacology Biochemistry and Behavior*, 110, pp.265–271.
 341. Courderot-Masuyer, C. et al., 2013. Evaluation of the Effects of Corticosteroids on Histamine Release by *ex Vivo* Cutaneous Microdialysis. *Journal of Cosmetics, Dermatological Sciences and Applications*, 03(03), p.228.
 342. Sotomayor-Zárate, R. et al., 2013. Long-term loss of dopamine release mediated by CRF-1 receptors in the rat lateral septum after repeated cocaine administration. *Behavioural Brain Research*, 250, pp.206–210.
 343. Hwabejire, J.O. et al., 2013. Pharmacologic modulation of cerebral metabolic derangement and excitotoxicity in a porcine model of traumatic brain injury and hemorrhagic shock. *Surgery*, 154(2), pp.234–243.
 344. Doucet, E.L. et al., 2013. Sustained Impairment of α 2A-Adrenergic Autoreceptor Signaling Mediates Neurochemical and Behavioral Sensitization to Amphetamine. *Biological Psychiatry*, 74(2), pp.90–98.
 345. Miguéns, M. et al., 2013. Genetic differences in the modulation of accumbal glutamate and γ -amino butyric acid levels after cocaine-induced reinstatement. *Addiction Biology*, 18(4), pp.623–632.
 346. Grossman, R. et al., 2013. Microdialysis measurement of intratumoral temozolomide concentration after cediranib, a pan-VEGF receptor tyrosine kinase inhibitor, in a U87 glioma model. *Cancer Chemotherapy and Pharmacology*, 72(1), pp.93–100.
 347. Axelsson, B. et al., 2013. Milrinone and levosimendan during porcine myocardial ischemia – no effects on calcium overload and metabolism. *Acta Anaesthesiologica Scandinavica*, 57(6), pp.719–728.
 348. Nirogi, R. et al., 2013. LC–MS/MS method for the quantification of almotriptan in dialysates: Application to rat brain and blood microdialysis study. *Journal of Pharmaceutical and Biomedical Analysis*, 81–82, pp.160–167.
 349. Auclair, A.L. et al., 2013. Levomilnacipran (F2695), a norepinephrine-preferring SNRI: Profile in vitro and in models of depression and anxiety. *Neuropharmacology*, 70, pp.338–347.
 350. Khalki, H. et al., 2013. A tobacco extract containing alkaloids induces distinct effects compared to pure nicotine on dopamine release in the rat. *Neuroscience Letters*, 544, pp.85–88.
 351. Ho, C.-C. et al., 2013. Quantum dots induced monocyte chemotactic protein-1 expression via MyD88-dependent Toll-like receptor signaling pathways in macrophages. *Toxicology*, 308, pp.1–9.
 352. Ortega, J.E. et al., 2013. Additive effect of rimonabant and citalopram on extracellular serotonin levels monitored with in vivo microdialysis in rat brain. *European Journal of Pharmacology*, 709(1–3), pp.13–19.
 353. Uguen, M. et al., 2013. Preclinical evaluation of the abuse potential of Pitolisant, a histamine H3 receptor inverse agonist/antagonist compared with Modafinil. *British Journal of Pharmacology*, 169(3), pp.632–644.
 354. Vasicek, T.W. et al., 2013. In Vivo Microdialysis Sampling of Cytokines from Rat Hippocampus: Comparison of Cannula Implantation Procedures. *ACS Chemical Neuroscience*, 4(5), pp.737–746.
 355. Liu, Z. et al., 2013. Plasma pharmacochimistry combined with microdialysis to screen potential bioactive components and their metabolites in Anemarrhena asphodeloides saponin extract using ultrahigh-performance liquid chromatography/quadrupole-time-of-flight mass spectrometry. *Journal of Separation Science*, 36(9–10), pp.1659–1666.

356. Chang, C.-H. et al., 2013. Tetramethylpyrazine decreases hypothalamic glutamate, hydroxyl radicals and prostaglandin-E2 and has antipyretic effects. *Inflammation Research*, 62(5), pp.527–535.
357. de Oliveira, A.R. et al., 2013. Conditioned fear response is modulated by a combined action of the hypothalamic–pituitary–adrenal axis and dopamine activity in the basolateral amygdala. *European Neuropsychopharmacology*, 23(5), pp.379–389.
358. Leifler, K.S. et al., 2013. Inflammation Induced by MMP-9 Enhances Tumor Regression of Experimental Breast Cancer. *The Journal of Immunology*, 190(8), pp.4420–4430.
359. Wong, B.J., 2013. Sensory nerves and nitric oxide contribute to reflex cutaneous vasodilation in humans. *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 304(8), pp.R651–R656.
360. González-Usano, A. et al., 2013. Hyperammonemia alters the modulation by different neurosteroids of the glutamate–nitric oxide–cyclic GMP pathway through NMDA- GABAA- or sigma receptors in cerebellum in vivo. *Journal of Neurochemistry*, 125(1), pp.133–143.
361. Wei, B. et al., 2013. UFLC–MS/MS method for simultaneous determination of six lignans of Schisandra chinensis (Turcz.) Baill. in normal and insomniac rats brain microdialysates and homogenate samples: towards an in-depth study for its sedative-hypnotic activity. *Journal of Mass Spectrometry*, 48(4), pp.448–458.
362. Harsing Jr., L.G. & Matyus, P., 2013. Mechanisms of glycine release, which build up synaptic and extrasynaptic glycine levels: The role of synaptic and non-synaptic glycine transporters. *Brain Research Bulletin*, 93, pp.110–119.
363. Mumford, H. et al., 2013. Human plasma-derived BuChE as a stoichiometric bioscavenger for treatment of nerve agent poisoning. *Chemico-Biological Interactions*, 203(1), pp.160–166.
364. Yu, Y. et al., 2013. Size-tunable Pt nanoparticles assembled on functionalized ordered mesoporous carbon for the simultaneous and on-line detection of glucose and L-lactate in brain microdialysate. *Biosensors and Bioelectronics*, 41, pp.511–518.
365. Lin, L. et al., 2013. Increased melatonin may play dual roles in the striata of a 6-hydroxydopamine model of Parkinson’s disease. *Life Sciences*, 92(4–5), pp.311–316.
366. Song, J. et al., 2013b. Natural borneol enhances geniposide ophthalmic absorption in rabbits. *International Journal of Pharmaceutics*, 445(1–2), pp.163–170.
367. Nandi, P. et al., 2013. Development and optimization of an integrated PDMS based-microdialysis microchip electrophoresis device with on-chip derivatization for continuous monitoring of primary amines. *ELECTROPHORESIS*, 34(6), pp.895–902.
368. Chen, H. et al., 2013. Different Intravitreal Properties of Three Triamcinolone Formulations and Their Possible Impact on Retina Practice. *Investigative Ophthalmology & Visual Science*, 54(3), pp.2178–2185.
369. Manta, S. et al., 2013. Electrophysiological and neurochemical effects of long-term vagus nerve stimulation on the rat monoaminergic systems. *International Journal of Neuropsychopharmacology*, 16(2), pp.459–470.
370. Campos, A.C. et al., 2013. Involvement of serotonin-mediated neurotransmission in the dorsal periaqueductal gray matter on cannabidiol chronic effects in panic-like responses in rats. *Psychopharmacology*, 226(1), pp.13–24.
371. Polissidis, A. et al., 2013. The cannabinoid CB1 receptor biphasically modulates motor activity and regulates dopamine and glutamate release region dependently. *International Journal of Neuropsychopharmacology*, 16(2), pp.393–403.
372. Uchida, S. et al., 2013. The missing link between long-term stimulation of nicotinic receptors and the

- increases of acetylcholine release and vasodilation in the cerebral cortex of aged rats. *The Journal of Physiological Sciences*, 63(2), pp.95–101.
373. Araújo, B.V. de et al., 2013. Validation of an efficient LC-microdialysis method for gemifloxacin quantitation in lung, kidney and liver of rats. *Journal of Chromatography B*, 919–920, pp.62–66.
374. Vaya, J., 2013. Exogenous markers for the characterization of human diseases associated with oxidative stress. *Biochimie*, 95(3), pp.578–584.
375. Lin, W. et al., 2013. Seizure-induced 5-HT release and chronic impairment of serotonergic function in rats. *Neuroscience Letters*, 534, pp.1–6.
376. Grace, K.P., Hughes, S.W. & Horner, R.L., 2013. Identification of the Mechanism Mediating Genioglossus Muscle Suppression in REM Sleep. *American Journal of Respiratory and Critical Care Medicine*, 187(3), pp.311–319.
377. Förster, Y. et al., 2013. Monitoring of the first stages of bone healing with microdialysis. *Acta Orthopaedica*, 84(1), pp.76–81.
378. Chooluck, K. et al., 2013. Plasma and dermal pharmacokinetics of terpinen-4-ol in rats following intravenous administration. *Die Pharmazie - An International Journal of Pharmaceutical Sciences*, 68(2), pp.135–140.
379. Littrell, O.M. et al., 2013. A synthetic five amino acid propeptide increases dopamine neuron differentiation and neurochemical function. *Neuropeptides*, 47(1), pp.43–49.
380. Mansouri, M.T. et al., 2013. Behavioral deficits induced by lead exposure are accompanied by serotonergic and cholinergic alterations in the prefrontal cortex. *Neurochemistry International*, 62(3), pp.232–239.
381. Rushaidhi, M. et al., 2013. Participation of hippocampal agmatine in spatial learning: An in vivo microdialysis study. *Neuropharmacology*, 65, pp.200–205.
382. Aluf, Y. et al., 2013. Selective inhibition of monoamine oxidase A or B reduces striatal oxidative stress in rats with partial depletion of the nigro-striatal dopaminergic pathway. *Neuropharmacology*, 65, pp.48–57.
383. Lin, L. et al., 2013. In vivo study on the monoamine neurotransmitters and their metabolites change in the striatum of Parkinsonian rats by liquid chromatography with an acetylene black nanoparticles modified electrode. *Journal of Pharmaceutical and Biomedical Analysis*, 72, pp.74–79.
384. Casanova, J.P., Velis, G.P. & Fuentealba, J.A., 2013. Amphetamine locomotor sensitization is accompanied with an enhanced high K⁺-stimulated Dopamine release in the rat medial prefrontal cortex. *Behavioural Brain Research*, 237, pp.313–317.
385. Vazquez-DeRose, J. et al., 2013. Retrodialysis of N/OFQ into the nucleus accumbens shell blocks cocaine-induced increases in extracellular dopamine and locomotor activity. *European Journal of Pharmacology*, 699(1–3), pp.200–206.
386. McNay, E.C., Sandusky, L.A. & Pearson-Leary, J., 2013. Hippocampal Insulin Microinjection and In vivo Microdialysis During Spatial Memory Testing. *JOVE (Journal of Visualized Experiments)*, (71), pp.e4451–e4451.
387. Fonouni, H. et al., 2013. Evaluating the effects of extended cold ischemia on interstitial metabolite in grafts in kidney transplantation using microdialysis. *Langenbeck's Archives of Surgery*, 398(1), pp.87–97.
388. Qu, X. et al., 2013. Hippocampal Glutamate Level and Glutamate Aspartate Transporter (GLAST) are Up-Regulated in Senior Rat Associated with Isoflurane-Induced Spatial Learning/Memory Impairment. *Neurochemical Research*, 38(1), pp.59–73.
389. Portelli, J. & Smolders, I., 2013. Intracerebral Microdialysis in the Study of Limbic Seizure Mechanisms and Antiepileptic Drug Action Using Freely Moving Rats. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 321–337. Available at: http://dx.doi.org/10.1007/978-1-62703-173-8_16.

390. Colivicchi, M. et al., 2013. Monitoring Extracellular Amino Acid Neurotransmitters and hROS by In Vivo Microdialysis in Rats: A Practical Approach. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 225–247. Available at: http://dx.doi.org/10.1007/978-1-62703-173-8_11.
391. Culot, M. et al., 2013. A Simple Method for Assessing Free Brain/Free Plasma Ratios Using an In Vitro Model of the Blood Brain Barrier. *PLOS ONE*, 8(12), p.e80634.
392. Moraska, A.F. et al., 2013. Changes in Blood Flow and Cellular Metabolism at a Myofascial Trigger Point With Trigger Point Release (Ischemic Compression): A Proof-of-Principle Pilot Study. *Archives of Physical Medicine and Rehabilitation*, 94(1), pp.196–200.
393. Lelkes, Z., Porkka-Heiskanen, T. & Stenberg, D., 2013. Cholinergic basal forebrain structures are involved in the mediation of the arousal effect of noradrenaline. *Journal of Sleep Research*, 22(6), pp.721–726.
394. Kono, K. et al., 2013. Effect of Carrageenan-Induced Acute Peripheral Inflammation on the Electrolyte Disposition to Cerebrospinal Fluid in Rats. *Biological and Pharmaceutical Bulletin*, 36(11), pp.1829–1834.
395. May, M. et al., 2013. Enhanced Human Tissue Microdialysis Using Hydroxypropyl- β -Cyclodextrin as Molecular Carrier. *PLOS ONE*, 8(4), p.e60628.
396. Zhao, L. et al., 2013. Glycogen synthase kinase-3 reduces acetylcholine level in striatum via disturbing cellular distribution of choline acetyltransferase in cholinergic interneurons in rats. *Neuroscience*, 255, pp.203–211.
397. Llansola, M. et al., 2013. Impaired release of corticosterone from adrenals contributes to impairment of circadian rhythms of activity in hyperammonemic rats. *Archives of Biochemistry and Biophysics*, 536(2), pp.164–170.
398. Yamamoto, T., 2013. Implications of enhanced kynurenic acid and extracellular tryptophan during fatigue. *Proceedings of The Physiological Society*, Proc 37th IUPS. Available at: <http://www.physoc.org/proceedings/abstract/Proc%2037th%20IUPS/PCA269>.
399. Zielke, H.R., Zielke, C. & Baab, P., 2013. In Vivo Microdialysis for Measurement of Oxidative Metabolism in the Living Brain. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 89–102. Available at: http://dx.doi.org/10.1007/978-1-62703-173-8_5.
400. Di Giovanni, G. et al., 2013. In Vivo Microdialysis to Study Striatal Dopaminergic Neurodegeneration. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 23–42. Available at: http://dx.doi.org/10.1007/978-1-62703-173-8_2.
401. Schmerberg, C.M. & Li, L., 2013. Mass Spectrometric Detection of Neuropeptides Using Affinity-Enhanced Microdialysis with Antibody-Coated Magnetic Nanoparticles. *Analytical Chemistry*, 85(2), pp.915–922.
402. Colding, P.D. et al., 2013. Metabolic effects of three different inotropic strategies in the newborn piglet myocardium. *Acta Anaesthesiologica Scandinavica*, 57(4), pp.443–451.
403. Greco, S. et al., 2013. Microdialysate analysis of monoamine neurotransmitters—A versatile and sensitive LC–MS/MS method. *Analytica Chimica Acta*, 771, pp.65–72.
404. Chen, C. et al., 2013. Microdialysis and Advances for Sampling Synaptic and Extrasynaptic Pools. In G. Di Giovanni et al., eds. *Microdialysis Techniques in Neuroscience*. Neuromethods. Humana Press, pp. 63–88. Available at: http://dx.doi.org/10.1007/978-1-62703-173-8_4.
405. Patel, M.R., Mandava, N.K. & Mitra, A.K., 2013. Microdialysis in Ocular Drug Development. In M. Müller, ed. *Microdialysis in Drug Development*. AAPS Advances in the Pharmaceutical Sciences Series. Springer New York, pp. 197–222. Available at: http://link.springer.com/chapter/10.1007/978-1-4614-4815-0_11.
406. Schuster, F. et al., 2013. Minimally invasive monitoring of skeletal muscle hypermetabolism induced by the phosphodiesterase-III-inhibitor milrinone and sodium fluoride. *Journal of Pharmacy and Pharmacology*, 65(4), pp.547–551.

407. Li, Z. et al., 2013. Pomalidomide Shows Significant Therapeutic Activity against CNS Lymphoma with a Major Impact on the Tumor Microenvironment in Murine Models. *PLOS ONE*, 8(8), p.e71754.
408. Larentzakis, A. et al., 2013. Porcine model of hemorrhagic shock with microdialysis monitoring. *Journal of Surgical Research*, 179(1), pp.e177–e182.
409. Yokobori, S. et al., 2013. Preoperative-Induced Mild Hypothermia Attenuates Neuronal Damage in a Rat Subdural Hematoma Model. In *Brain Edema XV*. Springer, Vienna, pp. 77–81. Available at: https://link.springer.com/chapter/10.1007/978-3-7091-1434-6_13.
410. Kostin, A. et al., 2013. Sleep-wake and diurnal modulation of nitric oxide in the perifornical-lateral hypothalamic area: Real-time detection in freely behaving rats. *Neuroscience*, 254, pp.275–284.
411. Sotomayor-Zárate, R. et al., 2012. 4-Methylthioamphetamine Increases Dopamine in the Rat Striatum and has Rewarding Effects In Vivo. *Basic & Clinical Pharmacology & Toxicology*, 111(6), pp.371–379.
412. Wang, B., You, Z.-B. & Wise, R.A., 2012. Heroin Self-Administration Experience Establishes Control of Ventral Tegmental Glutamate Release by Stress and Environmental Stimuli. *Neuropsychopharmacology*, 37(13), pp.2863–2869.
413. Li, Z., Caulfield, T., et al., 2012. Pharmacokinetics of bendamustine in the central nervous system: chemoinformatic screening followed by validation in a murine model. *MedChemComm*, 3(12), pp.1526–1530.
414. Yokobori, S. et al., 2012. Neuroprotective effect of preoperatively induced mild hypothermia as determined by biomarkers and histopathological estimation in a rat subdural hematoma decompression model. *Journal of Neurosurgery*, 118(2), pp.370–380.
415. Natividad, L.A. et al., 2012. Adolescent rats are resistant to adaptations in excitatory and inhibitory mechanisms that modulate mesolimbic dopamine during nicotine withdrawal. *Journal of Neurochemistry*, 123(4), pp.578–588.
416. Dencker, D. et al., 2012. An allosteric enhancer of M4 muscarinic acetylcholine receptor function inhibits behavioral and neurochemical effects of cocaine. *Psychopharmacology*, 224(2), pp.277–287.
417. Fossa, A.A. et al., 2012. Improved preclinical cardiovascular therapeutic indices with long-term inhibition of norepinephrine reuptake using reboxetine. *Toxicology and Applied Pharmacology*, 264(3), pp.343–350.
418. Cudjoe, E. et al., 2012. In vivo solid-phase microextraction for tissue bioanalysis. *Bioanalysis*, 4(21), pp.2605–2619.
419. Holly, E.N. et al., 2012. Sex differences in behavioral and neural cross-sensitization and escalated cocaine taking as a result of episodic social defeat stress in rats. *Psychopharmacology*, 224(1), pp.179–188.
420. Tre, E.S. et al., 2012. Optimization of perfusate pH to improve microdialysis recovery of lipophilic compounds. *Journal of Pharmacological and Toxicological Methods*, 66(3), pp.276–280.
421. Liu, H. et al., 2012. Stimulation of the anterior nucleus of the thalamus induces changes in amino acids in the hippocampi of epileptic rats. *Brain Research*, 1477, pp.37–44.
422. Tourino, C. et al., 2012. The orphan receptor GPR3 modulates the early phases of cocaine reinforcement. *British Journal of Pharmacology*, 167(4), pp.892–904.
423. Prathipati, P. et al., 2012. Adaptation of Renal Microdialysis for Chronic Interstitial Collection of Angiotensin II and ATP. *International Journal of Biology*, 4(4), p.127.
424. Ossanai, L.T. et al., 2012. Effects of a toxin isolated from Tityus bahiensis scorpion venom on the hippocampus of rats. *Life Sciences*, 91(7–8), pp.230–236.
425. Zheng, Q. et al., 2012. Quantitative analysis of olanzapine in rat brain microdialysates by HPLC–MS/MS coupled with column-switching technique. *Journal of Chromatography B*, 905, pp.127–132.

426. Desai, P.R. et al., 2012. Dermal Microdialysis Technique to Evaluate the Trafficking of Surface-Modified Lipid Nanoparticles upon Topical Application. *Pharmaceutical Research*, 29(9), pp.2587–2600.
427. Chu, Y. et al., 2012. Pharmacokinetic study of unbound forsythiaside in rat blood and bile by microdialysis coupled with HPLC method. *European Journal of Drug Metabolism and Pharmacokinetics*, 37(3), pp.173–177.
428. Westerhout, J. et al., 2012. Physiologically Based Pharmacokinetic Modeling to Investigate Regional Brain Distribution Kinetics in Rats. *The AAPS Journal*, 14(3), pp.543–553.
429. Raittinen, L.P. et al., 2012. Sympathetic innervation does not contribute to glycerol release in ischemic flaps. *Scandinavian Journal of Clinical and Laboratory Investigation*, 72(5), pp.420–426.
430. Högberg, N., Carlsson, P.-O., Hillered, L., Stenbäck, A., et al., 2012. Intraluminal intestinal microdialysis detects markers of hypoxia and cell damage in experimental necrotizing enterocolitis. *Journal of Pediatric Surgery*, 47(9), pp.1646–1651.
431. Błanić, A. et al., 2012. The Frontal Lobe and Thalamus Have Different Sensitivities to Hypoxia-Hypotension after Traumatic Brain Injury: A Microdialysis Study in Rats. *Journal of Neurotrauma*, 29(18), pp.2782–2790.
432. Wang, Y. et al., 2012. Green tea epigallocatechin-3-gallate (EGCG) promotes neural progenitor cell proliferation and sonic hedgehog pathway activation during adult hippocampal neurogenesis. *Molecular Nutrition & Food Research*, 56(8), pp.1292–1303.
433. Sørensen, G. et al., 2012. Neuropeptide Y Y5 receptor antagonism attenuates cocaine-induced effects in mice. *Psychopharmacology*, 222(4), pp.565–577.
434. Dietrich, M.O. et al., 2012. AgRP neurons regulate development of dopamine neuronal plasticity and nonfood-associated behaviors. *Nature Neuroscience*, 15(8), pp.1108–1110.
435. Srirangam, R., Hippalgaonkar, K., Avula, B., et al., 2012. Evaluation of the Intravenous and Topical Routes for Ocular Delivery of Hesperidin and Hesperetin. *Journal of Ocular Pharmacology and Therapeutics*, 28(6), pp.618–627.
436. Morales-Villagrán, A. et al., 2012. A Capillary Fraction Collector Coupled to a Fluorescence Reader: A Novel Device to Continuously Quantify Glutamate During Microdialysis. *Neurochemical Research*, 37(7), pp.1457–1464.
437. Allende-Castro, C. et al., 2012. Further Studies on the Hypothesis of PARP-1 Inhibition as a Strategy for Lessening the Long-Term Effects Produced by Perinatal Asphyxia: Effects of Nicotinamide and Theophylline on PARP-1 Activity in Brain and Peripheral Tissue. *Neurotoxicity Research*, 22(1), pp.79–90.
438. Portelli, J. et al., 2012. Inactivation of the Constitutively Active Ghrelin Receptor Attenuates Limbic Seizure Activity in Rodents. *Neurotherapeutics*, 9(3), pp.658–672.
439. Fieger, S.M. & Wong, B.J., 2012. No direct role for A1/A2 adenosine receptor activation to reflex cutaneous vasodilatation during whole-body heat stress in humans. *Acta Physiologica*, 205(3), pp.403–410.
440. Inselsbacher, E. & Näsholm, T., 2012a. The below-ground perspective of forest plants: soil provides mainly organic nitrogen for plants and mycorrhizal fungi. *New Phytologist*, 195(2), pp.329–334.
441. Grossman, R. et al., 2012. The impact of bevacizumab on temozolomide concentrations in intracranial U87 gliomas. *Cancer Chemotherapy and Pharmacology*, 70(1), pp.129–139.
442. Cabrera-Pastor, A. et al., 2012. Differential effects of chronic hyperammonemia on modulation of the glutamate–nitric oxide–cGMP pathway by metabotropic glutamate receptor 5 and low and high affinity AMPA receptors in cerebellum in vivo. *Neurochemistry International*, 61(1), pp.63–71.
443. Björnsson, B. et al., 2012. Remote or Conventional Ischemic Preconditioning –Local Liver Metabolism in Rats Studied with Microdialysis. *Journal of Surgical Research*, 176(1), pp.55–62.
444. López-Pérez, S.J. et al., 2012. Short- and long-term changes in extracellular glutamate and acetylcholine

- concentrations in the rat hippocampus following hypoxia. *Neurochemistry International*, 61(2), pp.258–265.
445. Carnevale, G. et al., 2012. Influence of Parmigiano Reggiano diet on Male Sexual Behavior in Rats: Behavioral and Neurochemical Study. *Journal of Pharmacy and Nutrition Sciences*, 2(1). Available at: <http://lifescienceglobal.com/pms/index.php/jpans/article/view/196>.
446. Wong, B.J. & Fieger, S.M., 2012. Transient receptor potential vanilloid type 1 channels contribute to reflex cutaneous vasodilation in humans. *Journal of Applied Physiology*, 112(12), pp.2037–2042.
447. Savelyev, S.A. et al., 2012. Sleep homeostasis and depression: Studies with the rat clomipramine model of depression. *Neuroscience*, 212, pp.149–158.
448. Purins, K. et al., 2012. Brain Tissue Oxygenation and Cerebral Perfusion Pressure Thresholds of Ischemia in a Standardized Pig Brain Death Model. *Neurocritical Care*, 16(3), pp.462–469.
449. Cassano, T. et al., 2012. Glutamatergic alterations and mitochondrial impairment in a murine model of Alzheimer disease. *Neurobiology of Aging*, 33(6), p.1121.e1-1121.e12.
450. Ortega, J.E. et al., 2012. Regulation of central noradrenergic activity by 5-HT₃ receptors located in the locus coeruleus of the rat. *Neuropharmacology*, 62(8), pp.2472–2479.
451. Sergey K., S. et al., 2012. Effects of Peripherally Acting Opioid Ligands on Central Opioid Receptors and β -Endorphin Release in Stressed Rats. *Journal of Behavioral and Brain Science*, 2012. Available at: <http://www.scirp.org/journal/PaperInformation.aspx?PaperID=19544>.
452. Guzmán-Ramos, K., Osorio-Gómez, D., et al., 2012. Post-acquisition release of glutamate and norepinephrine in the amygdala is involved in taste-aversion memory consolidation. *Learning & Memory*, 19(6), pp.231–238.
453. McNamara, T., 2012. *ENOS and nNOS contribution to reflex cutaneous vasodilation during dynamic exercise in humans*. Thesis. Kansas State University. Available at: <http://krex.k-state.edu/dspace/handle/2097/13788>.
454. Inselsbacher, E. & Näsholm, T., 2012b. A novel method to measure the effect of temperature on diffusion of plant-available nitrogen in soil. *Plant and Soil*, 354(1–2), pp.251–257.
455. Zhou, W. et al., 2012. Cardioprotection of electroacupuncture against myocardial ischemia-reperfusion injury by modulation of cardiac norepinephrine release. *American Journal of Physiology - Heart and Circulatory Physiology*, 302(9), pp.H1818–H1825.
456. Wells, L. et al., 2012. In vivo dopaminergic and behavioral responses to acute cocaine are altered in adenosine A_{2A} receptor knockout mice. *Synapse*, 66(5), pp.383–390.
457. Ristić, D. & Ellrich, J., 2012. P2X₇ receptor blockade reverses purinergic facilitation of neck muscle nociception in mice. *Cephalalgia*, 32(7), pp.544–553.
458. Yang, Z.-J. et al., 2012. Attenuation of neonatal ischemic brain damage using a 20-HETE synthesis inhibitor. *Journal of Neurochemistry*, 121(1), pp.168–179.
459. Fu, L.-W., Guo, Z.-L. & Longhurst, J.C., 2012. Ionotropic glutamate receptors in the external lateral parabrachial nucleus participate in processing cardiac sympathoexcitatory reflexes. *American Journal of Physiology - Heart and Circulatory Physiology*, 302(7), pp.H1444–H1453.
460. Yoshimoto, K. et al., 2012. Serotonin_{2C} receptors in the nucleus accumbens are involved in enhanced alcohol-drinking behavior. *European Journal of Neuroscience*, 35(8), pp.1368–1380.
461. Higuera-Matas, A. et al., 2012. Sex-specific disturbances of the glutamate/GABA balance in the hippocampus of adult rats subjected to adolescent cannabinoid exposure. *Neuropharmacology*, 62(5–6), pp.1975–1984.
462. Erdő, F. et al., 2012. Verification of brain penetration of the unbound fraction of a novel HER2/EGFR dual

- kinase inhibitor (TAK-285) by microdialysis in rats. *Brain Research Bulletin*, 87(4–5), pp.413–419.
463. Salazar, P. & Tapia, R., 2012. Allopregnanolone Potentiates the Glutamate-Mediated Seizures Induced by 4-Aminopyridine in Rat Hippocampus in vivo. *Neurochemical Research*, 37(3), pp.596–603.
464. Siddoju, S. et al., 2012. Evaluation of acyclovir cream and gel formulations for transdermal iontophoretic delivery. *Therapeutic Delivery*, 3(3), pp.327–338.
465. Harsing, L. et al., 2012. Interactions between glycine transporter type 1 (GlyT-1) and some inhibitor molecules — Glycine transporter type 1 and its inhibitors (Review). *Acta Physiologica Hungarica*, 99(1), pp.1–17.
466. Waldenström, A. et al., 2012. Ischaemic preconditioning reduces myocardial calcium overload in coronary-occluded pig hearts shown by continuous in vivo assessment using microdialysis. *Clinical Physiology and Functional Imaging*, 32(2), pp.133–138.
467. Li, J. et al., 2012. Measuring multiple neurochemicals and related metabolites in blood and brain of the rhesus monkey by using dual microdialysis sampling and capillary hydrophilic interaction chromatography–mass spectrometry. *Analytical and Bioanalytical Chemistry*, 402(8), pp.2545–2554.
468. Wenker, I.C. et al., 2012. Nitric oxide activates hypoglossal motoneurons by cGMP-dependent inhibition of TASK channels and cGMP-independent activation of HCN channels. *Journal of Neurophysiology*, 107(5), pp.1489–1499.
469. Mørk, A. et al., 2012. Pharmacological Effects of Lu AA21004: A Novel Multimodal Compound for the Treatment of Major Depressive Disorder. *Journal of Pharmacology and Experimental Therapeutics*, 340(3), pp.666–675.
470. Abrahamsson, P. et al., 2012. Surface microdialysis sampling: a new approach described in a liver ischaemia model. *Clinical Physiology and Functional Imaging*, 32(2), pp.99–105.
471. Panin, F. et al., 2012. Coupled intracerebral microdialysis and electrophysiology for the assessment of dopamine neuron function in vivo. *Journal of Pharmacological and Toxicological Methods*, 65(2), pp.83–92.
472. Amitai, N. et al., 2012. Repeated phencyclidine administration alters glutamate release and decreases GABA markers in the prefrontal cortex of rats. *Neuropharmacology*, 62(3), pp.1422–1431.
473. Mejía-Toiber, J. et al., 2012. In vivo GABA release and kinetics of transgene loss in a GABAergic cell line after long-term transplantation into the rat brain. *Neuroscience*, 203, pp.244–254.
474. Ferreira, J.G. et al., 2012. Regulation of fat intake in the absence of flavour signalling. *The Journal of Physiology*, 590(4), pp.953–972.
475. Vaka, S.R.K. et al., 2012. Delivery of Brain-Derived Neurotrophic Factor via Nose-to-Brain Pathway. *Pharmaceutical Research*, 29(2), pp.441–447.
476. Chaitoff, K.A. et al., 2012. Effects of inducible nitric oxide synthase blockade within the periaqueductal gray on cardiovascular responses during mechanical, heat, and cold nociception. *Neurological Sciences*, 33(1), pp.69–78.
477. Högberg, N., Carlsson, P.-O., Hillered, L., Meurling, S., et al., 2012. Intestinal ischemia measured by intraluminal microdialysis. *Scandinavian Journal of Clinical and Laboratory Investigation*, 72(1), pp.59–66.
478. Li, Z., Kamon, T., et al., 2012. Pharmacokinetics of Agelastatin A in the central nervous system. *MedChemComm*, 3(2), pp.233–237.
479. Fonouni, H. et al., 2012. Using microdialysis for early detection of vascular thrombosis after kidney transplantation in an experimental porcine model. *Nephrology Dialysis Transplantation*, 27(2), pp.541–547.
480. Zhang, L. et al., 2012. Withdrawal from Chronic Nicotine Exposure Alters Dopamine Signaling Dynamics in

- the Nucleus Accumbens. *Biological Psychiatry*, 71(3), pp.184–191.
481. Azeredo, F.J. et al., 2012. Comparison of Fluconazole Renal Penetration Levels in Healthy and Candida albicans-Infected Wistar Rats. *Antimicrobial Agents and Chemotherapy*, 56(11), pp.5852–5857.
482. Combest, A.J. et al., 2012. Genetically Engineered Cancer Models, But Not Xenografts, Faithfully Predict Anticancer Drug Exposure in Melanoma Tumors. *The Oncologist*, 17(10), pp.1303–1316.
483. Guzmán-Ramos, K., Moreno-Castilla, P., et al., 2012. Restoration of dopamine release deficits during object recognition memory acquisition attenuates cognitive impairment in a triple transgenic mice model of Alzheimer's disease. *Learning & Memory*, 19(10), pp.453–460.
484. Su, C.-K., Lin, Y.-L. & Sun, Y.-C., 2012. Simultaneous in vivo monitoring of multiple brain metals using an online microdialysis-in-loop solid phase extraction-inductively coupled plasma mass spectrometry system. *Journal of Analytical Atomic Spectrometry*, 27(1), pp.56–62.
485. Marshall, T.M. et al., 2012. Activation of descending pain-facilitatory pathways from the rostral ventromedial medulla by cholecystokinin elicits release of prostaglandin-E2 in the spinal cord. *PAIN*, 153(1), pp.86–94.
486. Melani, A. et al., 2012. Ecto-ATPase inhibition: ATP and adenosine release under physiological and ischemic in vivo conditions in the rat striatum. *Experimental Neurology*, 233(1), pp.193–204.
487. Jin, Z.-L. et al., 2012. The extracts of Fructus Akebiae, a preparation containing 90% of the active ingredient hederagenin: Serotonin, norepinephrine and dopamine reuptake inhibitor. *Pharmacology Biochemistry and Behavior*, 100(3), pp.431–439.
488. Nirogi, R. et al., 2012. Approach to reduce the non-specific binding in microdialysis. *Journal of Neuroscience Methods*, 209(2), pp.379–387.
489. Leal, A.K. et al., 2012. A role for nitric oxide within the nucleus tractus solitarii in the development of muscle mechanoreflex dysfunction in hypertension. *Experimental Physiology*, 97(12), pp.1292–1304.
490. Sehba, F. & Bederson, J., 2012. Assessment of Global Ischemia. In J. Chen et al., eds. *Animal Models of Acute Neurological Injuries II*. Springer Protocols Handbooks. Humana Press, pp. 373–385. Available at: http://dx.doi.org/10.1007/978-1-61779-576-3_25.
491. Vidal-Torres, A. et al., 2012. Evaluation of Formalin-Induced Pain Behavior and Glutamate Release in the Spinal Dorsal Horn Using In Vivo Microdialysis in Conscious Rats. *Journal of Pharmacological Sciences*, 120(2), pp.129–132.
492. Cass, W.A. et al., 2012. Evoked dopamine overflow is augmented in the striatum of calcitriol treated rats. *Neurochemistry International*, 60(2), pp.186–191.
493. Srirangam, R., Hippalgaonkar, K. & Majumdar, S., 2012. Intravitreal kinetics of hesperidin, hesperetin, and hesperidin G: Effect of dose and physicochemical properties. *Journal of Pharmaceutical Sciences*, 101(4), pp.1631–1638.
494. Böhlke, M. et al., 2012. Iron-Responsive Olfactory Uptake of Manganese Improves Motor Function Deficits Associated with Iron Deficiency. Available at: <https://dash.harvard.edu/handle/1/10058897>.
495. Blind, P.-J. et al., 2012. Microdialysis in Early Detection of Temporary Pancreatic Ischemia in a Porcine Model. *European Surgical Research*, 49(3–4), pp.113–120.
496. Oria, M. et al., 2012. Ornithine phenylacetate prevents disturbances of motor-evoked potentials induced by intestinal blood in rats with portacaval anastomosis. *Journal of Hepatology*, 56(1), pp.109–114.
497. Aryal, B. et al., 2012. Pharmacokinetics of venlafaxine and its major metabolite o-desmethylvenlafaxine in freely moving mice using automated dosing/sampling system. *Indian Journal of Pharmacology*, 44(1), pp.20–25.
498. Hilgier, W. et al., 2012. Repeated exposure of adult rats to Aroclor 1254 induces neuronal injury and impairs

- the neurochemical manifestations of the NMDA receptor-mediated intracellular signaling in the hippocampus. *NeuroToxicology*, 33(1), pp.16–22.
499. Rampersaud, N. et al., 2012. Retracted: Exendin-4 reverts behavioural and neurochemical dysfunction in a pre-motor rodent model of Parkinson's disease with noradrenergic deficit. *British Journal of Pharmacology*, 167(7), pp.1467–1479.
500. Faro, L.R.F. et al., 2012. Role of ionotropic glutamatergic receptors and nitric oxide in the effects of flutriafol, a triazole fungicide, on the *in vivo* striatal dopamine release. *The Journal of Toxicological Sciences*, 37(6), pp.1135–1142.
501. Vaseghi, M. et al., 2012. Sympathetic innervation of the anterior left ventricular wall by the right and left stellate ganglia. *Heart Rhythm*, 9(8), pp.1303–1309.
502. Roehl, A.B. et al., 2012. The effects of levosimendan on brain metabolism during initial recovery from global transient ischaemia/hypoxia. *BMC Neurology*, 12, p.81.
503. Alessandri, B. et al., 2012. The Neuroprotective Effect of Lactate Is Not Due to Improved Glutamate Uptake after Controlled Cortical Impact in Rats. *Journal of Neurotrauma*, 29(12), pp.2181–2191.
504. Strong, P.V. et al., 2011. 5-hydroxytryptamine 2C receptors in the dorsal striatum mediate stress-induced interference with negatively reinforced instrumental escape behavior. *Neuroscience*, 197, pp.132–144.
505. Dekundy, A. et al., 2011. Pharmacological characterization of MRZ-8676, a novel negative allosteric modulator of subtype 5 metabotropic glutamate receptors (mGluR5): focus on l-DOPA-induced dyskinesia. *Journal of Neural Transmission*, 118(12), pp.1703–1716.
506. Aourz, N. et al., 2011. Rat hippocampal somatostatin sst3 and sst4 receptors mediate anticonvulsive effects *in vivo*: Indications of functional interactions with sst2 receptors. *Neuropharmacology*, 61(8), pp.1327–1333.
507. Tian, J.-W. et al., 2011. Preclinical pharmacology of TP1, a novel potent triple reuptake inhibitor with antidepressant properties. *Neuroscience*, 196, pp.124–130.
508. Varcin, M. et al., 2011. Acute versus long-term effects of 6-hydroxydopamine on oxidative stress and dopamine depletion in the striatum of mice. *Journal of Neuroscience Methods*, 202(2), pp.128–136.
509. Khalid, M., Aoun, R.A. & Mathews, T.A., 2011. Altered striatal dopamine release following a sub-acute exposure to manganese. *Journal of Neuroscience Methods*, 202(2), pp.182–191.
510. Herbaugh, A.W. & Stenken, J.A., 2011. Antibody-enhanced microdialysis collection of CCL2 from rat brain. *Journal of Neuroscience Methods*, 202(2), pp.124–127.
511. Robin, S. et al., 2011. LC–MS determination of oxidized and reduced glutathione in human dermis: A microdialysis study. *Journal of Chromatography B*, 879(30), pp.3599–3606.
512. Cooley, J.C. & Lunte, C.E., 2011. Detection of malondialdehyde *in vivo* using microdialysis sampling with CE-fluorescence. *ELECTROPHORESIS*, 32(21), pp.2994–2999.
513. Soustiel, J.F. et al., 2011. Improvement of Cerebral Metabolism Mediated by Ro5-4864 is Associated with Relief of Intracranial Pressure and Mitochondrial Protective Effect in Experimental Brain Injury. *Pharmaceutical Research*, 28(11), pp.2945–2953.
514. Katikaneni, S. et al., 2011. Iontophoresis of a 13 kDa protein monitored by subcutaneous microdialysis *in vivo*. *Bioanalysis*, 3(21), pp.2419–2426.
515. Gibbs, R.B. et al., 2011. Galanthamine plus estradiol treatment enhances cognitive performance in aged ovariectomized rats. *Hormones and Behavior*, 60(5), pp.607–616.
516. Luca, F. et al., 2011. GET73 modulates rat hippocampal glutamate transmission: evidence for a functional interaction with mGluR5. *Pharmacological Reports*, 63(6), pp.1359–1371.

517. Zhou, X. et al., 2011. Determination of the penetration of 9-fluoropropyl-(+)-dihydrotrabenazine across the blood–brain barrier in rats by microdialysis combined with liquid chromatography–tandem mass spectrometry. *Journal of Chromatography B*, 879(28), pp.3041–3046.
518. Gold, P.E. et al., 2011. Acetylcholine release in the hippocampus and prelimbic cortex during acquisition of a socially transmitted food preference. *Neurobiology of Learning and Memory*, 96(3), pp.498–503.
519. Engler, H. et al., 2011. Acute amygdaloid response to systemic inflammation. *Brain, Behavior, and Immunity*, 25(7), pp.1384–1392.
520. Potschka, H. et al., 2011. Impact of seizure activity on free extracellular phenytoin concentrations in amygdala-kindled rats. *Neuropharmacology*, 61(5–6), pp.909–917.
521. Wegener, N. et al., 2011. Evaluation of brain pharmacokinetics of (+)MK-801 in relation to behaviour. *Neuroscience Letters*, 503(1), pp.68–72.
522. Schumacher, A. et al., 2011. Electrical high frequency stimulation in the dorsal striatum: Effects on response learning and on GABA levels in rats. *Behavioural Brain Research*, 222(2), pp.368–374.
523. Cauli, O. et al., 2011. Differential modulation of the glutamate-nitric oxide-cyclic GMP pathway by distinct neurosteroids in cerebellum in vivo. *Neuroscience*, 190, pp.27–36.
524. Sadiq, M.W. et al., 2011. Diphenhydramine active uptake at the blood–brain barrier and its interaction with oxycodone in vitro and in vivo. *Journal of Pharmaceutical Sciences*, 100(9), pp.3912–3923.
525. Merlini, M. et al., 2011. Vascular β -amyloid and early astrocyte alterations impair cerebrovascular function and cerebral metabolism in transgenic arcA β mice. *Acta Neuropathologica*, 122(3), pp.293–311.
526. Ostock, C.Y. et al., 2011. Role of the primary motor cortex in l-DOPA-induced dyskinesia and its modulation by 5-HT_{1A} receptor stimulation. *Neuropharmacology*, 61(4), pp.753–760.
527. Carnevale, G. et al., 2011. Influence of Griffonia simplicifolia on male sexual behavior in rats: Behavioral and neurochemical study. *Phytomedicine*, 18(11), pp.947–952.
528. Schmidt, L.S. et al., 2011. Increased cocaine self-administration in M4 muscarinic acetylcholine receptor knockout mice. *Psychopharmacology*, 216(3), pp.367–378.
529. Saldanha, C.J., Remage-Healey, L. & Schlinger, B.A., 2011. Synaptocrine Signaling: Steroid Synthesis and Action at the Synapse. *Endocrine Reviews*, 32(4), pp.532–549.
530. Vaka, S.R.K. et al., 2011. Upregulation of endogenous neurotrophin levels in the brain by intranasal administration of carnosic acid. *Journal of Pharmaceutical Sciences*, 100(8), pp.3139–3145.
531. Carrara-Nascimento, P.F. et al., 2011. Changes in extracellular levels of glutamate in the nucleus accumbens after ethanol-induced behavioral sensitization in adolescent and adult mice. *Alcohol*, 45(5), pp.451–460.
532. Emmanouilidou, E. et al., 2011. Assessment of α -Synuclein Secretion in Mouse and Human Brain Parenchyma. *PLOS ONE*, 6(7), p.e22225.
533. Kaul, S., Faiman, M.D. & Lunte, C.E., 2011. Determination of GABA, glutamate, dopamine and carbamathione in brain microdialysis samples by micellar electrokinetic chromatography and laser-induced fluorescence (MEKC-LIF). *Analytical Methods*, 3(7), pp.1514–1520.
534. Fenhammar, J. et al., 2011. Endothelin Receptor A Antagonism Attenuates Renal Medullary Blood Flow Impairment in Endotoxemic Pigs. *PLOS ONE*, 6(7), p.e21534.
535. Aluf, Y. et al., 2011. Alterations in striatal oxidative stress level produced by pharmacological manipulation of dopamine as shown by a novel synthetic marker molecule. *Neuropharmacology*, 61(1–2), pp.87–94.
536. Howe III, H.R. et al., 2011. Increased adipose tissue lipolysis after a 2-week high-fat diet in sedentary overweight/obese men. *Metabolism*, 60(7), pp.976–981.
537. Zhang, Y.-J. et al., 2011. Pharmacokinetics of phenolic compounds of Danshen extract in rat blood and brain

- by microdialysis sampling. *Journal of Ethnopharmacology*, 136(1), pp.129–136.
538. Rong, P.-J. & Ma, S.-X., 2011. Electroacupuncture Zusanli (ST36) on Release of Nitric Oxide in the Gracile Nucleus and Improvement of Sensory Neuropathies in Zucker Diabetic Fatty Rats. *Evidence-Based Complementary and Alternative Medicine*, 2011, p.enep103.
539. Broek, R.P.G. ten, Wilbers, J. & Goor, H. van, 2011. Electrocautery causes more ischemic peritoneal tissue damage than ultrasonic dissection. *Surgical Endoscopy*, 25(6), pp.1827–1834.
540. Villégier, A.-S., Belluzzi, J.D. & Leslie, F.M., 2011. Serotonergic mechanism underlying tranlycypromine enhancement of nicotine self-administration. *Synapse*, 65(6), pp.479–489.
541. Inselsbacher, E. et al., 2011. The potential of microdialysis to monitor organic and inorganic nitrogen compounds in soil. *Soil Biology and Biochemistry*, 43(6), pp.1321–1332.
542. Jevne, C. et al., 2011. A reduction in the interstitial fluid pressure per se, does not enhance the uptake of the small molecule weight compound 5-fluorouracil into 4T1 mammary tumours. *Drugs and Therapy Studies*, 1(1), p.5.
543. Abrahamsson, P. et al., 2011. Detection of myocardial ischaemia using surface microdialysis on the beating heart. *Clinical Physiology and Functional Imaging*, 31(3), pp.175–181.
544. Mou, X. et al., 2011. Modulation of the Foreign Body Reaction for Implants in the Subcutaneous Space: Microdialysis Probes as Localized Drug Delivery/Sampling Devices. *Journal of Diabetes Science and Technology*, 5(3), pp.619–631.
545. Zhang, X. et al., 2011. Pre-Equilibrium Solid-Phase Microextraction of Free Analyte in Complex Samples: Correction for Mass Transfer Variation from Protein Binding and Matrix Tortuosity. *Analytical Chemistry*, 83(9), pp.3365–3370.
546. Fabricius, K. et al., 2011. Socially isolated rats exhibit changes in dopamine homeostasis pertinent to schizophrenia. *International Journal of Developmental Neuroscience*, 29(3), pp.347–350.
547. Shih, T.-T., Chen, W.-Y. & Sun, Y.-C., 2011. Open-channel chip-based solid-phase extraction combined with inductively coupled plasma-mass spectrometry for online determination of trace elements in volume-limited saline samples. *Journal of Chromatography A*, 1218(16), pp.2342–2348.
548. Baumann, M.H. et al., 2011. Serotonin (5-HT) precursor loading with 5-hydroxy-l-tryptophan (5-HTP) reduces locomotor activation produced by (+)-amphetamine in the rat. *Drug and Alcohol Dependence*, 114(2–3), pp.147–152.
549. Boix, J. et al., 2011. Metabotropic glutamate receptor 5 modulates the nitric oxide-cGMP pathway in cerebellum in vivo through activation of AMPA receptors. *Neurochemistry International*, 58(5), pp.599–604.
550. Yeniceli, D. et al., 2011. A simple and sensitive LC–ESI-MS (ion trap) method for the determination of bupropion and its major metabolite, hydroxybupropion in rat plasma and brain microdialysates. *Talanta*, 84(1), pp.19–26.
551. Yu, Y., Liu, X., et al., 2011. [C3(OH)2mim][BF4]-Au/Pt biosensor for glutamate sensing in vivo integrated with on-line microdialysis system. *Biosensors and Bioelectronics*, 26(7), pp.3227–3232.
552. Uchida, S. et al., 2011. Sustained subcutaneous infusion of nicotine enhances cholinergic vasodilation in the cerebral cortex induced by stimulation of the nucleus basalis of Meynert in rats. *European Journal of Pharmacology*, 654(3), pp.235–240.
553. Kao, C.-H. et al., 2011. Central interleukin-10 attenuated lipopolysaccharide-induced changes in core temperature and hypothalamic glutamate, hydroxyl radicals and prostaglandin-E2. *European Journal of Pharmacology*, 654(2), pp.187–193.
554. Bloms-Funke, P. et al., 2011. Tramadol increases extracellular levels of serotonin and noradrenaline as

- measured by in vivo microdialysis in the ventral hippocampus of freely-moving rats. *Neuroscience Letters*, 490(3), pp.191–195.
555. Boger, H.A. et al., 2011. Effects of brain-derived neurotrophic factor on dopaminergic function and motor behavior during aging. *Genes, Brain and Behavior*, 10(2), pp.186–198.
556. Matto, V. et al., 2011. Impaired striatal dopamine output of homozygous Wfs1 mutant mice in response to [K+] challenge. *Journal of Physiology and Biochemistry*, 67(1), pp.53–60.
557. Xue, C. et al., 2011. Identification of the potential active components of *Abelmoschus manihot* in rat blood and kidney tissue by microdialysis combined with ultra-performance liquid chromatography/quadrupole time-of-flight mass spectrometry. *Journal of Chromatography B*, 879(5–6), pp.317–325.
558. Nichols, S.P. et al., 2011. Increased In Vivo Glucose Recovery via Nitric Oxide Release. *Analytical Chemistry*, 83(4), pp.1180–1184.
559. Brandhonneur, N. et al., 2011. Ex vivo and in vivo diffusion of ropivacaine through spinal meninges: Influence of absorption enhancers. *International Journal of Pharmaceutics*, 404(1–2), pp.36–41.
560. Bosse, K.E. & Mathews, T.A., 2011. Ethanol-induced increases in extracellular dopamine are blunted in brain-derived neurotrophic factor heterozygous mice. *Neuroscience Letters*, 489(3), pp.172–176.
561. Lin, L. et al., 2011. New integrated in vivo microdialysis-electrochemical device for determination of the neurotransmitter dopamine in rat striatum of freely moving rats. *Microchimica Acta*, 172(1–2), pp.217–223.
562. Rasmussen, B.A. et al., 2011. β -Lactam antibiotic produces a sustained reduction in extracellular glutamate in the nucleus accumbens of rats. *Amino Acids*, 40(2), pp.761–764.
563. Allam, C.L. et al., 2011. Determination of Renal Hypothermic Temperature Adequacy for Renoprotection During Ischemia Using Renal Interstitial Glycerol Concentrations in a Porcine Model. *Urology*, 77(2), p.508.e1-508.e4.
564. Hammond, R., Nelson, D. & Gibbs, R.B., 2011. GPR30 co-localizes with cholinergic neurons in the basal forebrain and enhances potassium-stimulated acetylcholine release in the hippocampus. *Psychoneuroendocrinology*, 36(2), pp.182–192.
565. Zielińska, M. et al., 2011. Hyperammonemia increases the expression and activity of the glutamine/arginine transporter y+LAT2 in rat cerebral cortex: Implications for the nitric oxide/cGMP pathway. *Neurochemistry International*, 58(2), pp.190–195.
566. Weenink, R.P. et al., 2011. Cerebral arterial gas embolism in swine. Comparison of two sites for air injection. *Journal of Neuroscience Methods*, 194(2), pp.336–341.
567. Li, Y. et al., 2011. Severe Postnatal Iron Deficiency Alters Emotional Behavior and Dopamine Levels in the Prefrontal Cortex of Young Male Rats. *The Journal of Nutrition*, 141(12), pp.2133–2138.
568. Wang, X.-F. et al., 2011. Agmatine modulates neuroadaptations of glutamate transmission in the nucleus accumbens of repeated morphine-treated rats. *European Journal of Pharmacology*, 650(1), pp.200–205.
569. Good, C.H. et al., 2011. Impaired nigrostriatal function precedes behavioral deficits in a genetic mitochondrial model of Parkinson's disease. *The FASEB Journal*, 25(4), pp.1333–1344.
570. Pereira, F.C. et al., 2011. Buprenorphine Modulates Methamphetamine-Induced Dopamine Dynamics in the Rat Caudate Nucleus. *Neurotoxicity Research*, 19(1), pp.94–101.
571. Kaminski, R.M. et al., 2011. Effects of Cocaine-Kindling on the Expression of NMDA Receptors and Glutamate Levels in Mouse Brain. *Neurochemical Research*, 36(1), pp.146–152.
572. Duo, J. & Stenken, J.A., 2011. In vitro and in vivo affinity microdialysis sampling of cytokines using heparin-immobilized microspheres. *Analytical and Bioanalytical Chemistry*, 399(2), pp.783–793.
573. Grote, E.C. von et al., 2011. Long-term subcutaneous microdialysis sampling and qRT-PCR of MCP-1, IL-6 and

- IL-10 in freely-moving rats. *Molecular BioSystems*, 7(1), pp.150–161.
574. Schallier, A. et al., 2011. Region- and Age-Specific Changes in Glutamate Transport in the A β PP23 Mouse Model for Alzheimer's Disease. *Journal of Alzheimer's Disease*, 24(2), pp.287–300.
575. Hovelsø, N., Sager, T.N. & Mørk, A., 2011. Combination of escitalopram and a 5-HT_{1A} receptor antagonist selectively decreases the extracellular levels of dopamine in the nucleus accumbens relative to striatum through 5-HT_{2C} receptor stimulation; suggestive of antipsychotic potential. *Pharmacology Biochemistry and Behavior*, 97(3), pp.479–485.
576. de Oliveira, A.R. et al., 2011. Conditioned fear is modulated by D₂ receptor pathway connecting the ventral tegmental area and basolateral amygdala. *Neurobiology of Learning and Memory*, 95(1), pp.37–45.
577. Rollema, H. et al., 2011. Effect of co-administration of varenicline and antidepressants on extracellular monoamine concentrations in rat prefrontal cortex. *Neurochemistry International*, 58(1), pp.78–84.
578. Ristic, D., Spangenberg, P. & Ellrich, J., 2011. Acetylsalicylic acid inhibits α , β -meATP-induced facilitation of neck muscle nociception in mice — Implications for acute treatment of tension-type headache. *European Journal of Pharmacology*, 673(1–3), pp.13–19.
579. Vallée, N., Rissøe, J.-J. & Blatteau, J.-E., 2011. Effect of an hyperbaric nitrogen narcotic ambience on arginine and citrulline levels, the precursor and co-product of nitric oxide, in rat striatum. *Medical Gas Research*, 1, p.16.
580. Folkersma, H. et al., 2011. Increased cerebral (R)-[¹¹C]PK11195 uptake and glutamate release in a rat model of traumatic brain injury: a longitudinal pilot study. *Journal of Neuroinflammation*, 8, p.67.
581. Chao, Y.-Y. et al., 2011. Membrane Sampling with Microdialysis Coupled to HPLC/UV for On-line Simultaneous Determination of Melamine and Cyanuric Acid in Non-dairy Coffee Creamer. *Analytical Sciences*, 27(10), pp.1025–1025.
582. Kostin, A. et al., 2011. Nitric oxide production in the perifornical-lateral hypothalamic area and its influences on the modulation of perifornical-lateral hypothalamic area neurons. *Neuroscience*, 179, pp.159–169.
583. Hedegaard, E.R. et al., 2011. Non-endothelial endothelin counteracts hypoxic vasodilation in porcine large coronary arteries. *BMC Physiology*, 11, p.8.
584. Yu, Y., Sun, Q., et al., 2011. On-line microdialysis system with poly(amidoamine)-encapsulated Pt nanoparticles biosensor for glutamate sensing in vivo. *Bioelectrochemistry*, 81(1), pp.53–57.
585. Chefer, V. et al., 2011. Repeated exposure to moderate doses of ethanol augments hippocampal glutamate neurotransmission by increasing release. *Addiction Biology*, 16(2), pp.229–237.
586. Carrozzo, M.M. et al., 2010. Quantitative analysis of acetylcholine in rat brain microdialysates by liquid chromatography coupled with electrospray ionization tandem mass spectrometry. *Journal of Neuroscience Methods*, 194(1), pp.87–93.
587. Nagy, K. et al., 2010. Alterations in Brain Extracellular Dopamine and Glycine Levels Following Combined Administration of the Glycine Transporter Type-1 Inhibitor Org-24461 and Risperidone. *Neurochemical Research*, 35(12), pp.2096–2106.
588. Liu, Y. et al., 2010a. Capillary UHPLC with Elevated Temperature for Sub-One Minute Separations of Basal Serotonin in Sub-Microliter Brain Microdialysate Samples. *Analytical chemistry*, 82(23), pp.9611–9616.
589. Liu, Y. et al., 2010b. Capillary Ultrahigh Performance Liquid Chromatography with Elevated Temperature for Sub-One Minute Separations of Basal Serotonin in Submicroliter Brain Microdialysate Samples. *Analytical Chemistry*, 82(23), pp.9611–9616.
590. Oria, M. et al., 2010. Motor-evoked potentials in awake rats are a valid method of assessing hepatic encephalopathy and of studying its pathogenesis. *Hepatology*, 52(6), pp.2077–2085.
591. Clinckers, R. et al., 2010. Pharmacological and neurochemical characterization of the involvement of

- hippocampal adrenoreceptor subtypes in the modulation of acute limbic seizures. *Journal of Neurochemistry*, 115(6), pp.1595–1607.
592. Melrose, H.L. et al., 2010. Impaired dopaminergic neurotransmission and microtubule-associated protein tau alterations in human LRRK2 transgenic mice. *Neurobiology of Disease*, 40(3), pp.503–517.
593. Ishikawa, A. et al., 2010. Altered electrolyte handling of the choroid plexus in rats with glycerol-induced acute renal failure. *Biopharmaceutics & Drug Disposition*, 31(8–9), pp.455–463.
594. Åberg, A.M. et al., 2010. Ischaemic pre-conditioning means an increased adenosine metabolism with decreased glycolytic flow in ischaemic pig myocardium. *Acta Anaesthesiologica Scandinavica*, 54(10), pp.1257–1264.
595. Vieira, M. de L.T., Singh, R.P. & Derendorf, H., 2010. Simultaneous HPLC analysis of triamcinolone acetonide and budesonide in microdialysate and rat plasma: Application to a pharmacokinetic study. *Journal of Chromatography B*, 878(29), pp.2967–2973.
596. Wong, B.J. & Fieger, S.M., 2010. Transient receptor potential vanilloid type-1 (TRPV-1) channels contribute to cutaneous thermal hyperaemia in humans. *The Journal of Physiology*, 588(21), pp.4317–4326.
597. Lubbers, L.S. et al., 2010. Estrogen receptor (ER) subtype agonists alter monoamine levels in the female rat brain. *The Journal of Steroid Biochemistry and Molecular Biology*, 122(5), pp.310–317.
598. Savage, L.M. & Guarino, S., 2010. Memory for reward location is enhanced even though acetylcholine efflux within the amygdala is impaired in rats with damage to the diencephalon produced by thiamine deficiency. *Neurobiology of Learning and Memory*, 94(4), pp.554–560.
599. Cass, W.A. & Peters, L.E., 2010a. Neurturin protects against 6-hydroxydopamine-induced reductions in evoked dopamine overflow in rat striatum. *Neurochemistry International*, 57(5), pp.540–546.
600. Rytönen, K.-M. et al., 2010. Nitric oxide mediated recovery sleep is attenuated with aging. *Neurobiology of Aging*, 31(11), pp.2011–2019.
601. Li, Z., Boules, M., et al., 2010. Similarities in the behavior and molecular deficits in the frontal cortex between the neurotensin receptor subtype 1 knockout mice and chronic phencyclidine-treated mice: Relevance to schizophrenia. *Neurobiology of Disease*, 40(2), pp.467–477.
602. Wang, J. et al., 2010. Nucleus Accumbens-Derived GDNF is a Retrograde Enhancer of Dopaminergic Tone in the Mesocorticolimbic System. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 30(43), pp.14502–14512.
603. Nunes, B.V.F. et al., 2010. Evaluation of the effects and mechanisms of action of glufosinate, an organophosphate insecticide, on striatal dopamine release by using in vivo microdialysis in freely moving rats. *Archives of Toxicology*, 84(10), pp.777–785.
604. Ellrich, J. et al., 2010. Inhibition of nitric oxide synthases prevents and reverses α , β -meATP-induced neck muscle nociception in mice. *Cephalalgia*, 30(10), pp.1225–1232.
605. Si, W. et al., 2010. Neuropeptide S stimulates dopaminergic neurotransmission in the medial prefrontal cortex. *Journal of Neurochemistry*, 115(2), pp.475–482.
606. Francl, J.M., Kaur, G. & Glass, J.D., 2010. Roles of light and serotonin in the regulation of gastrin-releasing peptide and arginine vasopressin output in the hamster SCN circadian clock. *European Journal of Neuroscience*, 32(7), pp.1170–1179.
607. Montezinho, L.P. et al., 2010. The effects of acute treatment with escitalopram on the different stages of contextual fear conditioning are reversed by atomoxetine. *Psychopharmacology*, 212(2), pp.131–143.
608. Sotomayor-Zárate, R. et al., 2010. Activation of GABA-B receptors induced by systemic amphetamine abolishes dopamine release in the rat lateral septum. *Journal of Neurochemistry*, 114(6), pp.1678–1686.
609. Fieger, S.M. & Wong, B.J., 2010. Adenosine receptor inhibition with theophylline attenuates the skin blood

- flow response to local heating in humans. *Experimental Physiology*, 95(9), pp.946–954.
610. Anzalone, S. et al., 2010. Cortical cholinergic abnormalities contribute to the amnesic state induced by pyriithiamine-induced thiamine deficiency in the rat. *European Journal of Neuroscience*, 32(5), pp.847–858.
611. Kiran Vaka, S.R. & Narasimha Murthy, S., 2010. Enhancement of nose-brain delivery of therapeutic agents for treating neurodegenerative diseases using peppermint oil. *Die Pharmazie - An International Journal of Pharmaceutical Sciences*, 65(9), pp.690–692.
612. Lin, L., Gao, H., et al., 2010. LC-ED with an Acetylene Black–Dihexadecyl Hydrogen Phosphate Composite Film-Modified Electrode for in Vivo Analysis of Thiols in Rat Striatal Microdialysate. *Chromatographia*, 72(5–6), pp.447–452.
613. Auclair, A.L. et al., 2010. The central serotonin2B receptor: a new pharmacological target to modulate the mesoaccumbens dopaminergic pathway activity. *Journal of Neurochemistry*, 114(5), pp.1323–1332.
614. Gan, L. et al., 2010. Self-assembled liquid crystalline nanoparticles as a novel ophthalmic delivery system for dexamethasone: Improving preocular retention and ocular bioavailability. *International Journal of Pharmaceutics*, 396(1–2), pp.179–187.
615. Cortez, A.M. et al., 2010. Age-dependent effects of κ -opioid receptor stimulation on cocaine-induced stereotyped behaviors and dopamine overflow in the caudate–putamen: an in vivo microdialysis study. *Neuroscience*, 169(1), pp.203–213.
616. Lin, L., Song, C., et al., 2010. Electrochemical determination of xanthine and hypoxanthine in rat striatum with an acetylene black-dihexadecyl hydrogen phosphate composite film modified electrode by HPLC coupled with in vivo microdialysis. *Microchimica Acta*, 170(1–2), pp.47–52.
617. Saarinen, N.M., Abrahamsson, A. & Dabrosin, C., 2010. Estrogen-induced angiogenic factors derived from stromal and cancer cells are differently regulated by enterolactone and genistein in human breast cancer in vivo. *International Journal of Cancer*, 127(3), pp.737–745.
618. Suto, N. et al., 2010. Extracellular fluctuations of dopamine and glutamate in the nucleus accumbens core and shell associated with lever-pressing during cocaine self-administration, extinction, and yoked cocaine administration. *Psychopharmacology*, 211(3), pp.267–275.
619. Kuter, K. et al., 2010. Increased Reactive Oxygen Species Production in the Brain After Repeated Low-Dose Pesticide Paraquat Exposure in Rats. A Comparison with Peripheral Tissues. *Neurochemical Research*, 35(8), pp.1121–1130.
620. Beyer, C.E. et al., 2010. Depression-like phenotype following chronic CB1 receptor antagonism. *Neurobiology of Disease*, 39(2), pp.148–155.
621. Guzmán-Ramos, K. et al., 2010. Off-line concomitant release of dopamine and glutamate involvement in taste memory consolidation. *Journal of Neurochemistry*, 114(1), pp.226–236.
622. Garcia-Reitböck, P. et al., 2010. SNARE protein redistribution and synaptic failure in a transgenic mouse model of Parkinson’s disease. *Brain*, 133(7), pp.2032–2044.
623. Kehr, J. et al., 2010. The selective 5-HT1A receptor antagonist NAD-299 increases acetylcholine release but not extracellular glutamate levels in the frontal cortex and hippocampus of awake rat. *European Neuropsychopharmacology*, 20(7), pp.487–500.
624. Boix, J., Cauli, O. & Felipo, V., 2010. Developmental exposure to polychlorinated biphenyls 52, 138 or 180 affects differentially learning or motor coordination in adult rats. mechanisms involved. *Neuroscience*, 167(4), pp.994–1003.
625. Walter, B. et al., 2010. Age-dependent effects of gradual decreases in cerebral perfusion pressure on the neurochemical response in swine. *Intensive Care Medicine*, 36(6), pp.1067–1075.
626. Wintner, E.A. et al., 2010. A monobromobimane-based assay to measure the pharmacokinetic profile of

- reactive sulphide species in blood. *British Journal of Pharmacology*, 160(4), pp.941–957.
627. Jiang, H. et al., 2010. Determination of the Interaction of Arsenic and Human Serum Albumin by Online Microdialysis Coupled to LC with Hydride Generation Atomic Fluorescence Spectroscopy. *Chromatographia*, 71(11–12), pp.1075–1079.
628. Andersen, M.L. et al., 2010. Dopamine transporter-related effects of modafinil in rhesus monkeys. *Psychopharmacology*, 210(3), pp.439–448.
629. Cui, M.L. et al., 2010. Impaired Cation Transport May Lead to Bioelectrical Impedance Changes during Hepatic Ischemia. *Journal of the Korean Surgical Society*, 78(6), pp.390–397.
630. Tüma, P. et al., 2010. The use of capillary electrophoresis with contactless conductivity detection for monitoring of glycerol in adipose tissues during a sporting performance. *ELECTROPHORESIS*, 31(12), pp.2037–2043.
631. Kurling-Kailanto, S., Kankaanpää, A., Hautaniemi, J., et al., 2010. Blockade of androgen or estrogen receptors reduces nandrolone's ability to modulate acute reward-related neurochemical effects of amphetamine in rat brain. *Pharmacology Biochemistry and Behavior*, 95(4), pp.422–427.
632. Li, Z., Liang, Y., et al., 2010. Effect of amphetamine on extracellular concentrations of amino acids in striatum in neurotensin subtype 1 and 2 receptor null mice: A possible interaction between neurotensin receptors and amino acid systems for study of schizophrenia. *Neuropharmacology*, 58(7), pp.1174–1178.
633. Mou, X. et al., 2010. Long-term calibration considerations during subcutaneous microdialysis sampling in mobile rats. *Biomaterials*, 31(16), pp.4530–4539.
634. Ahabrach, H. et al., 2010. Chronic hyperammonemia alters the circadian rhythms of corticosteroid hormone levels and of motor activity in rats. *Journal of Neuroscience Research*, 88(7), pp.1605–1614.
635. Mukherjee, R. et al., 2010. Short-term Disruption in Regional Left Ventricular Electrical Conduction Patterns Increases Interstitial Matrix Metalloproteinase Activity. *American Journal of Physiology - Heart and Circulatory Physiology*. Available at: <http://ajpheart.physiology.org/content/early/2010/05/14/ajpheart.00065.2010> .
636. Vallee, N., Rostain, J.-C. & Risso, J.-J., 2010. A Pressurized Nitrogen Counterbalance to Cortical Glutamatergic Pathway Stimulation. *Neurochemical Research*, 35(5), pp.718–726.
637. Lecanu, L. et al., 2010. Dimethyl-Carbamic Acid 2,3-Bis-Dimethylcarbamoyloxy-6-(4-Ethyl-Piperazine-1-Carbonyl)-Phenyl Ester: A Novel Multi-Target Therapeutic Approach to Neuroprotection. *Medicinal Chemistry*, 6(3), pp.123–140.
638. Zhu, W. et al., 2010. Glucose prevents the fall in ventromedial hypothalamic GABA that is required for full activation of glucose counterregulatory responses during hypoglycemia. *American Journal of Physiology - Endocrinology and Metabolism*, 298(5), pp.E971–E977.
639. Waldenström, A. et al., 2010. Ischaemic preconditioning is related to decreasing levels of extracellular adenosine that may be metabolically useful in the at-risk myocardium: an experimental study in the pig. *Acta Physiologica*, 199(1), pp.1–9.
640. Cass, W.A. & Peters, L.E., 2010b. Neurturin Effects on Nigrostriatal Dopamine Release and Content: Comparison with GDNF. *Neurochemical Research*, 35(5), pp.727–734.
641. Rollema, H. et al., 2010. Pre-clinical properties of the $\alpha\beta 2$ nicotinic acetylcholine receptor partial agonists varenicline, cytisine and dianicline translate to clinical efficacy for nicotine dependence. *British Journal of Pharmacology*, 160(2), pp.334–345.
642. Campos, F., Alfonso, M. & Durán, R., 2010. In vivo modulation of $\alpha 7$ nicotinic receptors on striatal glutamate release induced by anatoxin-A. *Neurochemistry International*, 56(6–7), pp.850–855.
643. Stevens, J. et al., 2010. Online solid phase extraction with liquid chromatography–tandem mass

- spectrometry to analyze remoxipride in small plasma-, brain homogenate-, and brain microdialysate samples. *Journal of Chromatography B*, 878(13–14), pp.969–975.
644. Nandi, P., Desai, D.P. & Lunte, S.M., 2010. Development of a PDMS-based microchip electrophoresis device for continuous online in vivo monitoring of microdialysis samples. *ELECTROPHORESIS*, 31(8), pp.1414–1422.
645. Jacobs, S. et al., 2010. Extracellular fluid concentrations of cisplatin, carboplatin, and oxaliplatin in brain, muscle, and blood measured using microdialysis in nonhuman primates. *Cancer Chemotherapy and Pharmacology*, 65(5), pp.817–824.
646. Patel, S. et al., 2010. Pharmacokinetics of amitriptyline in rabbit skin and plasma following iontophoretic administrations. *Drug Development and Industrial Pharmacy*, 36(4), pp.379–384.
647. Kurling-Kailanto, S., Kankaanpää, A. & Seppälä, T., 2010. Subchronic nandrolone administration reduces cocaine-induced dopamine and 5-hydroxytryptamine outflow in the rat nucleus accumbens. *Psychopharmacology*, 209(3), pp.271–281.
648. Bradley, L.H. et al., 2010. Dopamine Neuron Stimulating Actions of a GDNF Propeptide. *PLOS ONE*, 5(3), p.e9752.
649. Roland, J.J. et al., 2010. Differential effects of systemic and intraseptal administration of the acetylcholinesterase inhibitor tacrine on the recovery of spatial behavior in an animal model of diencephalic amnesia. *European Journal of Pharmacology*, 629(1–3), pp.31–39.
650. Huang, K.-F. et al., 2010. Interleukin-1 receptor antagonist inhibits the release of glutamate, hydroxyl radicals, and prostaglandin E2 in the hypothalamus during pyrogen-induced fever in rabbits. *European Journal of Pharmacology*, 629(1–3), pp.125–131.
651. Kemppainen, H. et al., 2010. GABA and Glutamate Overflow in the VTA and Ventral Pallidum of Alcohol-Preferring AA and Alcohol-Avoiding ANA Rats after Ethanol. *Alcohol and Alcoholism*, 45(2), pp.111–118.
652. Stenken, J.A. et al., 2010. How Minimally Invasive is Microdialysis Sampling? A Cautionary Note for Cytokine Collection in Human Skin and other Clinical Studies. *The AAPS Journal*, 12(1), pp.73–78.
653. Boddu, S.H. et al., 2010. Ocular microdialysis: a continuous sampling technique to study pharmacokinetics and pharmacodynamics in the eye. *Bioanalysis*, 2(3), pp.487–507.
654. Glass, J.D. et al., 2010. On the intrinsic regulation of neuropeptide Y release in the mammalian suprachiasmatic nucleus circadian clock. *European Journal of Neuroscience*, 31(6), pp.1117–1126.
655. Gao, C. et al., 2010. Pharmacokinetic interaction between puerarin and edaravone, and effect of borneol on the brain distribution kinetics of puerarin in rats. *Journal of Pharmacy and Pharmacology*, 62(3), pp.360–367.
656. Tronche, C. et al., 2010. Increased stress-induced intra-hippocampus corticosterone rise associated with memory impairments in middle-aged mice. *Neurobiology of Learning and Memory*, 93(3), pp.343–351.
657. Lü, N. et al., 2010. Nociceptin/Orphanin FQ in PAG modulates the release of amino acids, serotonin and norepinephrine in the rostral ventromedial medulla and spinal cord in rats. *PAIN®*, 148(3), pp.414–425.
658. Popa, D. et al., 2010. A longitudinal study of 5-HT outflow during chronic fluoxetine treatment using a new technique of chronic microdialysis in a highly emotional mouse strain. *European Journal of Pharmacology*, 628(1–3), pp.83–90.
659. Amat, J. et al., 2010. Behavioral control over shock blocks behavioral and neurochemical effects of later social defeat. *Neuroscience*, 165(4), pp.1031–1038.
660. Christianson, J.P. et al., 2010. 5-Hydroxytryptamine 2C Receptors in the Basolateral Amygdala Are Involved in the Expression of Anxiety After Uncontrollable Traumatic Stress. *Biological Psychiatry*, 67(4), pp.339–345.
661. de Oliveira, I.M. et al., 2010. Effects of the neonicotinoids thiametoxam and clothianidin on in vivo

- dopamine release in rat striatum. *Toxicology Letters*, 192(3), pp.294–297.
662. McKee, A.G. et al., 2010. AAV-mediated chronic over-expression of SNAP-25 in adult rat dorsal hippocampus impairs memory-associated synaptic plasticity. *Journal of Neurochemistry*, 112(4), pp.991–1004.
663. Yang, Z. et al., 2010. Hyperbaric oxygenation alleviates MCAO-induced brain injury and reduces hydroxyl radical formation and glutamate release. *European Journal of Applied Physiology*, 108(3), pp.513–522.
664. Demchenko, I.T. et al., 2010. Involvement of Extracellular Superoxide Dismutase in Regulating Brain Blood Flow. *Neuroscience and Behavioral Physiology*, 40(2), p.173.
665. Natividad, L.A. et al., 2010. Nicotine withdrawal produces a decrease in extracellular levels of dopamine in the nucleus accumbens that is lower in adolescent versus adult male rats. *Synapse (New York, N.Y.)*, 64(2), pp.136–145.
666. Watanabe, M. et al., 2010. Susceptibility to stress in young rats after 2-week zinc deprivation. *Neurochemistry International*, 56(3), pp.410–416.
667. Hamani, C. et al., 2010. Antidepressant-Like Effects of Medial Prefrontal Cortex Deep Brain Stimulation in Rats. *Biological Psychiatry*, 67(2), pp.117–124.
668. Løfgren, B. et al., 2010. Amino acid transamination is crucial for ischaemic cardioprotection in normal and preconditioned isolated rat hearts – focus on l-glutamate. *Experimental Physiology*, 95(1), pp.140–152.
669. Morley, J.E. et al., 2010. A Physiological Role for Amyloid- β Protein: Enhancement of Learning and Memory. *Journal of Alzheimer's Disease*, 19(2), pp.441–449.
670. Metzsch, C. et al., 2010. Levosimendan cardioprotection in acutely β -1 adrenergic receptor blocked open chest pigs. *Acta Anaesthesiologica Scandinavica*, 54(1), pp.103–110.
671. Behrens, H. & Li, L., 2010. Monitoring Neuropeptides In Vivo via Microdialysis and Mass Spectrometry. In M. Soloviev, ed. *Peptidomics*. Methods in Molecular Biology. Humana Press, pp. 57–73. Available at: http://dx.doi.org/10.1007/978-1-60761-535-4_5.
672. Dong, Y. et al., 2010. Route of Nicotine Administration Influences In Vivo Dopamine Neuron Activity: Habituation, Needle Injection, and Cannula Infusion. *Journal of Molecular Neuroscience*, 40(1–2), pp.164–171.
673. Aluf, Y. et al., 2010. Specific oxidative stress profile associated with partial striatal dopaminergic depletion by 6-hydroxydopamine as assessed by a novel multifunctional marker molecule. *Free Radical Research*, 44(6), pp.635–644.
674. Morris, K.A. et al., 2010. Age-related memory impairments due to reduced blood glucose responses to epinephrine. *Neurobiology of Aging*, 31(12), pp.2136–2145.
675. Yang, T.-H., Shih, M.-F., et al., 2010. Attenuation of circulatory shock and cerebral ischemia injury in heat stroke by combination treatment with dexamethasone and hydroxyethyl starch. *Experimental & Translational Stroke Medicine*, 2, p.19.
676. Birkler, R.I.D. et al., 2010. A UPLC–MS/MS application for profiling of intermediary energy metabolites in microdialysis samples—A method for high-throughput. *Journal of Pharmaceutical and Biomedical Analysis*, 53(4), pp.983–990.
677. Darbin, O., Risso, J.J. & Rostain, J.C., 2010. Dopaminergic control of striatal 5-HT level at normobaric condition and at pressure. Available at: archive.rubicon-foundation.org/xmlui/handle/123456789/9520.
678. Yang, T.-H., Ho, W.-Y., et al., 2010. Effects of Combination Treatment with Dexamethasone and Mannitol on Neuronal Damage and Survival in Experimental Heat Stroke. *Biological and Pharmaceutical Bulletin*, 33(9), pp.1522–1528.
679. Hamza, M. et al., 2010. Nitric oxide is negatively correlated to pain during acute inflammation. *Molecular*

Pain, 6, p.55.

680. DuBord, M.-A., Liu, H. & Horner, R.L., 2010. Protein kinase A activators produce a short-term, but not long-term, increase in respiratory-drive transmission at the hypoglossal motor nucleus in vivo. ***Neuroscience Letters***, 486(1), pp.14–18.
681. Chauveau, F. et al., 2010. Rapid stress-induced corticosterone rise in the hippocampus reverses serial memory retrieval pattern. ***Hippocampus***, 20(1), pp.196–207.
682. Adamson, T.W. et al., 2010. Role of the Perifornical Hypothalamic Monoamine Neurotransmitter Systems in Anorectic Effects of Endotoxin. ***Neuroendocrinology***, 91(1), pp.48–55.
683. Navailles, S. et al., 2010. Serotonergic neurons mediate ectopic release of dopamine induced by l-DOPA in a rat model of Parkinson's disease. ***Neurobiology of Disease***, 38(1), pp.136–143.
684. Farnebo, S. et al., 2010. Urea clearance: a new method to register local changes in blood flow in rat skeletal muscle based on microdialysis. ***Clinical Physiology and Functional Imaging***, 30(1), pp.57–63.
685. Young, E.J. & Williams, C.L., 2010. Valence dependent asymmetric release of norepinephrine in the basolateral amygdala. ***Behavioral Neuroscience***, 124(5), pp.633–644.
686. Sørensen, O. et al., 2010. Validation and use of microdialysis for determination of pharmacokinetic properties of the chemotherapeutic agent mitomycin C - an experimental study. ***BMC Cancer***, 10, p.469.
687. Shahlaie, K. et al., 2009. Neuroprotective Effects of Selective N-Type VGCC Blockade on Stretch-Injury-Induced Calcium Dynamics in Cortical Neurons. ***Journal of Neurotrauma***, 27(1), pp.175–187.
688. Thompson, J.W., Prentice, H.M. & Lutz, P.L., 2007. Regulation of extracellular glutamate levels in the long-term anoxic turtle striatum: coordinated activity of glutamate transporters, adenosine, KATP+ channels and GABA. ***Journal of Biomedical Science***, 14(6), pp.809–817.
689. Kurosaki, Y. et al., 2007. Evaluation of intramuscular lateral distribution profile of topically administered acetaminophen in rats. ***International Journal of Pharmaceutics***, 343(1–2), pp.190–195.
690. Cremers, T. & Ebert, B., 2007. Plasma and CNS concentrations of Gaboxadol in rats following subcutaneous administration. ***European Journal of Pharmacology***, 562(1–2), pp.47–52.
691. Huang, Y.-T. et al., 2007. An investigation of acetylcholine released in skeletal muscle and protein unbound drug released in blood based on the pyridostigmine bromide (pretreatment drug) sustained-release pellets by microdialysis technique in the rabbit model. ***Neuroscience Letters***, 416(3), pp.302–306.
692. Uutela, P. et al., 2005. Analysis of acetylcholine and choline in microdialysis samples by liquid chromatography/tandem mass spectrometry. ***Rapid Communications in Mass Spectrometry***, 19(20), pp.2950–2956.
693. Trabace, L. et al., 2004. The effects of nitric oxide on striatal serotonergic transmission involve multiple targets: an in vivo microdialysis study in the awake rat. ***Brain Research***, 1008(2), pp.293–298.
694. Chenel, M. et al., 2004. Simultaneous central nervous system distribution and pharmacokinetic–pharmacodynamic modelling of the electroencephalogram effect of norfloxacin administered at a convulsant dose in rats. ***British Journal of Pharmacology***, 142(2), pp.323–330.
695. Khandelwal, P. et al., 2004. Nanoprobe NMR spectroscopy and in vivo microdialysis: new analytical methods to study brain neurochemistry. ***Journal of Neuroscience Methods***, 133(1–2), pp.181–189.
696. Edwards, J.E., Brouwer, K.R. & McNamara, P.J., 2002. GF120918, a P-Glycoprotein Modulator, Increases the Concentration of Unbound Amprenavir in the Central Nervous System in Rats. ***Antimicrobial Agents and Chemotherapy***, 46(7), pp.2284–2286.
697. Ettinger, S.N. et al., 2001. Urea as a Recovery Marker for Quantitative Assessment of Tumor Interstitial Solutes with Microdialysis. ***Cancer Research***, 61(21), pp.7964–7970.

698. Boehnke, S.E. & Rasmusson, D.D., 2001. Time course and effective spread of lidocaine and tetrodotoxin delivered via microdialysis: an electrophysiological study in cerebral cortex. *Journal of Neuroscience Methods*, 105(2), pp.133–141.
699. Kehr, J. et al., 2001. Microdialysis in freely moving mice: determination of acetylcholine, serotonin and noradrenaline release in galanin transgenic mice. *Journal of Neuroscience Methods*, 109(1), pp.71–80.
700. Battaglia, G. et al., 2000. Some Metabotropic Glutamate Receptor Ligands Reduce Kynurenate Synthesis in Rats by Intracellular Inhibition of Kynurenine Aminotransferase II. *Journal of Neurochemistry*, 75(5), pp.2051–2060.
701. Andrén, P.E. & Caprioli, R.M., 1999. Determination of extracellular release of neurotensin in discrete rat brain regions utilizing in vivo microdialysis/electrospray mass spectrometry. *Brain Research*, 845(2), pp.123–129.
702. Davies, S.E.C. et al., 1998. Hypoosmolarity Induces an Increase of Extracellular N-Acetylaspartate Concentration in the Rat Striatum. *Neurochemical Research*, 23(8), pp.1021–1025.
703. Obrenovitch, T.P., Hardy, A.M. & Urenjak, J., 1997. High extracellular glycine does not potentiate N-methyl-d-aspartate-evoked depolarization in vivo. *Brain Research*, 746(1–2), pp.190–194.
704. Kala, S.V. & Jadhav, A.L., 1995. Low Level Lead Exposure Decreases In Vivo Release of Dopamine in the Rat Nucleus Accumbens: A Microdialysis Study. *Journal of Neurochemistry*, 65(4), pp.1631–1635.
705. Obrenovitch, T.P., Zilkha, E. & Urenjak, J., 1995. Intracerebral Microdialysis: Electrophysiological Evidence of a Critical Pitfall. *Journal of Neurochemistry*, 64(4), pp.1884–1887.
706. Wahl, F. et al., 1994. Extracellular Glutamate During Focal Cerebral Ischaemia in Rats: Time Course and Calcium Dependency. *Journal of Neurochemistry*, 63(3), pp.1003–1011.
707. Obrenovitch, T. p., Urenjak, J. & Zilkha, E., 1994. Intracerebral microdialysis combined with recording of extracellular field potential: a novel method for investigation of depolarizing drugs in vivo. *British Journal of Pharmacology*, 113(4), pp.1295–1302.
708. Herrera-Marschitz, M., 1991. Modulation of Striatal Dopamine and Acetylcholine Release by Different Glutamate Receptors: Studies with in Vivo Microdialysis. In G. Bernardi et al., eds. *The Basal Ganglia III*. Advances in Behavioral Biology. Springer New York, pp. 357–362. Available at: http://link.springer.com/chapter/10.1007/978-1-4684-5871-8_36.
709. Herrera-Marschitz, M. et al., 1990. Regulation of cortical and striatal dopamine and acetylcholine release by glutamate mechanisms assayed in vivo with microdialysis: in situ stimulation with kainate-, quisqualate-and NMDA-receptor agonists. In G. Lubec & G. A. Rosenthal, eds. *Amino Acids*. Springer Netherlands, pp. 599–604. Available at: http://link.springer.com/chapter/10.1007/978-94-011-2262-7_70.
710. Dworak, M. et al., Creatine supplementation reduces sleep need and homeostatic sleep pressure in rats. *Journal of Sleep Research*, p.n/a-n/a.
711. Cass, W.A. & Peters, L.E., Reduced ability of calcitriol to promote augmented dopamine release in the lesioned striatum of aged rats. *Neurochemistry International*. Available at: <http://www.sciencedirect.com/science/article/pii/S0197018616304934> .